

The Department of Public Health and Welfare of Missouri

D I V I S I O N O F H E A L T H

This report is the final tabulation of statistical data for the year 1961. The annual report of the Office of Vital Records is compiled for use in the study of birth, death, marriage, and divorce statistics. This report contains a number of graphic presentations with descriptive material relating to each graph.

If further statistical information is desired, such as more detailed breakdowns of the information contained in the report or copies of the enclosed charts or graphs, one may obtain such information by contacting the Missouri Division of Health.

November, 1962

INTRODUCTION

TABLE OF CONTENTS

FIGURE	<u>CHARTS</u>	PAGES
1	Missouri Population Change by Age and Sex: 1950-1960	1
2	Population Percent Change by Age Groups: 1890-1960	2
3	Recorded and Resident Live Births and Death Rates: 1911-1961	3
4	Trends in Maternal Death Rates by Color: 1932-1961	4
5	Trends in Infant Death Rates by Color: 1932-1961	5
6	Trends in Stillbirth Rates by Color: 1932-1961	6
7	Death Rates by Age Groups: 1911-1961	7
8	Recorded Deaths and Rates from Accidents by Age, Including Motor Vehicle Accidents: 1930-1961	8
9	Death Rates From Major Causes: 1911-1961	9
10	Poliomyelitis Deaths: 1930-1961	10
11	Deaths From Selected Communicable Diseases: 1930-1961	11
11	Tuberculosis Deaths: 1930-1961	11
12	Reported Tuberculosis Cases: 1930-1961	12
13	Venereal Disease Deaths: 1930-1961	13
14	Reported Venereal Disease Cases: 1934-1961	14
15	Marriage and Divorce Rates: 1949-1961	15

POPULATION, NATALITY, AND MORTALITY

TABLE		PAGES
A	Total Population, Recorded Births and Deaths With Rates and Excess Births Over Deaths: 1911-1944	16
A	Total Population, Recorded and Resident Births and Deaths With Rates and Excess Births Over Deaths: 1945-1961	17
B	Resident and Recorded Live Births, Deaths, Infant Deaths, and Stillbirths by Counties and Cities Over 2,500 Population: 1961	18-23

TABLE OF CONTENTS (Continued)


TABLE		PAGES
	<u>POPULATION, NATALITY, AND MORTALITY (Continued)</u>	
C	Resident and Recorded Live Births, Deaths, Infant Deaths, and Stillbirths by Counties and Cities Over 10,000 Population with Rates: 1961	24-26
Summary	Resident Births by Attendant and Deaths From Important Causes by Color With Rates, State Total and Population Groups: 1961	64-65
Summary	Population, Resident Births by Attendant and Deaths From Important Causes by Color, County Areas Including Cities: 1961	66-84
Summary	Population, Resident Births by Attendant and Deaths From Important Causes by Color, Cities of 10,000 Population and Over: 1961	85-91
	<u>NATALITY</u>	
D	Resident Live Births by Place, Attendant, and Color by Counties and Cities Over 10,000 Population: 1961	27-29
E	Resident Live Births by Place and Attendant by Counties and Cities Over 10,000 Population: 1961	30-33
G	Resident Live Births, Urban and Rural, by Age of Mother, Sex and Color of Child: 1961	34
H	Selected Resident Live Birth Statistics with Percentages, Three Missouri Areas by Sex, Color, Attendant, Legitimacy, Deformity, Weight, Place of Delivery, and Month of Occurrence: 1961	35-37
	<u>MORTALITY</u>	
F	Stillbirths by Weight: 1961	34
I	Resident Infant Deaths by Age, Cause, and Color with Rates by Cause and Color: 1961	38
J	Resident Maternal Deaths by Cause and Color with Rates: 1961	39
K	Ten Leading Causes of Death by Color with Rates: 1961	39
L	Recorded Accidental Deaths by Type, Age, and Sex: 1961	40
M	Accidental Deaths by Type and County or City of Occurrence: 1961 ..	41-45
N	Resident Deaths by Age Groups, Sex, Color, and Important Causes for the State: 1961	46-47
O	Recorded Deaths From Communicable Diseases by Cause and County or City: 1961	48-50

TABLE OF CONTENTS (Continued)

TABLE		PAGES
	<u>MARRIAGES AND DIVORCES</u>	
AA	Recorded Marriages by Age: Groom Versus Bride: 1961	51
BB	Recorded First Marriages by Age: Groom Versus Bride: 1961	52
CC	First Marriages by Age of Groom by Age of Bride, Groom Urban Residence: 1961	53
DD	First Marriages by Age of Groom by Age of Bride, Groom Rural Residence: 1961	54
EE	Marriages by Marital Status and Selected Age Groups: Grooms and Brides: 1961	55-56
FF	Recorded Marriages by Marital Status: Groom Versus Bride: 1961 ...	57
GG	Resident Marriages by Marital Status: Groom Urban: 1961	57
HH	Resident Marriages by Marital Status: Groom Rural: 1961	57
II	Marriages by Color of Groom: 1961	58
JJ	Divorces and Annulments by Number of Children Affected: 1961	58
KK	Divorces and Annulments: Complainant Versus to Whom Decree Granted: 1961	59
LL	Divorces and Annulments: Complainant Versus Disposition of Children: 1961	59
MM	Divorces and Annulments: Number of Cases Contested: 1961	60
NN	Divorces and Annulments: Alimony and Settlement: 1961	60
OO	Divorces and Annulments: Cause or Grounds Alleged: 1961	60
PP	Divorces and Annulments: Sex and Color: Husband Versus Wife: 1961	61
QQ	Divorces and Annulments: Number of Previous Marriages: Husband Versus Wife: 1961	61
RR	Divorces by Age of Husband and of Wife and by Number of Times Married: 1961	62
SS	Divorces and Annulments by Duration of Marriage in Years: 1961	63
TT	Divorces and Annulments by Party to Whom Granted: 1961	63

FIGURE 1

MISSOURI POPULATION CHANGE FROM 1950-1960 BY AGE GROUPS AND SEX




Source: United States Census of Population, 1960, PC (1) 27B - Missouri, "General Population Characteristics."

FIGURE 2

POPULATION BY AGE GROUPS: MISSOURI

This graph is of interest as it relates to our present day problems concerning the age distribution of the population. From it, one may observe that the percent of persons over 65 years of age has risen from 3 percent in 1890 to 12 percent in 1960. During the same period, the percent of persons 45 through 64 years of age has increased at about the same rate, while the number of persons under 20 has decreased from 48 percent in 1890 to 36 percent in 1960. However, during the last ten years, the age group under 20 experienced a sharp rise in the percent of the total due to the increased birth rate.



Population of Missouri by Age Groups

Year	Population					Percentage Distribution			
	All Ages	Under 20	20-44	45-64	65+	Under 20	20-44	45-64	65+
1890	2,679,185	1,295,671	969,556	325,314	88,644	48.4	36.2	12.1	3.3
1900	3,106,665	1,406,444	1,166,263	412,870	121,088	45.3	37.5	13.3	3.9
1910	3,293,335	1,356,999	1,280,136	498,450	157,750	41.2	38.9	15.1	4.8
1920	3,404,055	1,308,568	1,302,890	602,884	189,713	38.4	38.3	17.7	5.6
1930	3,629,367	1,296,612	1,381,872	703,569	247,314	35.7	38.1	19.4	6.8
1940	3,784,664	1,220,803	1,430,769	807,347	325,745	32.3	37.8	21.3	8.6
1950	3,954,653	1,258,543	1,412,916	875,806	407,388	31.8	35.7	22.1	10.3
1960	4,319,813	1,573,290	1,307,403	935,709	503,411	36.4	30.3	21.7	11.7


Source: United States Department of Commerce, Bureau of the Census, 1950 Population Census Report (Missouri), Series P-B25, page 51.

1/ United States Bureau of the Census, 1960 Census of Population, Advanced Final Population Count, PC (A-1)-27, December 2, 1960.

FIGURE 3

LIVE BIRTH AND DEATH RATES: MISSOURI

The graph below shows the trend in the birth and death rates from 1910 to date. During this period, the death rate has declined from approximately 13 per 1,000 population to the present rate of 11.0 per 1,000 population. During the same period, the birth rate went through a cycle; and although it hasn't reached the level at which it was estimated to be before 1900, it is above the 1910 level. The decline in the births that occurred from 1910 to 1935 has a direct influence on the number of mothers of childbearing age who have been having children during the last five years. This fact is of interest in the problems relating to population expansion. Expansion may take place more rapidly during the next 20 years since the number of mothers who were born since 1935 has been continually increasing. This fact assumes that the birth rate will remain the same.



Live Birth and Death Rates


Year ^{1/}	Birth Rate	Death Rate	Year ^{1/}	Birth Rate	Death Rate
1911	22.3	13.1	1936	14.7	12.8
1912	22.6	12.6	1937	15.1	11.9
1913	22.1	12.4	1938	15.7	11.3
1914	21.3	12.0	1939	15.8	11.3
1915	20.5	11.7	1940	16.5	11.6
1916	20.8	12.7	1941	17.4	11.4
1917	19.3	13.1	1942	19.0	11.0
1918	19.2	15.6	1943	20.2	12.0
1919	18.2	11.7	1944	19.7	11.9
1920	19.2	12.5	1945	18.7	12.1
1921	19.5	10.6	1946	21.5	11.3
1922	18.7	11.2	1947	23.4	11.6
1923	19.3	12.1	1948	22.1	11.1
1924	19.7	11.5	1949	21.5	11.1
1925	19.4	11.7	1950	21.6	11.0
1926	18.7	10.0	1951	22.5	11.0
1927	18.6	11.4	1952	22.4	11.2
1928	17.6	12.6	1953	22.5	11.1
1929	16.8	12.2	1954	22.8	10.7
1930	17.0	11.8	1955	22.7	10.4
1931	16.2	11.9	1956	23.1	10.7
1932	16.0	11.7	1957	23.1	11.3
1933	15.3	11.5	1958	22.8	11.0
1934	15.9	12.3	1959	23.3	11.0
1935	15.1	11.4	1960	22.6	11.2
			1961 ^{2/}	22.5	11.0

Source: Missouri State Board of Health, Vital Statistics Reports, 1911-34 and 1937-48; Missouri Division of Health, Vital Statistics Reports, 1949-61; U.S. Bureau of the Census, Mortality Statistics, 1935-36; Population estimates 1911-50 taken from U.S. Bureau of the Census release Series P-25, No. 139, June 27, 1956; 1951-59 as computed by the Missouri Division of Health; 1960 taken from Census of Population Advances Final Population Count, PC (A-1)-27, December 2, 1960. ^{2/} 1961 rates were computed by the 1960 census of population.

FIGURE 4

TRENDS IN MATERNAL DEATH RATES BY COLOR: MISSOURI

The maternal death rate depicts the decline in risks relating to childbirth. By separating white and nonwhite rates, observe the peaking in the nonwhite rate which could be due to random fluctuation or to possible sporadic changes in the health conditions which, for some reason, affected the nonwhite population more than the white population.

Trends in Maternal Death Rates^{1/}


Year ^{2/}	White	Nonwhite	Total	Year ^{2/}	White	Nonwhite	Total
1932	58.5	107.6	61.4	1947	11.8	26.2	12.9
1933	49.9	77.9	51.6	1948	8.9	23.4	10.1
1934	55.3	109.6	58.5	1949	7.2	20.2	8.5
1935	55.0	87.0	57.0	1950	6.8	20.5	8.2
1936	60.0	85.0	61.0	1951	6.7	15.7	7.6
1937	49.9	71.2	51.3	1952	6.1	16.3	7.1
1938	36.6	61.3	38.2	1953	5.4	16.2	6.6
1939	35.4	59.9	37.0	1954	4.1	11.0	4.9
1940	35.0	56.7	36.5	1955	4.0	9.7	4.7
1941	28.6	75.1	31.7	1956	3.8	17.3	5.5
1942	23.2	38.0	24.3	1957	2.5	8.7	3.3
1943	21.9	33.7	22.7	1958	2.8	8.5	3.6
1944	18.4	50.6	20.9	1959	3.3	6.7	3.7
1945	15.3	36.1	16.9	1960	3.9	12.9	5.1
1946	11.9	36.7	13.8	1961	1.7	6.8	2.4

Source: Missouri State Board of Health, Vital Statistics Reports 1932-34 and 1937-48; U.S. Bureau of the Census, *Mortality Statistics*, 1935-36, Missouri Division of Health, *Vital Statistics Reports*, 1949-61. ^{1/} Rates are per 10,000 live births ^{2/} Recorded 1932-44; Resident 1945-61.

FIGURE 5

TRENDS IN INFANT DEATH RATES BY COLOR; MISSOURI

The color differentiation in the infant death rate shows the nonwhite rate to be still higher than the white rate. However, both rates seem to be decreasing at about the same proportion. This decrease in the infant death rate has one of the greatest effects on the aging of the population, for the first year of life is the most vulnerable portion of the life cycle, and a decrease in this period adds a larger portion to the total average length of life.

Trends in Infant Death Rates^{1/}

Year ^{2/}	White	Nonwhite	Total	Year ^{2/}	White	Nonwhite	Total
1932	53.9	113.6	57.4	1947	30.1	59.9	32.4
1933	54.5	94.3	56.9	1948	28.6	49.3	30.4
1934	59.4	107.6	62.3	1949	28.7	43.4	30.0
1935	55.2	83.1	56.9	1950	27.1	49.0	29.2
1936	55.7	90.0	57.9	1951	25.8	45.0	27.7
1937	61.7	96.5	64.0	1952	25.9	49.4	28.3
1938	48.1	93.0	51.1	1953	25.4	46.9	27.7
1939	42.2	83.8	45.0	1954	24.2	46.6	26.8
1940	44.7	78.4	47.0	1955	23.1	41.7	25.3
1941	44.2	83.1	46.8	1956	22.4	38.9	24.5
1942	37.1	64.8	39.0	1957	22.4	40.5	24.8
1943	37.5	69.5	39.8	1958	23.2	46.9	26.4
1944	35.1	63.7	37.3	1959	21.5	43.6	24.5
1945	35.1	65.8	37.5	1960	21.4	45.9	24.7
1946	31.1	55.8	33.0	1961	21.9	41.6	24.5


Source: Missouri State Board of Health, Vital Statistics Reports 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949-61.

^{1/} Rates are per 1,000 live births. ^{2/} Recorded 1932-44; Resident 1945-61.

FIGURE 6

TRENDS IN STILLBIRTH RATES BY COLOR: MISSOURI

The color specific stillbirth rates show that the nonwhite stillbirth rate is generally higher than the white stillbirth rate. However, the relative decrease in both rates is approximately the same. One might conclude from this type of rate that the health of the public is still related to its social and economic environment.

TRENDS IN STILLBIRTH RATES ^{1/}


Year ^{2/}	White	Nonwhite	Total	Year ^{2/}	White	Nonwhite	Total
1932	38.4	98.1	41.9	1947	18.8	44.7	20.8
1933	34.3	88.9	37.5	1948	18.7	42.7	20.7
1934	31.3	73.9	33.9	1949	17.5	35.9	19.3
1935	35.8	79.2	38.5	1950	17.2	37.2	19.2
1936	33.4	74.7	36.0	1951	16.4	34.3	18.2
1937	31.3	70.1	33.9	1952	16.1	29.7	17.5
1938	32.0	76.4	35.0	1953	15.9	33.1	17.8
1939	27.8	71.3	30.7	1954	15.8	27.7	17.2
1940	29.8	69.5	32.5	1955	14.7	29.8	16.7
1941	29.7	71.4	32.5	1956	15.4	25.4	16.6
1942	26.2	65.0	28.9	1957	15.7	22.1	16.5
1943	23.6	59.0	26.2	1958	14.7	24.8	16.1
1944	23.3	59.8	26.1	1959	14.0	24.2	15.4
1945	21.7	53.2	24.1	1960	13.8	24.3	15.2
1946	21.4	51.2	23.6	1961	12.8	27.0	14.7

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U. S. Bureau of the Census, *Mortality Statistics*, 1935-36; Missouri Division of Health, *Vital Statistics Reports*, 1949-61. ^{1/} Rates are per 1,000 live births; ^{2/} Recorded 1932-44; Resident 1945-61.

FIGURE 7

AVERAGE DEATH RATES BY AGE GROUPS: MISSOURI

Although much has been written in regard to the lengthening of life, the accompanying graph seems to indicate that the number of deaths per thousand population has declined very little except in the age group under one year.

Average Death Rates by Age Groups^{1/}


Year	All Ages			Age Groups				
	Deaths	Average	Rate	Under 1	1-24	25-44	45-64	65+
1911	43,434	43,434.00	13.2	96.7	5.3	7.7	17.7	73.5
1919	40,040							
1920	42,638	39,916.33	11.7	78.3	4.5	6.7	14.6	65.5
1921	37,071							
1929	44,281							
1930	43,099	43,833.33	12.1	64.4	3.1	5.6	16.1	72.3
1931	44,120							
1939	42,602							
1940	43,777	43,124.33	11.4	52.3	1.7	3.8	14.0	67.9
1941	42,994							
1949	43,825							
1950	43,710	43,886.00	11.1	33.7	1.0	2.6	12.6	63.4
1951	44,123							
1959	46,465							
1960	48,287	47,351.67	11.0	25.4	.8	2.2	11.2	61.2
1961	47,303							

Source: United States Bureau of the Census, *Mortality Statistics, 1911-31*, and the annual *Vital Statistics of the United States, 1939-1951*; 1959-61, *Missouri Division of Health, Vital Statistics Reports*; United States Department of Commerce, Bureau of the Census, *1950 Population Census Report (Missouri)*, Series P-B25; 1960 Census of Population, Advanced Final Population Count, PC (A-1)-27, December 2, 1960. ^{1/} Rates are per 1,000 population. Rates are based on census year population figure and a three-year average of deaths (three years around the census year).

FIGURE 8

DEATHS FROM ACCIDENTS: MISSOURI

Total accidental death rates are slowly declining. During the same period, motor vehicle accidents slowly declined also. Accidental death is the fourth leading cause during 1961.




Year	Recorded Deaths From All Accidents ^{1/}								Motor Vehicle Accidents	
	All Ages Number	Rate ^{2/}	Deaths by Age Groups						All Ages Number	Rate ^{2/}
			0-4	5-14	15-24	25-64	65+	Unk.		
1930	3,011	82.6							795	21.8
1931	2,933	79.0							888	23.9
1932	2,718	72.6							686	18.3
1933	2,676	70.9							874	23.2
1934	4,230	111.8							993	26.2
1935	2,904	76.5							966	25.4
1936	3,778	99.4							1,015	26.7
1937	3,080	81.2							1,044	27.5
1938	2,709	71.6							886	23.4
1939	2,713	71.7	147	130	334	1,098	1,003	1	819	21.6
1940	2,767	73.1	167	149	289	1,136	1,024	2	832	22.0
1941	2,911	76.4	156	156	396	1,132	1,069	2	1,079	28.3
1942	2,692	70.3	152	153	292	1,071	1,012	12	709	18.5
1943	2,675	72.2	180	168	288	992	1,039	8	540	14.6
1944	2,446	68.7	168	158	261	878	977	4	566	15.9
1945	2,731	77.7	207	169	265	982	1,083	25	696	19.8
1946	2,769	73.9	165	170	312	1,026	1,089	7	838	22.4
1947	2,888	75.1	161	162	316	1,060	1,182	7	811	21.1
1948	2,641	68.7	148	120	280	924	1,164	5	820	21.3
1949	2,633	68.3	189	143	271	975	1,050	5	837	21.2
1950	2,542	64.2	202	139	292	758	946	5	912	23.0
1951	2,694	67.5	201	141	355	1,020	972	5	1,036	26.0
1952	2,917	72.5	206	154	347	1,145	1,065		1,079	26.8
1953	2,816	69.3	179	170	342	1,106	1,015	4	1,068	26.3
1954	2,772	67.7	193	147	333	1,114	976	9	1,042	25.4
1955	2,712	65.8	192	161	332	1,121	904	2	1,090	26.4
1956	2,708	65.0	180	166	367	1,096	897	2	1,170	28.1
1957	2,838	67.5	212	155	372	1,053	1,041	5	1,063	25.3
1958	2,470	58.3	219	142	293	992	819	5	1,012	23.9
1959	2,575	60.8	235	150	350	971	862	7	1,030	24.3
1960	2,567	59.4	202	151	330	1,012	869	3	1,075	24.9
1961	2,427	56.1	201	168	304	939	811	4	983	22.8

Source: ^{1/} Missouri State Board of Health Reports, 1925-34 and 1937-48; Missouri Division of Health, Vital Statistics Reports 1949-61; United States Bureau of the Census, Mortality Statistics, 1935-36. ^{2/} Rates are per 100,000 population. Population estimates 1911-50 taken from United States Bureau of Census Release Series P-25, No. 139, June 27, 1956; 1951-59 as estimated by the Division of Health; 1960 Census of Population Advanced Final Population Count, PC (A-1)-27, December 2, 1960. 1961 rates were computed by the 1960 census of population.

FIGURE 9

DEATH RATES FROM MAJOR CAUSES: MISSOURI

The death rates for all causes decreased by 16.5 percent between 1911 and 1961. During the same period, the death rates from heart disease increased by 185.4 percent, while the death rates from influenza and pneumonia decreased by 76.5 percent. This change in death rates is due to the control of communicable diseases and better medical care, which in turn effects the aging of the population. This aging is reflected by an increase in the deaths due to chronic diseases such as heart and cancer.

Death Rates From Major Causes ^{1/}

Year ^{2/}	All Causes	Heart Disease	Cancer	Diseases of Early Infancy	Influenza and Pneumonia	All Accidents	All Other
1911	131.1	15.1	6.0	8.0	15.3	6.6	80.1
1915	117.0	13.7	6.2	6.3	15.3	5.5	70.2
1920	125.1	18.8	7.5	5.7	27.7	4.1	61.2
1925	117.2	15.2	9.5	5.8	16.4	5.9	64.4
1930	117.7	21.0	10.7	4.8	11.6	8.3	61.2
1939	112.9	28.2	13.3	4.2	9.4	7.2	50.6
1940	116.1	30.3	13.4	4.5	9.8	7.3	50.8
1941	113.6	28.5	14.0	4.8	9.7	7.6	49.0
1942	110.0	30.0	14.2	5.0	8.0	7.0	45.9
1943	119.9	35.1	14.5	5.0	9.2	7.2	48.9
1944	119.0	35.7	15.6	4.6	8.7	6.9	47.5
1945	120.9	35.8	15.5	4.2	7.5	7.8	50.0
1946	113.1	33.9	14.7	5.1	6.4	7.3	45.6
1947	115.7	38.0	15.0	5.4	6.4	7.6	43.3
1948	111.2	37.0	16.0	4.9	4.9	7.0	41.5
1949	110.5	38.2	15.8	4.9	3.6	6.7	41.3
1950	110.4	40.0	16.1	4.9	3.9	6.6	38.9
1951	110.3	40.5	16.2	4.9	4.0	6.8	38.0
1952	111.9	41.3	16.3	4.9	3.9	7.3	38.1
1953	111.2	41.0	16.6	5.0	4.7	7.0	36.9
1954	107.0	39.6	16.7	4.8	3.3	6.7	36.0
1955	104.3	40.0	16.3	4.6	3.4	6.6	33.3
1956	106.8	41.9	16.6	4.6	2.9	6.4	34.4
1957	112.5	43.3	17.2	4.1	4.2	4.6	39.1
1958	110.2	42.8	16.7	3.9	4.0	5.0	37.8
1959	109.8	42.8	17.4	4.7	3.2	6.0	35.6
1960	111.8	43.4	17.3	4.7	4.4	5.9	36.0
1961 ^{3/}	109.5	43.1	17.6	4.7	3.6	5.5	35.1


Source: Missouri State Board of Health Reports, 1925-34 and 1937-48; Missouri Division of Health, Vital Statistics Reports, 1949-61; United States Bureau of the Census, Mortality Statistics, 1935-36.

^{1/} Rates are per 10,000 population. Estimated population 1911-50 taken from United States Bureau of the Census Release Series P-25, No. 139, June 27, 1956; 1951-59 as computed by the Missouri Division of Health; 1960 taken from Census of Population, Advanced Final Population Count, PC (A-1)-27, December 2, 1960. ^{2/} 1910-44 Recorded; 1945-61 Resident. ^{3/} 1961 rates were computed by the 1960 census of population.

FIGURE 10

POLIOMYELITIS DEATHS: MISSOURI

The cyclical phenomenon associated with many diseases can be observed in this graph of polio deaths. In polio, there seems to be a three-year cycle. It is quite possible that a secondary cycle of a longer period of time could account for the rise observed around 1949.




Year	All Polio Deaths	Year	All Polio Deaths
1930	42	1945	34
1931	18	1946	97
1932	12	1947	17
1933	16	1948	31
1934	19	1949	133
1935	17	1950	34
1936	22	1951	53
1937	78	1952	77
1938	15	1953	30
1939	18	1954	31
1940	37	1955	9
1941	14	1956	17
1942	17	1957	7
1943	37	1958	12
1944	17	1959	37
		1960	5
		1961	3

Source: Missouri State Board of Health Reports, 1925-34 and 1937-48; Missouri Division of Health, Vital Statistics Reports, 1949-61; United States Bureau of the Census, Mortality Statistics, 1935-36. 1/ 1910-44 Recorded; 1945-61 Resident.

FIGURE 11

DEATHS FROM SELECTED COMMUNICABLE DISEASES: MISSOURI

Tuberculosis deaths are declining on the average at the rate of 81 per year. However, since 1955, the rate of decline appears to have leveled off.




Year/	Brucellosis	Diphtheria	Malaria	Meningococcal Infections	Smallpox	Tuberculosis	Typhoid Fever
1930		162	125	205	7	2,544	263
1931	3	251	146	93	8	2,617	255
1932	5	273	114	34	2	2,418	203
1933	8	238	201	47	1	2,307	214
1934	3	204	187	52	2	2,218	224
1935	6	181	164	114		2,199	143
1936	11	79	104	79	1	2,305	205
1937	4	93	91	46	6	2,146	152
1938	3	114	78	21	4	1,929	105
1939	4	78	66	14	6	1,775	97
1940	3	62	43	13		1,709	58
1941	6	44	27	17	5	1,748	47
1942	7	43	20	20		1,581	29
1943	8	40	25	100	1	1,653	32
1944	4	29	14	103		1,487	25
1945	3	43	14	44		1,411	20
1946	8	25	13	29		1,291	9
1947	8	16	7	17		1,288	16
1948	4	10	5	15		1,001	11
1949	2	20	1	24		1,066	4
1950	3	8	1	23		920	4
1951	1	10	2	29		833	2
1952	2	5	1	31		703	1
1953	3	1	2	27		620	4
1954	1	2	3	23		509	1
1955				15		405	2
1956	1			14		396	1
1957				12		402	1
1958	1	1		21		343	2
1959	2	2		14		309	
1960				7		312	
1961				11		273	

Source: Missouri State Board of Health Reports, 1925-34 and 1937-48; Missouri Division of Health, Vital Statistics Reports, 1949-61; United States Bureau of the Census, Mortality Statistics, 1935-36.
 1/ 1910-44 Recorded; 1945-61 Resident.

FIGURE 12

REPORTED TUBERCULOSIS CASES: MISSOURI

The number of tuberculosis cases are decreasing on the average by 32 cases per year. This is somewhat less than the decrease in regard to tuberculosis deaths, which are decreasing at the average of 82 deaths per year. The high peak in the number of cases during the years 1946 through 1953 may have been due to a change in emphasis in reporting procedures.



Tuberculosis Cases


Year	Number of Cases Reported	Year	Number of Cases Reported
1930	2,485	1945	1,883
1931	2,740	1946	2,045
1932	2,482	1947	3,078
1933	2,294	1948	2,632
1934	2,761	1949	2,541
1935	2,694	1950	2,989
1936	2,661	1951	2,152
1937	2,417	1952	2,302
1938	2,564	1953	2,511
1939	2,203	1954	2,101
1940	2,215	1955	1,904
1941	2,379	1956	1,722
1942	2,339	1957	1,630
1943	2,221	1958	1,534
1944	2,406	1959	1,416
		1960	1,415
		1961	1,394

Source: Above figures obtained from the Missouri Division of Health, Section of Local Health Services, Tuberculosis Control.

FIGURE 13

VENEREAL DISEASE DEATHS: MISSOURI

There is a peak of syphilis deaths during the period 1938 through 1945. If one will examine the number of cases reported during this same period, he can observe a definite peaking in the number of cases. Syphilis is an insidious disease in which a time lag is normally observed between onset and death. It is quite possible that the rise in the number of deaths due to syphilis was due to the new interest in the disease during the peak period surrounding the war years, thus causing this disease to have been mentioned more frequently as a cause of death.



Venereal Disease Deaths


Year ^{1/}	Total	Syphilis	Gonococcus Infections	Year ^{1/}	Total	Syphilis	Gonococcus Infections
1930	291	261	30	1945	459	456	3
1931	329	295	34	1946	420	419	1
1932	326	301	25	1947	406	401	5
1933	319	302	17	1948	353	351	2
1934	387	344	43	1949	252	250	2
1935	430	380	50	1950	252	252	
1936	474	430	44	1951	261	257	4
1937	413	376	37	1952	184	182	2
1938	399	371	28	1953	207	202	5
1939	420	400	20	1954	192	190	2
1940	496	472	14	1955	139	137	2
1941	560	546	14	1956	131	131	
1942	512	504	8	1957	127	127	
1943	519	513	6	1958	130	130	
1944	464	459	5	1959	83	82	1
				1960	94	92	2
				1961	87	86	1

Source: Missouri State Board of Health Reports 1925-34 and 1937-48; Missouri Division of Health, Vital Statistics Reports, 1949-61; United States Bureau of the Census, Mortality Statistics, 1935-36. ^{1/} 1910-44 Recorded; 1945-61 Resident.

FIGURE 14

VENEREAL DISEASE CASES: MISSOURI

The number of venereal disease cases rose during the period of the second world war. Some of this rise was due to a renewed interest in the reporting of the disease. In 1956, there was another small rise in the number of cases.



Venereal Disease Cases

Year	Syphilis	Gonorrhea	Total	Year	Syphilis	Gonorrhea	Total
1934			2,050	1947	8,501	6,408	14,909
1935			1,711	1948	7,083	6,176	13,259
1936			1,604	1949	6,199	4,992	11,191
1937			3,430	1950	5,753	4,483	10,236
1938	5,075	1,100	6,175	1951	5,160	4,261	9,421
1939	4,354	717	5,071	1952	4,541	4,361	8,908
1940	6,941	1,851	8,792	1953	3,291	3,913	7,204
1941	11,325	3,964	15,289	1954	2,990	3,577	6,567
1942	16,774	6,124	22,898	1955	4,387	5,281	9,668
1943	12,547	7,835	20,382	1956	4,624	5,311	9,935
1944	16,621	8,395	25,016	1957	4,156	5,255	9,411
1945	10,075	11,318	21,393	1958	3,782	6,599	10,381
1946	10,756	8,544	19,300	1959	3,132	6,454	9,586
				1960	3,087	8,052	11,139
				1961	3,954	8,094	12,048


Source: Above figures obtained from the Missouri Division of Health, Section of Local Health Services, Venereal Disease Control.

FIGURE 15

MARRIAGE AND DIVORCE RATES: MISSOURI

The marriage and divorce rates in Missouri fluctuate very little. There is some indication that the marriage rate is directly related to economic and political conditions such as recession and the threats of war. The marriage rate in turn tends to directly affect the stat

The divorce rates also tend to reflect not only existing economic conditions, but to be effected by the aftermath of conditions that existed in a previous era. When examining marriage and divorce data, one should be cognizant of the fact that the divorces of today are not a direct reflection of the marriages of today; but are, in reality, the termination of marriages that have taken place in a previous time period.



Marriage and Divorce Rates

Year	Marriages ^{2/} Number	Rate ^{1/}	Year	Divorces ^{2/} Number	Rate ^{1/}
1949	34,689	8.9	1949	12,912	3.3
1950	34,300	8.7	1950	12,177	3.1
1951	30,880	7.6	1951	12,131	3.0
1952	28,373	7.1	1952	12,943	3.2
1953	33,012	8.2	1953	12,342	3.1
1954	33,520	8.2	1954	11,705	2.9
1955	34,162	8.3	1955	11,351	2.8
1956	34,382	8.3	1956	10,993	2.6
1957	31,395	7.5	1957	10,861	2.6
1958	31,965	7.5	1958	10,747	2.5
1959	34,352	8.1	1959	11,693	2.8
1960	35,368	8.2	1960	11,320	2.6
1961	34,640	8.0	1961	11,510	2.7

Source: 1/ Rates are per 1,000 population. Population estimates for 1949 and 1950 taken from U.S. Bureau of Census Release, Series P-25, No. 139, June 27, 1956; 1951 to 1959 as computed by the Missouri Division of Health; 1960 taken from Census of Population, Advanced Final Population Count, PC (A-1)-27. 1961 rates were computed by the 1960 census of population. 2/ Missouri Division of Health, Vital Statistics Reports, 1949 to date.

TABLE A

POPULATION, RECORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION
AND EXCESS OF BIRTHS OVER DEATHS. MISSOURI: 1911-1944

Year	Estimated Mid-Year Population (Thousands)	BIRTHS		DEATHS		Excess Births Over Deaths
		Number	Rate	Number	Rate	
1911	3,317	74,130	22.3	43,479	13.1	30,651
1912	3,344	75,452	22.6	42,139	12.6	33,313
1913	3,409	75,231	22.1	42,130	12.4	33,101
1914	3,467	73,925	21.3	41,743	12.0	32,182
1915	3,492	71,543	20.5	40,863	11.7	30,680
1916	3,527	73,486	20.8	44,705	12.7	28,781
1917	3,470	67,041	19.3	45,564	13.1	21,477
1918	3,325	64,001	19.2	51,925	15.6	12,076
1919	3,371	61,193	18.2	39,282	11.7	21,911
1920	3,404	65,416	19.2	42,572	12.5	22,844
1921	3,429	66,970	19.5	36,210	10.6	30,760
1922	3,437	64,388	18.7	38,417	11.2	25,971
1923	3,454	66,691	19.3	41,853	12.1	24,838
1924	3,508	68,961	19.7	40,463	11.5	28,498
1925	3,526	68,293	19.4	41,332	11.7	26,961
1926	3,556	66,611	18.7	42,684	10.0	23,927
1927	3,576	66,401	18.6	40,853	11.4	25,548
1928	3,601	63,401	17.6	45,219	12.6	18,182
1929	3,622	60,980	16.8	44,262	12.2	16,718
1930	3,646	62,011	17.0	42,924	11.8	19,087
1931	3,711	60,201	16.2	43,999	11.9	16,202
1932	3,746	59,755	16.0	43,695	11.7	16,060
1933	3,773	57,717	15.3	43,368	11.5	14,349
1934	3,784	60,317	15.9	46,685	12.3	13,632
1935	3,798	57,299	15.1	43,201	11.4	14,098
1936	3,801	55,916	14.7	48,767	12.8	7,149
1937	3,794	57,270	15.1	45,160	11.9	12,110
1938	3,781	59,365	15.7	42,578	11.3	16,787
1939	3,783	59,688	15.8	42,693	11.3	16,995
1940	3,786	62,545	16.5	43,950	11.6	18,595
1941	3,811	66,268	17.4	43,295	11.4	22,973
1942	3,829	72,575	19.0	42,117	11.0	30,458
1943	3,705	74,820	20.2	44,437	12.0	30,383
1944	3,560	69,982	19.7	42,347	11.9	27,635

Sources: 1911-1934 and 1937-1944 Vital Statistics Reports of the Missouri State Board of Health. 1935-1936, Special Reports of the U.S. Bureau of the Census. Population estimates 1911 to 1944 taken from U.S. Bureau of the Census release Series P-25, No. 139, June 27, 1956.

TABLE A (Continued)

POPULATION, RECORDED AND RESIDENT BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION
AND EXCESS OF RESIDENT BIRTHS OVER DEATHS: 1945 TO DATE

Year	Estimated Mid-Year Population (Thousands)	RECORDED				RESIDENT				Excess Births Over Deaths
		BIRTHS		DEATHS		BIRTHS		DEATHS		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1945	3,516	67,693	19.3	42,757	12.2	65,691	18.7	42,496	12.1	23,195
1946	3,746	82,901	22.1	42,640	11.4	80,698	21.5	42,377	11.3	38,321
1947	3,845	92,369	24.0	44,762	11.6	89,902	23.4	44,474	11.6	45,428
1948	3,844	87,005	22.6	42,921	11.2	85,096	22.1	42,753	11.1	42,342
1949	3,955	87,372	22.1	43,995	11.1	85,206	21.5	43,708	11.1	41,498
1950	3,961	87,948	22.2	43,962	11.1	85,704	21.6	43,714	11.0	41,990
1951	3,992	92,664	23.2	44,318	11.1	89,977	22.5	44,051	11.0	45,926
1952	4,026	92,931	23.1	45,245	11.2	90,118	22.4	45,051	11.2	45,067
1953	4,061	94,419	23.3	45,686	11.2	91,447	22.5	45,148	11.1	46,299
1954	4,095	97,278	23.8	44,404	10.8	93,453	22.8	43,835	10.7	49,618
1955	4,124	97,591	23.7	43,531	10.6	93,797	22.7	43,000	10.4	50,797
1956	4,163	100,112	24.0	45,003	10.8	96,099	23.1	44,458	10.7	51,641
1957	4,206	101,287	24.1	47,784	11.4	97,161	23.1	47,333	11.3	49,828
1958	4,240	100,729	23.8	47,338	11.2	96,721	22.8	46,729	11.0	49,992
1959	4,233	102,461	24.2	47,099	11.1	98,537	23.3	46,465	11.0	52,072
1960	4,320	101,778	23.6	48,955	11.3	97,723	22.6	48,287	11.2	49,436
1961	4,320	101,462	23.5	47,933	11.1	97,321	22.5	47,303	11.0	50,018

Source: Vital Statistics Reports of the Missouri Division of Health. Population estimates 1945-1950 taken from U.S. Bureau of the Census release Series P-25, No. 139, June 27, 1956; 1951 to 1959 as computed by the Missouri Division of Health; 1960 and 1961, from the "U.S. Census of Population, PC (1) 278.

TABLE B

RESIDENT AND RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS AND STILLBIRTHS
BY COUNTIES AND CITIES OVER 2,500 POPULATION. MISSOURI: 1961

Area	RESIDENT NUMBER				RECORDED NUMBER			
	Live Births	Deaths	Infant Deaths	Still-births	Live Births	Deaths	Infant Deaths	Still-births
State Total	97,321	47,303	2,389	1,433	101,462	47,933	2,459	1,487
Cities over 10,000	52,388	24,465	1,332	817	75,689	30,552	1,889	1,180
Rural	44,933	22,838	1,057	616	25,773	17,381	570	307
Counties (Rural Part) and Cities:								
Adair	132	86	6		3	30	1	
Kirksville	312	140	16	6	882	368	27	10
Andrew	189	125	5	4	5	89	2	1
Atchison	174	119	4	2	258	137	4	3
Audrain	222	94	1	7	7	57		
Mexico	282	127	9	2	715	243	11	9
Vandalia	63	49		1	2	21		
Barry	271	199	9	5	71	119	1	
Monett (part)	96	71	1	1	423	119	5	6
Barton	97	98	3		4	36	1	
Lamar	67	55	1		179	96	2	
Bates	193	154	2	6	20	75	1	
Butler	59	69	4		214	98	4	4
Benton	135	131	4	1	52	80	2	
Bollinger	177	80	5	2	40	57		1
Boone	430	160	10	4	5	53	1	1
Centralia	58	48	3	1		52		
Columbia	899	281	18	7	1,729	756	67	23
Buchanan	249	136	6	2	7	69		
St. Joseph	1,725	1,063	45	31	2,438	1,305	63	39
Butler	393	178	7	3	44	89	1	1
Poplar Bluff	375	237	14	7	1,089	582	36	17
Caldwell	132	133	1	3	3	82		
Callaway	278	148	4	3	1	75	1	
Fulton	159	108	3	3	275	264	7	6
Camden	150	130	4	1	32	82	2	
Cape Girardeau	212	110	5	6	2	56		
Cape Girardeau City	528	239	8	5	1,325	424	28	19
Jackson	113	52		1		30		
Carroll	132	138	4	2	2	59		
Carrollton	88	66	7	2	197	94	8	3
Carter	86	59	2		7	24		
Cass	318	164	5	2	476	119	12	3
Belton	101	26	3	1	1	12		
Harrisonville	91	56	2		347	74	1	1
Pleasant Hill	53	37	6			18	1	
Cedar	102	79	4	2	8	33	1	
ElDorado Springs	56	51	2		154	56	2	4
Chariton	189	172	2		13	79	1	
Christian	222	140	6		3	78		
Clark	179	115	1	1	8	71	1	

TABLE B (Continued)

RESIDENT AND RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS AND STILLBIRTHS
BY COUNTIES AND CITIES OVER 2,500 POPULATION. MISSOURI: 1961

Area	RESIDENT NUMBER				RECORDED NUMBER			
	Live Births	Deaths	Infant Deaths	Still-births	Live Births	Deaths	Infant Deaths	Still-births
Clay	394	156	10	4	275	212	3	5
Excelsior Springs (part)	177	97	5	1	224	129	5	1
Gladstone	185	19	1	1	1	19		
Liberty	235	64	3	1	12	30	2	
North Kansas City	170	85	9	2	1,294	127	17	8
Kansas City (part)	1,064	145	12	8		61	2	
Clinton	145	102	2	4	2	76		
Cameron (part)	70	62	3		280	113	5	4
Cole	346	96	4	5	3	47	1	1
Jefferson City	554	271	11	7	1,496	382	20	18
Cooper	146	103	2	3	1	43	1	
Boonville	133	91	5	1	258	148	8	1
Crawford	242	153	7	7	94	78	4	4
Sullivan (part)	12	9				4		
Dade	111	117	5	2	93	108	5	1
Dallas	124	124	1	1	57	77	2	2
Daviess	139	181	4	2	55	127	3	1
DeKalb	110	88	2	1	29	61		
Cameron (part)		3						
Dent	121	80	2	1	4	44	1	
Salem	103	67		1	212	76		3
Douglas	153	102	1	2	15	59		
Dunklin	587	260	13	10	119	122	1	1
Kennett	243	102	7	2	907	199	21	13
Malden	110	45	1	5	138	29	2	4
Franklin	597	240	14	9	5	106	2	1
Pacific (part)	56	28	1	1		17		
St. Clair	62	26	1	1	2	8	1	
Sullivan (part)	81	46	2		7	22		
Union	127	41	3	2		16		
Washington	220	78	7	5	1,256	258	19	19
Gasconade	163	122	3	3	4	98		
Hermann	49	34		1		15		
Gentry	156	146	4	2	159	110	1	1
Greene	650	266	11	8		104	1	
Springfield	2,045	1,050	40	22	3,550	1,605	76	36
Grundy	86	80		2		37		
Trenton	109	123	5	2	205	160	7	6
Harrison	142	122	4	4	8	57		
Bethany	53	51	3	2	202	109	9	6
Henry	143	139	2	2	4	48	1	
Clinton	124	93	2	2	347	182	5	8
Windsor	58	42	2		123	66	3	
Hickory	51	53			15	25		
Holt	115	121	2	2	1	82		1
Howard	149	93	8	1	5	38	2	
Fayette	57	69	4	2	146	117	3	5

TABLE B (Continued)

RESIDENT AND RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS AND STILLBIRTHS
BY COUNTIES AND CITIES OVER 2,500 POPULATION. MISSOURI: 1961

Area	RESIDENT NUMBER				RECORDED NUMBER			
	Live Births	Deaths	Infant Deaths	Still-births	Live Births	Deaths	Infant Deaths	Still-births
Howell	292	163	9	3	150	129	3	2
West Plains	143	78	5	2	358	133	10	3
Iron	159	142	4	1	279	149	4	2
Jackson	846	252	16	16	6	103	1	
Blue Springs	67	28	1			10		
Grandview	266	50	7	4	2	20		
Independence	2,233	643	32	17	1,697	543	28	20
Lee's Summit	247	78	7	6	2	39	1	
Raytown	475	128	11	8		43	1	
Sugar Creek	78	20	1	1		4		
Kansas City	11,508	5,519	286	165	16,626	6,579	378	236
Jasper	446	296	10	8	1	179	1	
Carthage	228	171	9	3	442	209	12	7
Joplin (part)	779	512	26	13	1,357	594	33	23
Webb City	160	98	2	3	150	101	5	3
Jefferson	1,356	355	24	15	770	345	7	6
Crystal City	61	35	2	2	1	15		
DeSoto	156	72	2	1	21	36	1	1
Festus	164	61	5	1	1	28	3	
Johnson	336	195	15	8	345	107	9	2
Warrensburg	213	85	3	3	360	130	4	4
Knox	113	88	1	1	39	44		
Laclede	204	117	7	2		80	2	
Lebanon	191	110	6	1	456	154	8	2
Lafayette	285	198	2	2	42	103	1	1
Higginsville	74	51	1	1		34		
Lexington	118	75	3		308	101	3	1
Lawrence	281	218	3	2	55	240		
Aurora	92	88	2		277	104	6	3
Monett (part)	22	5				1		
Lewis	190	98	5	5	6	78	1	
Canton	32	38		2		26		
Lincoln	318	198	5	9	518	203	3	10
Linn	115	129	2	2	2	67	1	
Brookfield	93	97	2	1	210	130	6	3
Marceline	37	34			110	83		1
Livingston	121	87		2		42	1	
Chillicothe	179	116	3	2	379	188	2	3
McDonald	197	142	6	2	4	74	2	
Macon	185	189	2	2	10	101		
Macon	83	71	4	1	218	104	3	2
Madison	128	60	3	2	2	15		
Fredericktown	66	58	2	1	227	76	1	3
Maries	116	79	3	3	1	45		
Marion	143	79	2	2	4	33		
Hannibal (part)	440	322	20	6	1,050	471	28	13
Palmyra	64	37	1	1		27		

TABLE B (Continued)

RESIDENT AND RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS AND STILLBIRTHS
BY COUNTIES AND CITIES OVER 2,500 POPULATION. MISSOURI: 1961

Area	RESIDENT NUMBER				RECORDED NUMBER			
	Live Births	Deaths	Infant Deaths	Still-births	Live Births	Deaths	Infant Deaths	Still-births
Mercer	90	82		1	107	69		
Miller	236	103	7	2	221	87	4	1
Eldon	71	42	1		1	19		
Mississippi	322	100	25	7	255	60	16	5
Charleston	147	72	5	1	60	42	3	
East Prairie	92	42	3		48	23	3	
Moniteau	128	104	1			54		
California	58	50	4	3	82	65	4	1
Monroe	209	147	7		14	99	1	
Montgomery	220	161	2	7	3	80	1	
Morgan	167	128	3	1	149	93	2	
New Madrid	669	220	23	11	223	123	8	3
New Madrid	64	26	6		43	11	4	
Portageville	70	42	1		131	23	1	
Sikeston (part)	3							
Newton	400	209	6	8	185	159	7	3
Joplin (part)	39	22	1	1		7		
Neosho	144	83	1		299	115	3	4
Nodaway	251	176	3	5	5	86		
Maryville	153	100	3	1	399	178	5	9
Oregon	152	127	4	1	97	95	2	
Osage	226	97	5	1	3	39	2	
Ozark	109	74	2		93	45		1
Pemiscot	683	245	39	22	170	105	19	3
Caruthersville	202	95	9	3	131	54	8	1
Hayti	119	45	9	3	655	148	27	13
Perry	196	93	3	2		51		
Perryville	121	65	5	1	561	98	13	3
Pettis	223	109	6	2	5	44		1
Sedalia	570	292	20	9	883	363	23	10
Phelps	325	170	12	9	4	108	4	
Rolla	279	84	9		812	219	19	10
Pike	204	106	3	3	1	31		
Bowling Green	62	42		1	1	20		
Louisiana	113	71	3	2	368	133	2	6
Platte	579	199	7	10	1	81		
Kansas City (part)	6							
Polk	138	144	3	2	77	108		1
Bolivar	50	60			24	35		
Pulaski	542	159	22	2	1,172	154	24	9
Putnam	117	101	1	5	119	83	2	3
Ralls	143	89	1	2	5	36		
Hannibal (part)	4	4				2		
Randolph	175	122	4		8	76	2	
Moberly	260	200	5	1	561	261	6	1

TABLE B (Continued)

RESIDENT AND RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS AND STILLBIRTHS
BY COUNTIES AND CITIES OVER 2,500 POPULATION. MISSOURI: 1961

Area	RESIDENT NUMBER				RECORDED NUMBER			
	Live Births	Deaths	Infant Deaths	Still-births	Live Births	Deaths	Infant Deaths	Still-births
Ray	249	130	4	4	334	134	7	6
Excelsior Springs (part)	5							
Richmond	100	85	3	4	1	60		
Reynolds	91	76	2		7	41		
Ripley	158	121	6	1	171	89	6	2
St. Charles	528	162	10	3		62	2	1
O'Fallon	193	14	1			10		
St. Charles City	933	184	22	5	1,427	300	26	7
Wentzville	116	23	1	2	4	13		
St. Clair	115	123	1	4	85	117		1
St. Francois	398	266	10	6	175	263	5	1
Bonne Terre	87	40	2	1	731	166	12	7
Farmington	154	84	3		18	60	1	1
Flat River	89	60	1		13	40		
Ste. Genevieve	170	76	7	1	4	36		
Ste. Genevieve	130	35	2	1	10	15		2
St. Louis	5,141	1,384	105	72	94	892	5	
Ballwin	202	27	4	2	1	16		
Bellefontaine Neighbors	103	87	2	1	1	28		
Bel-ridge	96	25	3	1		4		
Berkeley	474	78	8	6	1	27		
Breckenridge Hills	18	10		2	1	5		
Brentwood	339	88	4	5		23		
Bridgeton	426	42	3	7	2	9		
Clayton	232	173	4	2	658	870	35	24
Crestwood	289	34	1	3	1	11		
Creve Coeur	250	64	4	7	1	24		
Dellwood	128	14		3		3		
Des Peres	59	11		2	1	4		
Ellisville	64	19			42	33		
Ferguson	547	144	11	4		57	1	
Florissant	1,607	157	19	17	3	39		
Frontenac	39	17				6		
Glendale	84	41	3	1		11		
Hanley Hills	24	11				2		
Hazelwood	360	37	7	4		8	1	1
Hillsdale Village	35	16	2			1		
Jennings	318	188	10	1	1	60		
Kinloch	209	47	5	8	3	9	1	
Kirkwood	612	244	10	11	1,421	282	18	26
LaDue	99	55	1	2		23		
Maplewood	260	137	5	6		44		
Moline Acres	54	32	3			22		
Normandy	259	113	3	4	946	269	20	12
Northwoods	54	31	1			5	1	
Olivette	155	39	4	2	1	11		

TABLE B (Continued)

RESIDENT AND RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS AND STILLBIRTHS
BY COUNTIES AND CITIES OVER 2,500 POPULATION. MISSOURI: 1961

Area	RESIDENT NUMBER				RECORDED NUMBER			
	Live Births	Deaths	Infant Deaths	Still-births	Live Births	Deaths	Infant Deaths	Still-births
St. Louis (Continued)								
Overland	843	227	16	10	3	71	1	
Pacific (part)	20	1		1				
Pagedale	93	49	2	3	1	10		
Pinelawn	93	78	3	2		40		
Richmond Heights	277	166	4	3	4,457	497	57	52
Riverview	61	13	1			4		
Rock Hill	154	49	4		1	30		
St. Ann	518	83	14	9		10		
St. John	144	47	4	2		20		
Shrewsbury	59	45	1	1		16		
Sunset Hills	43	16	1			6		
University City	736	545	16	9	1	102	1	
Valley Park	126	47	8	2	3	64		
Webster Groves	448	301	9	4		116	1	
Wellston	188	97	5	2		29		
Woodson Terrace	81	15				1		
Saline	202	145	2	2	76	128	4	
Marshall	204	139	6	3	383	181	6	4
Slater	39	50	1	1	7	26		
Schuyler	97	94	1	1	2	63		
Scotland	105	112	1	2	2	53		
Scott	415	138	12	7	33	64	1	
Chaffee	63	21	2		94	10	2	1
Sikeston (part)	361	114	7	5	802	224	29	15
Shannon	152	83	1	2	31	49	1	
Shelby	146	141	2	3	9	85		2
Stoddard	529	232	19	8	254	135	10	3
Dexter	101	60		1	334	47	1	1
Stone	183	79	7	2	6	38	1	
Sullivan	114	138	4	1	118	110	1	2
Taney	176	121	1	3	223	128	2	4
Texas	398	200	12	2	569	191	12	4
Vernon	150	139	4	1	3	242		
Nevada	165	119	6	2	283	187	5	3
Warren	168	109	2		3	70	1	
Washington	268	100	13	2	67	62	7	
Potosi	69	22	1	1	61	13	1	
Wayne	158	116	7	1	7	55	2	
Webster	276	155	6	5	191	98	2	4
Worth	67	57	2		6	25		
Wright	195	127	4	2	89	84	3	2
Mountain Grove	59	56	1		89	40	1	
St. Louis City	18,539	9,938	574	394	29,985	12,491	855	559

TABLE C

RESIDENT AND RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS AND STILLBIRTHS
WITH RATES BY COUNTIES. MISSOURI: 1961

Area	1960 Population	NUMBER								RATES					
		RESIDENT				RECORDED				RESIDENT				RECORDED	
		Live Births	Deaths	Infant Deaths	Still- births	Live Births	Deaths	Infant Deaths	Still- births	Live Births	Deaths	Infant Deaths	Still- births	Infant Deaths	Still- births
State Total	4,319,813	97,321	47,303	2,389	1,433	101,462	47,933	2,459	1,487	22.5	11.0	24.5	14.7	24.2	14.7
Cities over 10,000		52,388	24,465	1,332	817	75,689	30,522	1,889	1,180						
Rural		44,933	22,838	1,057	616	25,773	17,381	570	307						
Counties inc. Cities over 10,000:															
Adair	20,105	444	226	22	6	885	398	28	10	22.1	11.2	49.5	13.5	31.6	11.3
Andrew	11,062	189	125	5	4	5	89	2	1	17.1	11.3	26.5	21.2	400.0	200.0
Atchison	9,213	174	119	4	2	258	137	4	3	18.9	12.9	23.0	11.5	15.5	11.6
Audrain	26,079	567	270	10	10	724	321	11	9	21.7	10.4	17.6	17.6	15.2	12.4
Barry	18,921	367	270	10	6	494	238	6	6	19.4	14.3	27.2	16.3	12.1	12.1
Barton	11,113	164	153	4		183	132	3		14.8	13.8	24.4		16.4	
Bates	15,905	252	223	6	6	234	173	5	4	15.8	14.0	23.8	23.8	21.4	17.1
Benton	8,737	135	131	4	1	52	80	2		15.5	15.0	29.6	7.4	38.5	
Bollinger	9,167	177	80	5	2	40	57		1	19.3	8.7	28.2	11.3		25.0
Boone	55,202	1,387	489	31	12	1,734	861	68	24	25.1	8.9	22.4	8.7	39.2	13.8
Buchanan	90,581	1,974	1,199	51	33	2,445	1,374	63	39	21.8	13.2	25.8	16.7	25.8	16.0
Butler	34,656	768	415	21	10	1,133	671	37	18	22.2	12.0	27.3	13.0	32.7	15.9
Caldwell	8,830	132	133	1	3	3	82			14.9	15.1	7.6	22.7		
Callaway	23,858	437	256	7	6	276	339	8	6	18.3	10.7	16.0	13.7	29.0	21.7
Camden	9,116	150	130	4	1	32	82	2		16.5	14.3	26.7	6.7	62.5	
Cape Girardeau	42,020	853	401	13	12	1,327	510	28	19	20.3	9.5	15.2	14.1	21.1	14.3
Carroll	13,847	220	204	11	4	199	153	8	3	15.9	14.7	50.0	18.2	40.2	15.1
Carter	3,973	86	59	2		7	24			21.6	14.9	23.3			
Cass	29,702	563	283	16	3	824	223	14	4	19.0	9.5	28.4	5.3	17.0	4.9
Cedar	9,185	158	130	6	2	162	89	3	4	17.2	14.2	38.0	12.7	18.5	24.7
Chariton	12,720	189	172	2		13	79	1		14.9	13.5	10.6		76.9	
Christian	12,359	222	140	6		3	78			18.0	11.3	27.0			
Clark	8,725	179	115	1	1	8	71	1		20.5	13.2	5.6	5.6	125.0	
Clay	87,474	2,225	566	40	17	1,806	578	29	14	25.4	6.5	18.0	7.6	16.1	7.8
Clinton	11,588	215	164	5	4	282	189	5	4	18.6	14.2	23.3	18.6	17.7	14.2
Cole	40,761	900	367	15	12	1,499	429	21	19	22.1	9.0	16.7	13.3	14.0	12.7
Cooper	15,448	279	194	7	4	259	191	9	1	18.1	12.6	25.1	14.3	34.7	3.9
Crawford	12,647	254	162	7	7	94	82	4	4	20.1	12.8	27.6	27.6	42.6	42.6
Dade	7,577	111	117	5	2	93	108	5	1	14.6	15.4	45.0	18.0	53.8	10.8
Dallas	9,314	124	124	1	1	57	77	2	2	13.3	13.3	8.1	8.1	35.1	35.1
Davies	9,502	139	181	4	2	55	127	3	1	14.6	19.0	28.8	14.4	54.5	18.2
DeKalb	7,226	110	91	2	1	29	61			15.2	12.6	18.2	9.1		
Dent	10,445	224	147	2	2	216	120	1	3	21.4	14.1	8.9	8.9	4.6	13.9
Douglas	9,653	153	102	1	2	15	59			15.8	10.6	6.5	13.0		
Dunklin	39,139	940	407	21	17	1,164	350	24	18	24.0	10.4	22.3	18.1	20.6	15.5
Franklin	44,566	1,143	459	28	18	1,270	427	22	20	25.6	10.3	24.5	15.7	17.3	15.7
Gasconade	12,195	212	156	3	4	4	113			17.4	12.8	14.2	18.9		
Gentry	8,793	156	146	4	2	159	110	1	1	17.7	16.6	25.6	12.8	6.3	6.3
Greene	126,276	2,695	1,316	51	30	3,550	1,709	77	36	21.3	10.4	18.9	11.1	21.7	10.1
Grundy	12,220	195	203	5	4	205	197	7	6	16.0	16.6	25.6	20.5	34.1	29.3
Harrison	11,603	195	173	7	6	210	166	9	6	16.8	14.9	35.9	30.8	42.9	28.6
Henry	19,226	325	274	6	4	474	296	9	8	16.9	14.3	18.5	12.3	19.0	16.9
Hickory	4,516	51	53			15	25			11.3	11.7				
Holt	7,885	115	121	2	2	1	82		1	14.6	15.3	17.4	17.4		1000.0
Howard	10,859	206	162	12	3	151	155	5	5	19.0	14.9	58.3	14.6	33.1	33.1
Howell	22,027	435	241	14	5	508	262	13	5	19.7	10.9	32.2	11.5	25.6	9.8
Iron	8,041	159	142	4	1	279	149	4	2	19.8	17.7	25.2	6.3	14.3	7.2
Jackson	622,732	15,720	6,718	361	217	18,333	7,341	409	256	25.2	10.8	23.0	13.8	22.3	14.0
Jasper	78,863	1,613	1,077	47	27	1,950	1,083	51	33	20.5	13.7	29.1	16.7	26.2	16.9

TABLE C (Continued)

RESIDENT AND RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS AND STILLBIRTHS
WITH RATES BY COUNTIES. MISSOURI: 1961

Area	1960 Population	NUMBER								RATES					
		RESIDENT				RECORDED				RESIDENT				RECORDED	
		Live Births	Deaths	Infant Deaths	Still- births	Live Births	Deaths	Infant Deaths	Still- births	Live Births	Deaths	Infant Deaths	Still- births	Infant Deaths	Still- births
Jefferson	66,377	1,737	523	33	19	793	424	11	7	26.2	7.9	19.0	10.9	13.9	8.8
Johnson	28,981	549	280	18	11	705	237	13	6	18.9	9.7	32.8	20.0	18.4	8.5
Knox	6,558	113	88	1	1	39	44			17.2	13.4	8.8	8.8		
Laclede	18,991	395	227	13	3	456	234	10	2	20.8	12.0	32.9	7.6	21.9	4.4
Lafayette	25,274	477	324	6	3	350	238	4	2	18.9	12.8	12.6	6.3	11.4	5.7
Lawrence	23,260	395	311	5	2	332	345	6	3	17.0	13.4	12.7	5.1	18.1	9.0
Lewis	10,984	222	136	5	7	6	104	1		20.2	12.4	22.5	31.5	166.7	
Lincoln	14,783	318	198	5	9	518	203	3	10	21.5	13.4	15.7	28.3	5.8	19.3
Linn	16,815	245	260	4	3	322	280	7	4	14.6	15.5	16.3	12.2	21.7	12.4
Livingston	15,771	300	203	3	4	379	230	3	3	19.0	12.9	10.0	13.3	7.9	7.9
McDonald	11,798	197	142	6	2	4	74	2		16.7	12.0	30.5	10.2	500.0	
Macon	16,473	268	260	6	3	228	205	3	2	16.3	15.8	22.4	11.2	13.2	8.8
Madison	9,366	194	118	5	3	229	91	1	3	20.7	12.6	25.8	15.5	4.4	13.1
Maries	7,282	116	79	3	3	1	45			15.9	10.8	25.9	25.9		
Marion	29,522	647	438	23	9	1,054	531	28	13	21.9	14.8	35.5	13.9	26.6	12.3
Mercer	5,750	90	82		1	107	69			15.7	14.3		11.1		
Miller	13,800	307	145	8	2	222	106	4	1	22.2	10.5	26.1	6.5	18.0	4.5
Mississippi	20,695	561	214	33	8	363	125	22	5	27.1	10.3	58.8	14.3	60.6	13.8
Moniteau	10,500	186	154	5	3	82	119	4	1	17.7	14.7	26.9	16.1	48.8	12.2
Monroe	10,688	209	147	7		14	99	1		19.6	13.8	33.5		71.4	
Montgomery	11,097	220	161	2	7	3	80	1		19.8	14.5	9.1	31.8	333.3	
Morgan	9,476	167	128	3	1	149	93	2		17.6	13.5	18.0	6.0	13.4	
New Madrid	31,350	806	288	30	11	397	157	13	3	25.7	9.2	37.2	13.6	32.7	7.6
Newton	30,093	583	314	8	9	484	281	10	7	19.4	10.4	13.7	15.4	20.7	14.5
Nodaway	22,215	404	276	6	6	404	264	5	9	18.2	12.4	14.9	14.9	12.4	22.3
Oregon	9,845	152	127	4	1	97	95	2		15.4	12.9	26.3	6.6	20.6	
Osage	10,867	226	97	5	1	3	39	2		20.8	8.9	22.1	4.4	666.7	
Ozark	6,744	109	74	2		93	45		1	16.2	11.0	18.3			10.8
Pemiscot	38,095	1,004	385	57	28	956	307	54	17	26.4	10.1	56.8	27.9	56.5	17.8
Perry	14,642	317	158	8	3	561	149	13	3	21.7	10.8	25.2	9.5	23.2	5.3
Pettis	35,120	793	401	26	11	888	407	23	11	22.6	11.4	32.8	13.9	25.9	12.4
Phelps	25,396	604	254	21	9	816	327	23	10	23.8	10.0	34.8	14.9	28.2	12.3
Pike	16,706	379	219	6	6	370	184	2	6	22.7	13.1	15.8	15.8	5.4	16.2
Platte	23,350	585	199	7	10	1	81			25.1	8.5	12.0	17.1		
Polk	13,753	188	204	3	2	101	143		1	13.7	14.8	16.0	10.6		9.9
Pulaski	46,567	542	159	22	2	1,172	154	24	9	11.6	3.4	40.6	3.7	20.5	7.7
Putnam	6,999	117	101	1	5	119	83	2	3	16.7	14.4	8.5	42.7	16.8	25.2
Ralls	8,078	147	93	1	2	5	38			18.2	11.5	6.8	13.6		
Randolph	22,014	435	322	9	1	569	337	8	1	19.8	14.6	20.7	2.3	14.1	1.8
Ray	16,075	354	215	7	8	335	194	7	6	22.0	13.4	19.8	22.6	20.9	17.9
Reynolds	5,161	91	76	2		7	41			17.6	14.7	22.0			
Ripley	9,096	158	121	6	1	171	89	6	2	17.4	13.3	38.0	6.3	35.1	11.7
St. Charles	52,970	1,770	383	34	10	1,431	385	28	8	33.4	7.2	19.2	5.6	19.6	5.6
St. Clair	8,421	115	123	1	4	85	117		1	13.7	14.6	8.7	34.8		11.8
St. Francois	36,516	728	450	16	7	937	529	18	9	19.9	12.3	22.0	9.6	19.2	9.6
Ste. Genevieve	12,116	300	111	9	2	14	51		2	24.8	9.2	30.0	6.7		142.9
St. Louis County	703,532	16,421	5,144	310	221	7,644	3,814	142	115	23.3	7.3	18.9	13.5	18.6	15.0
Saline	25,148	445	334	9	6	466	335	10	4	17.7	13.3	20.2	13.5	21.5	8.6
Schuyler	5,052	97	94	1	1	2	63			19.2	18.6	10.3	10.3		
Scotland	6,484	105	112	1	2	2	53			16.2	17.3	9.5	19.0		
Scott	32,748	839	273	21	12	929	298	32	16	25.6	8.3	25.0	14.3	34.4	17.2
Shannon	7,087	152	83	1	2	31	49	1		21.4	11.7	6.6	13.2	32.3	
Shelby	9,063	146	141	2	3	9	85		2	16.1	15.6	13.7	20.5		222.2
Stoddard	29,490	630	292	19	9	588	182	11	4	21.4	9.9	30.2	14.3	18.7	6.8
Stone	8,176	183	79	7	2	6	38	1		22.4	9.7	38.3	10.9	166.7	
Sullivan	8,783	114	138	4	1	118	110	1	2	13.0	15.7	35.1	8.8	8.5	16.9
Taney	10,238	176	121	1	3	223	128	2	4	17.2	11.8	5.7	17.0	9.0	17.9

TABLE C (Continued)

RESIDENT AND RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS AND STILLBIRTHS
WITH RATES BY COUNTIES. MISSOURI: 1961

Area	1960 Population	NUMBER								RATES					
		RESIDENT				RECORDED				RESIDENT				RECORDED	
		Live Births	Deaths	Infant Deaths	Still- births	Live Births	Deaths	Infant Deaths	Still- births	Live Births	Deaths	Infant Deaths	Still- births	Infant Deaths	Still- births
Texas	17,758	398	200	12	2	569	191	12	4	22.4	11.3	30.2	5.0	21.1	7.0
Vernon	20,540	315	258	10	3	286	429	5	3	15.3	12.6	31.7	9.5	17.5	10.5
Warren	8,750	168	109	2		3	70	1		19.2	12.5	11.9		333.3	
Washington	14,346	337	122	14	3	128	75	8		23.5	8.5	41.5	8.9	62.5	
Wayne	8,638	158	116	7	1	7	55	2		18.3	13.4	44.3	6.3	285.7	
Webster	13,753	276	155	6	5	191	98	2	4	20.1	11.3	21.7	18.1	10.5	20.9
Worth	3,936	67	57	2		6	25			17.0	14.5	29.9			
Wright	14,183	254	183	5	2	178	124	4	2	17.9	12.9	19.7	7.9	22.5	11.2
Cities over 10,000															
Bellefontaine Neighbors		103	87	2	1	1	28								
Berkeley		474	78	8	6	1	27								
Brentwood		339	88	4	5		23								
Cape Girardeau City		528	239	8	5	1,325	424	28	19						
Carthage		228	171	9	3	442	209	12	7						
Clayton		232	173	4	2	658	870	35	24						
Columbia		899	281	18	7	1,729	756	67	23						
Crestwood		289	34	1	3	1	11								
Ferguson		547	144	11	4		57	1							
Florissant		1,607	157	19	17	3	39								
Fulton		159	108	3	3	275	264	7	6						
Gladstone		185	19	1	1	1	19								
Hannibal		444	326	20	6	1,050	473	28	13						
Independence		2,233	643	32	17	1,697	543	28	20						
Jefferson City		554	271	11	7	1,496	382	20	18						
Jennings		318	188	10	1	1	60								
Joplin		818	534	27	14	1,357	601	33	23						
Kansas City		12,578	5,664	298	173	16,626	6,640	380	236						
Kirksville		312	140	16	6	882	368	27	10						
Kirkwood		612	244	10	11	1,421	282	18	26						
Maplewood		260	137	5	6		44								
Mexico		282	127	9	2	715	243	11	9						
Moberly		260	200	5	1	561	261	6	1						
Overland		843	227	16	10	3	71	1							
Poplar Bluff		375	237	14	7	1,089	582	36	17						
Raytown		475	128	11	8		43	1							
Richmond Heights		277	166	4	3	4,457	497	57	52						
Rolla		279	84	9		812	219	19	10						
St. Ann		518	83	14	9		10								
St. Charles		933	184	22	5	1,427	300	26	7						
St. Joseph		1,725	1,063	45	31	2,438	1,305	63	39						
St. Louis City	750,026	18,539	9,938	574	394	29,985	12,491	855	559	24.7	13.3	31.0	21.3	28.5	18.6
Sedalia		570	292	20	9	883	363	23	10						
Sikeston		364	114	7	5	802	224	29	15						
Springfield		2,045	1,050	40	22	3,550	1,605	76	36						
University City		736	545	16	9	1	102	1							
Webster Groves		448	301	9	4		116	1							
Cities inc. in above totals															
Hannibal - Ralls		4	4				2								
Joplin - Newton		39	22	1	1		7								
Kansas City - Clay		1,064	145	12	8		61	2							
Sikeston - New Madrid		3													
Kansas City - Platte		6													

TABLE D

RESIDENT LIVE BIRTHS BY PLACE, ATTENDANT, COLOR, COUNTY AND CITY
MISSOURI: 1961

Area	Total	Hospital						Clinic						Home						Other					
		M.D.		D.O.		Other		M.D.		D.O.		Other		M.D.		D.O.		Other		M.D.		D.O.		Other	
		White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
STATE TOTAL	97,321	72,106	12,005	7,890	122	17	11	1,192	283	1,869	114	-	-	378	247	370	98	197	353	35	8	20	1	4	1
Cities over 10,000	52,388	37,815	11,096	2,895	48	10	4	29	-	125	1	-	-	120	65	50	14	27	63	11	6	6	1	2	-
Rural	44,933	34,291	909	4,995	74	7	7	1,163	283	1,744	113	-	-	258	182	320	84	170	290	24	2	14	-	2	1
Counties inc. Cities over 10,000																									
Adair	444	150	1	287						1				2		6									
Andrew	189	160	1	23										1		2									
Atchison	174	172		1																					
Audrain	567	372	38	136	11			2						1		6				1					
Barry	367	281		47		1				31						2		5							
Barton	164	156		5										3											
Bates	252	205	5	25	1					3						13									
Benton	135	66		33				3		30							1	1				1			
Bollinger	177	87		6				6		76						1		1							
Boone	1,387	1,254	107	22										1		2				1					
Buchanan	1,974	1,722	83	103						2				60		1	1	2							
Butler	768	593	34	1			1	4		50				7		32	7	23	16						
Caldwell	132	97		30						2						3									
Callaway	437	352	33	42	8									1	1										
Camden	150	91		20				10		28				1											
Cape Girardeau	853	744	25	25	2	1		2		47				2		1			3	1					
Carroll	220	150	7	47				1		14						1									
Carter	86	78								1						5		2							
Cass	563	453	1	98						1				2		8									
Cedar	158	94		57						1				5		1									
Chariton	189	111	12	49	1			4	1	2				2	1	3	2				1				
Christian	222	195		20				2		2				1				2							
Clark	179	141		31				1								6			2						
Clay	2,225	1,946	14	248	1					6	3			1	1	4				1					
Clinton	215	141	3	62	3			2		1	1			2											
Cole	900	721	24	132	11		1	2						2		4	2			1					
Cooper	279	228	34	12	1			2						1	1										
Crawford	254	165		9				26		51								3							
Dade	111	106	1	3						1															
Dallas	124	66		5				44		8				1											
Daviess	139	68		26						29				6		9				1					
DeKalb	110	59		25				4		18				2		2									
Dent	224	166	1	26				1		20								10							
Douglas	153	56		32				29		22						11		3							
Dunklin	940	736	24					45	3	87				16	7	5	3	2	5			2			
Franklin	1,143	1,060	9	23		1		5		33				3		5				1					
Gasconade	212	172		36				1								1		2							
Gentry	156	98		54												4									
Greene	2,695	2,533	58	53		1		21		23				3		1		1		1					
Grundy	195	169		23						3															
Harrison	195	115		66						3				1		8						2			
Henry	325	235	5	74	2					4				2		1		2							
Hickory	51	28		7				2		12						2									
Holt	115	94		19										1		1									
Howard	206	160	25	13	2										1		3	1	1						
Howell	435	338	1	43				37		8				1				3		1					
Iron	159	135	2	5				3		7				2				3		2					
Jackson	15,720	10,804	3,109	1,627	25	3		12		13				31	50	13	7	5	2	7	5	6			

TABLE D (Continued)

RESIDENT LIVE BIRTHS BY PLACE, ATTENDANT, COLOR, COUNTY AND CITY
MISSOURI: 1961

Area	Total	Hospital					Clinic					Home					Other				
		M.D.		D.O.		Other	M.D.		D.O.		Other	M.D.		D.O.		Other	M.D.		D.O.		Other
		White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Jasper	1,613	1,283	23	286	2			6				2	2	6		3					
Jefferson	1,737	1,596	26	40			1	17				5		49	2		1				
Johnson	549	472	17	48	1		2	3				1		1		2				1	
Knox	113	49		61	2									1							
Laclede	395	365	6	8			12		4												
Lafayette	477	366	18	70	2		14	2	1			1		3							
Lawrence	395	342		13				38						2							
Lewis	222	156	18	38	2									5	1				2		
Lincoln	318	246	7	60	3		1	1													
Linn	245	163	3	70	1									4							
Livingston	300	218	2	76	1			2				1									
McDonald	197	140		53			1							2		1					
Macon	268	111	5	137	3							1		9		2					
Madison	194	118		17			57					1		1							
Maries	116	41		65				9				1									
Marion	647	597	42	5			1							1					1		
Mercer	90	42		35				11						1					1		
Miller	307	76		161			23		45					1		1					
Mississippi	561	195	10	15	2			1	136	58		2	28	4	5	2	103				
Moniteau	186	132	3	35	1		11	2				1				1					
Monroe	209	170	12	14								10		2	1						
Montgomery	220	125	13	77	1									3					1		
Morgan	167	51	2	25			88					1									
New Madrid	806	323	19		1		128	49	91	16		21	36	7	35	5	75				
Newton	583	441	4	109	2				17			1		6		1		1			
Nodaway	404	389		12								3									
Oregon	152	90		1			31		28			1									1
Osage	226	175		48					3												
Ozark	109	44		3			40		22												
Pemiscot	1,004	371	41			1	164	215	2			52	91	1	2	7	56		1		
Perry	317	308		6			2					1									
Pettis	793	575	50	158			1					6	1	1				1			
Phelps	604	481	2	112					5							3					1
Pike	379	220	19	126	13									1							
Platte	585	548	3	33								1									
Polk	188	146		10			7		22					2		1					
Pulaski	542	288	25	219	2		1		6					1							
Putnam	117	20		97																	
Ralls	147	129	2	10										3	1	1		1			
Randolph	435	286	35	100	1				2			6		4					1		
Ray	354	312	11	26		1						2		2							
Reynolds	91	74		5					3			1		3		3		2			
Ripley	158	141		5			2		3			1				6					
St. Charles	1,770	1,544	19	196	5				4						1		1				
St. Clair	115	82		25					3			3		1		1					
St. Francois	728	611	4	67	1		6		28			2		3		4		2			
Ste. Genevieve	300	268	2	15			2		6			6		1							
St. Louis County	16,421	15,064	526	676	1	5	5		93			20	4	4		2		5	1		
Saline	445	386	21	12	1				11			2	8	4		4					
Schuyler	97	22		73										2							
Scotland	105	56		47										1							1
Scott	839	587	40	4		1	1	1	113	9		1	5		1	6	70				
Shannon	152	99					3		16					22		11			1		
Shelby	146	87		40	1				1			1		4	3			1			
Stoddard	630	274	10	1			30	9	239	18		1	1	9	19	1	16				1
Stone	183	172		3					2			5		1							

TABLE D (Continued)

RESIDENT LIVE BIRTHS BY PLACE, ATTENDANT, COLOR, COUNTY AND CITY
MISSOURI: 1961

Area	Total	Hospital						Clinic						Home						Other					
		M.D.		D.O.		Other		M.D.		D.O.		Other		M.D.		D.O.		Other		M.D.		D.O.		Other	
		White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Sullivan	114	46		66										1		1									
Taney	176	159						2		11				1		1		2							
Texas	398	172		69				124		32						1									
Vernon	315	300		10				1						1		2		1							
Warren	168	109	5	47	4			1						1		1									
Washington	337	185		30				2		46				11		14	1	47	1						
Wayne	158	119		2				9		22				1		1		4							
Webster	276	134		23				67		50								1				1			
Worth	67	50		11										6											
Wright	254	79		46	1			75		52						1									
Cities over 10,000																									
Bellefontaine																									
Neighbors	103	99		3										1											
Berkeley	474	440	6	27										1											
Brentwood	339	332	6	1																					
Cape Girardeau City	528	466	24	13		1				19						1		3		1					
Carthage	228	211	7	8						1															
Clayton	232	229	2											1		1									
Columbia	899	818	80	1																					
Crestwood	289	287	1											1											
Ferguson	547	516	2	29																					
Florissant	1,607	1,531	1	72										1		1						1			
Fulton	159	124	22	10	1									1		1									
Gladstone	185	170		15																					
Hannibal	444	407	34	2												1									
Independence	2,233	1,909	13	302				1						3		3						1		1	
Jefferson City	554	428	24	82	11	1		1						2		3	2								
Jennings	318	289		27						1				1											
Joplin	818	663	16	124						5				2	1	5		2							
Kansas City	12,378	8,111	3,094	1,223	25	3		5		8				22	50	9	7	6	2	6	4	3			
Kirkville	312	100	1	203												3									
Kirkwood	612	540	69	2		1																			
Maplewood	260	249	3	6				1		1															
Mexico	282	207	26	38	11																				
Moberly	260	179	27	47						2				1		3						1			
Overland	843	767	3	69		1		1						2											
Poplar Bluff	375	312	19	1				1		3				5		15	3	8	8						
Raytown	475	435		37						1										1		1			
Richmond Heights	277	244	30	2		1																			
Rolla	279	254	2	21						1														1	
St. Ann	518	480		38																					
St. Charles	933	876	15	40						2															
St. Joseph	1,725	1,489	83	94						2				53		1	1	2							
St. Louis City	18,539	10,963	7,303	199		3		6		23	1			16	9	3		6	4	1	1			1	
Sedalia	570	405	49	110				1						2	1	1				1					
Sikeston	364	238	32			1		1		41					2		1	2	46						
Springfield	2,045	1,922	57	33		1		11		15				3		1		1		1					
University City	736	723		11										2											
Webster Groves	448	402	45			1																			
Incl. in above Cities																									
Hannibal - Ralls	4	4																							
Joplin - Newton	39	35		4																					
Kansas City - Clay	1,064	937		123										1		2				1					
Sikeston - New Madrid	3	1								2															
Kansas City - Platte	6	6																							

TABLE E

RESIDENT LIVE BIRTHS BY PLACE
AND
RESIDENT LIVE BIRTHS BY ATTENDANT
MISSOURI: 1961

County or Area	Place				Attendant		
	Hospital	Clinic	Home	Other	M.D.	D.O.	Other
State Total	92,151	3,458	1,643	69	86,254	10,484	583
Cities over 10,000	51,868	155	339	26	49,142	3,140	106
Rural	40,283	3,303	1,304	43	37,112	7,344	477
Counties inc. Cities over 10,000							
Adair	438		6		151	293	
Andrew	184	1	4		163	26	
Atchison	173		1		173	1	
Audrain	557	2	7	1	414	153	
Barry	329	31	7		281	80	6
Barton	161		3		159	5	
Bates	236	3	13		210	42	
Benton	99	33	2	1	69	65	1
Bollinger	93	82	2		93	83	1
Boone	1,383		3	1	1,363	24	
Buchanan	1,908	2	64		1,865	107	2
Butler	629	54	85		638	90	40
Caldwell	127	2	3		97	35	
Callaway	435		2		387	50	
Camden	111	38	1		102	48	
Cape Girardeau	797	49	6	1	774	75	4
Carroll	204	15	1		158	62	
Carter	78	1	7		78	6	2
Cass	552	1	10		456	107	
Cedar	151	1	6		99	59	
Chariton	173	7	8	1	132	57	
Christian	215	4	3		198	22	2
Clark	172	1	6		142	37	
Clay	2,209	9	6	1	1,963	262	
Clinton	209	4	2		148	67	
Cole	889	2	8	1	750	149	1
Cooper	275	2	2		266	13	
Crawford	174	77	3		191	60	3
Dade	110	1			107	4	
Dallas	71	52	1		111	13	
Daviess	94	29	15	1	75	64	
DeKalb	84	22	4		65	45	
Dent	193	21	10		168	46	10
Douglas	88	51	14		85	65	3
Dunklin	760	140	38	2	831	102	7
Franklin	1,093	41	8	1	1,078	64	1
Gasconade	208	1	3		173	37	2
Gentry	152		4		98	58	
Greene	2,645	44	5	1	2,616	77	2
Grundy	192	3			169	26	

TABLE E (Continued)

RESIDENT LIVE BIRTHS BY PLACE
AND
RESIDENT LIVE BIRTHS BY ATTENDANT
MISSOURI: 1961

County or Area	Place				Attendant		
	Hospital	Clinic	Home	Other	M.D.	D.O.	Other
Harrison	181	3	9	2	116	79	
Henry	316	4	5		242	81	2
Hickory	35	14	2		30	21	
Holt	113		2		95	20	
Howard	200		6		186	18	2
Howell	382	45	7	1	378	54	3
Iron	142	10	5	2	144	12	3
Jackson	15,568	25	109	18	14,018	1,691	11
Jasper	1,594	6	13		1,310	300	3
Jefferson	1,662	18	56	1	1,629	108	
Johnson	539	5	4	1	493	53	3
Knox	112		1		49	64	
Laclede	379	16			383	12	
Lafayette	456	17	4		401	76	
Lawrence	355	38	2		342	53	
Lewis	214		6	2	174	48	
Lincoln	316	2			254	64	
Linn	237		8		170	75	
Livingston	297	2	1		221	79	
McDonald	193	1	3		141	55	1
Macon	256		12		117	149	2
Madison	135	57	2		176	18	
Maries	106	9	1		42	74	
Marion	644	1	1	1	640	7	
Mercer	77	11	1	1	42	48	
Miller	237	68	2		99	207	1
Mississippi	222	195	144		236	220	105
Moniteau	171	13	2		149	36	1
Monroe	196		13		192	17	
Montgomery	216		3	1	138	82	
Morgan	78	88	1		142	25	
New Madrid	343	284	179		576	150	80
Newton	556	17	8	2	447	135	1
Nodaway	401		3		392	12	
Oregon	91	59	1	1	122	29	1
Osage	223	3			175	51	
Ozark	47	62			84	25	
Pemiscot	413	381	209	1	935	5	64
Perry	314	2	1		311	6	
Pettis	783	1	8	1	634	159	
Phelps	595	5	3	1	483	117	4
Pike	378		1		239	140	
Platte	584		1		552	33	
Polk	156	29	3		153	34	1

TABLE E (Continued)

RESIDENT LIVE BIRTHS BY PLACE
AND
RESIDENT LIVE BIRTHS BY ATTENDANT
MISSOURI: 1961

County or Area	Place				Attendant		
	Hospital	Clinic	Home	Other	M.D.	D.O.	Other
Pulaski	534	7	1		314	228	
Putnam	117				20	97	
Ralls	141		5	1	132	14	1
Randolph	422	2	10	1	327	108	
Ray	350		4		325	28	1
Reynolds	79	3	7	2	77	11	3
Ripley	146	5	7		144	8	6
St. Charles	1,764	4	2		1,563	206	1
St. Clair	107	3	5		85	29	1
St. Francois	683	34	9	2	625	99	4
Ste. Genevieve	285	8	7		278	22	
St. Louis County	16,279	98	38	6	15,632	775	14
Saline	420	11	14		417	28	
Schuyler	95		2		22	75	
Scotland	103		1	1	56	48	1
Scott	632	124	83		635	127	77
Shannon	99	19	33	1	102	39	11
Shelby	136	1	8	1	89	57	
Stoddard	285	296	47	2	325	287	18
Stone	175	2	6		177	6	
Sullivan	112		2		47	67	
Taney	159	13	4		162	12	2
Texas	241	156	1		296	102	
Vernon	310	1	4		302	12	1
Warren	165	1	2		116	52	
Washington	215	48	74		198	91	48
Wayne	121	31	6		129	25	4
Webster	157	117	1	1	202	73	1
Worth	61		6		56	11	
Wright	126	127	1		154	100	
Cities over 10,000							
Bellefontaine Neighbors	102		1		100	3	
Berkéley	473		1		447	27	
Brentwood	339				338	1	
Cape Girardeau City	504	19	4	1	491	33	4
Carthage	226	1	1		219	9	
Clayton	231		1		232		
Columbia	899				898	1	
Crestwood	288		1		289		
Ferguson	547				518	29	
Florissant	1,604		2	1	1,533	74	
Fulton	157		2		148	11	

TABLE E (Continued)

RESIDENT LIVE BIRTHS BY PLACE
AND
RESIDENT LIVE BIRTHS BY ATTENDANT
MISSOURI: 1961

County or Area	Place				Attendant		
	Hospital	Clinic	Home	Other	M.D.	D.O.	Other
Gladstone	185				170	15	
Hannibal	443		1		441	3	
Independence	2,224	1	6	2	1,927	306	
Jefferson City	546	1	7		455	98	1
Jennings	316	1	1		290	28	
Joplin	803	5	10		682	134	2
Kansas City	12,456	13	96	13	11,292	1,275	11
Kirksville	309		3		101	211	
Kirkwood	612				609	2	1
Maplewood	258	2			253	7	
Mexico	282				233	49	
Moberly	253	2	4	1	207	53	
Overland	840	1	2		773	69	1
Poplar Bluff	332	4	39		337	22	16
Raytown	472	1		2	436	39	
Richmond Heights	277				274	2	1
Rolla	277	1		1	256	22	1
St. Ann	518				480	38	
St. Charles	931	2			891	42	
St. Joseph	1,666	2	57		1,625	98	2
St. Louis City	18,468	30	38	3	18,299	226	14
Sedalia	564	1	4	1	459	111	
Sikeston	271	42	51		273	42	49
Springfield	2,013	26	5	1	1,994	49	2
University City	734		2		725	11	
Webster Groves	448				447		1
Incl. in above Cities:							
Hannibal - Ralls	4				4		
Joplin - Newton	39				35	4	
Kansas City - Clay	1,060		3	1	939	125	
Sikeston - New Madrid	1	2			1	2	
Kansas City - Platte	6				6		

TABLE F
STILLBIRTHS BY WEIGHT. MISSOURI: 1961

Weight	Resident			Recorded		
	Total	White	Non-white	Total	White	Non-white
2 lbs. 3 oz. or less	252	181	71	266	191	75
2 lbs. 4 oz. - 3 lbs. 4 oz.	133	92	41	138	97	41
3 lbs. 5 oz. - 4 lbs. 6 oz.	129	95	34	125	91	34
4 lbs. 7 oz. - 5 lbs. 8 oz.	168	116	52	174	119	55
5 lbs. 9 oz. - 6 lbs. 9 oz.	140	100	40	146	106	40
6 lbs. 10 oz. - 7 lbs. 11 oz.	164	133	31	168	135	33
7 lbs. 12 oz. - 8 lbs. 13 oz.	92	71	21	96	73	23
8 lbs. 14 oz. - 9 lbs. 14 oz.	37	27	10	39	28	11
9 lbs. 15 oz. or more	32	26	6	34	28	6
Unknown or Not Stated	286	235	51	301	237	64
Total	1,433	1,076	357	1,487	1,105	382

TABLE G
RESIDENT LIVE BIRTHS, URBAN AND RURAL BY AGE OF MOTHER, SEX
AND COLOR OF CHILD - MISSOURI: 1961

Age of Mother	Totals	URBAN				RURAL			
		White		Nonwhite		White		Nonwhite	
		Male	Female	Male	Female	Male	Female	Male	Female
All Ages	97,321	21,157	19,933	5,803	5,495	22,117	20,871	973	972
10-14	199	14	12	42	51	19	28	14	19
15-19	15,523	2,969	2,822	1,194	1,122	3,598	3,352	231	235
20-24	33,350	7,695	7,136	1,840	1,736	7,410	6,974	290	269
25-29	23,311	5,204	4,887	1,312	1,250	5,240	5,036	204	178
30-34	14,613	3,117	3,004	848	830	3,371	3,177	124	142
35-39	7,908	1,704	1,618	465	396	1,861	1,701	81	82
40-44	2,279	438	432	99	106	570	563	26	45
45-49	114	15	20	2	4	39	31	1	2
50 and over	-								
Unknown	24	1	2	1		9	9	2	

TABLE H

SELECTED RESIDENT LIVE BIRTHS STATISTICS WITH PERCENTAGES
THREE MISSOURI AREAS: 1961

Live Births	Number			Percentages		
	State Total	Urban	Rural	State Total	Urban	Rural
SEX - COLOR						
Grand Total	97,321	52,388	44,933	100.0	100.0	100.0
Total Male	50,050	26,960	23,090	51.4	51.5	51.4
Total Female	47,271	25,428	21,843	48.6	48.5	48.6
White Total	84,078	41,090	42,988	100.0	100.0	100.0
Male	43,274	21,157	22,117	51.5	51.5	51.4
Female	40,804	19,933	20,871	48.5	48.5	48.6
Nonwhite Total	13,243	11,298	1,945	100.0	100.0	100.0
Male	6,776	5,803	973	51.2	51.4	50.0
Female	6,467	5,495	972	48.8	48.6	50.0
ATTENDANT - COLOR						
Grand Total	97,321	52,388	44,933	100.0	100.0	100.0
M.D.	86,254	49,142	37,112	88.6	93.8	82.6
D.O.	10,484	3,140	7,344	10.8	6.0	16.3
Midwife	445	71	374	.5	.1	.8
Others	137	34	103	.1	.1	.2
Unknown	1	1				
White Total	84,078	41,090	42,988	100.0	100.0	100.0
M.D.	73,711	37,975	35,736	87.7	92.4	83.1
D.O.	10,149	3,076	7,073	12.1	7.5	16.5
Midwife	121	15	106	.1		.2
Others	97	24	73	.1	.1	.2
Unknown	-					
Nonwhite Total	13,243	11,298	1,945	100.0	100.0	100.0
M.D.	12,543	11,167	1,376	94.7	98.8	70.7
D.O.	335	64	271	2.5	.6	13.9
Midwife	324	56	268	2.4	.5	13.8
Others	40	10	30	.3	.1	1.5
Unknown	1	1				
LEGITIMACY - COLOR						
White Total	84,078	41,090	42,988	100.0	100.0	100.0
Legitimate	82,126	40,155	41,971	97.7	97.7	97.6
Illegitimate	1,910	923	987	2.3	2.2	2.3
Not Stated	42	12	30			.1
Nonwhite Total	13,243	11,298	1,945	100.0	100.0	100.0
Legitimate	9,353	8,022	1,331	70.6	71.0	68.4
Illegitimate	3,873	3,261	612	29.2	28.9	31.5
Not Stated	17	15	2	.1	.1	.1

TABLE H (Continued)

SELECTED RESIDENT LIVE BIRTHS STATISTICS WITH PERCENTAGES
THREE MISSOURI AREAS: 1961

Live Births	Number						Rates					
	State Total		Urban		Rural		State Total		Urban		Rural	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
DEFORMITY - COLOR												
Live Birth Total	84,078	13,243	41,090	11,298	42,988	1,945	100.0	100.0	100.0	100.0	100.0	100.0
Deformed Total	1,241	96	642	71	599	25	1.5	.7	1.6	.6	1.4	1.3
Not Deformed Total	64,306	8,380	30,828	6,873	33,478	1,507	76.5	63.3	75.0	60.8	77.9	77.5
Not Stated or Unknown	18,531	4,767	9,620	4,354	8,911	413	22.0	36.0	23.4	38.5	20.7	21.2
BIRTH WEIGHT - ATTENDANT												
Over 5½ lbs. Total	78,432	11,376	38,152	9,656	40,280	1,720	100.0	100.0	100.0	100.0	100.0	100.0
M.D.	68,795	10,751	35,290	9,551	33,505	1,200	87.7	94.5	92.5	98.9	83.2	69.8
D.O.	9,448	298	2,826	53	6,622	245	12.0	2.6	7.4	.5	16.4	14.2
Midwife	111	298	15	47	96	251	.1	2.6		.5	.2	14.6
Others	78	29	21	5	57	24	.1	.3	.1	.1	.1	1.4
Unknown	-											
Under 5½ lbs. Total	5,451	1,844	2,882	1,631	2,569	213	100.0	100.0	100.0	100.0	100.0	100.0
M.D.	4,771	1,773	2,640	1,608	2,131	165	87.5	96.1	91.6	98.6	83.0	77.5
D.O.	662	36	240	11	422	25	12.1	2.0	8.3	.7	16.4	11.7
Midwife	6	26		9	6	17	.1	1.4		.6	.2	8.0
Others	12	9	2	3	10	6	.2	.5	.1	.2	.4	2.8
Unknown	-											
Not Stated Total	195	23	56	11	139	12	100.0	100.0	100.0	100.0	100.0	100.0
M.D.	145	19	45	8	100	11	74.4	82.6	80.4	72.7	71.9	91.7
D.O.	39	1	10		29	1	20.0	4.3	17.9		20.9	8.3
Midwife	4				4		2.1				2.9	
Others	7	2	1	2	6		3.6	8.7	1.8	18.2	4.3	
Unknown		1		1				4.3		9.1		

TABLE H (Continued)

SELECTED RESIDENT LIVE BIRTHS STATISTICS WITH PERCENTAGES
THREE MISSOURI AREAS: 1961

Live Births	Number						Percentage					
	State Total		Urban		Rural		State Total		Urban		Rural	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
DELIVERIES BY PLACE												
Place of Birth Total	84,078	13,243	41,090	11,298	42,988	1,945	100.0	100.0	100.0	100.0	100.0	100.0
Hospital	80,013	12,138	40,720	11,148	39,293	990	95.2	91.7	99.1	98.7	91.4	50.9
Clinic	3,061	397	154	1	2,907	396	3.6	3.0	.4		6.8	20.4
Residence	945	698	197	142	748	556	1.1	5.3	.5	1.3	1.7	28.6
Other	59	10	19	7	40	3	.1	.1		.1	.1	.2
MONTH OF OCCURRENCE												
Total	84,078	13,243	41,090	11,298	42,988	1,945	100.0	100.0	100.0	100.0	100.0	100.0
January	7,044	1,243	3,349	1,054	3,695	189	8.4	9.4	8.2	9.3	8.6	9.7
February	6,399	1,057	3,139	910	3,260	147	7.6	8.0	7.6	8.1	7.6	7.6
March	6,841	1,074	3,423	900	3,418	174	8.1	8.1	8.3	8.0	8.0	8.9
April	6,383	976	3,113	838	3,270	138	7.6	7.4	7.6	7.4	7.6	7.1
May	6,443	1,022	3,190	887	3,253	135	7.7	7.7	7.8	7.9	7.6	6.9
June	6,634	1,025	3,262	870	3,372	155	7.9	7.7	7.9	7.7	7.8	8.0
July	7,228	1,258	3,514	1,045	3,714	213	8.6	9.5	8.6	9.2	8.6	11.0
August	7,907	1,212	3,813	1,028	4,094	184	9.4	9.2	9.3	9.1	9.5	9.5
September	7,652	1,095	3,723	937	3,929	158	9.1	8.3	9.1	8.3	9.1	8.1
October	7,457	1,125	3,614	988	3,843	137	8.9	8.5	8.8	8.7	8.9	7.0
November	6,812	1,021	3,284	867	3,528	154	8.1	7.7	8.0	7.7	8.2	7.9
December	7,278	1,135	3,666	974	3,612	161	8.7	8.6	8.9	8.6	8.4	8.3

TABLE I

RESIDENT INFANT DEATHS BY AGE, CAUSE, AND COLOR, WITH RATES BY
CAUSE AND COLOR. MISSOURI: 1961

Cause	Color	Number	Rate	Under 1 hour	Over 1 hour Under 1 day	Over 1 day Under 7 days	Over 7 days Under 28 days	Over 28 days Under 3 mos.	Over 3 mos. Under 6 mos.	Over 6 mos. Under 1 year	Age Unknown but Under 1 year
All Causes	White	1,838	21.9	117	615	501	146	193	144	122	-
	Nonwhite	551	41.6	32	177	113	57	88	46	38	-
	Total	2,389	24.5	149	792	614	203	281	190	160	-
Infectious Diseases (020-138)	White	9	.1				2	4	2	1	
	Nonwhite	2	.2							2	
	Total	11	.1				2	4	2	3	
Respiratory Diseases (001-019, 470-527)	White	175	2.1		1	1	1	75	60	37	
	Nonwhite	74	5.6				1	39	18	16	
	Total	249	2.6		1	1	2	114	78	53	
Gastro-Intestinal Diseases (543-545, 571-572)	White	29	.3					9	7	13	
	Nonwhite	16	1.2					8	5	3	
	Total	45	.5					17	12	16	
Malformations (750-759)	White	350	4.2	25	59	90	58	52	38	28	
	Nonwhite	47	3.5	3	5	12	6	14	4	3	
	Total	397	4.1	28	64	102	64	66	42	31	
Injury at Birth (760-761)	White	188	2.2	28	101	51	8				
	Nonwhite	31	2.3	1	21	9					
	Total	219	2.3	29	122	60	8				
Other Diseases of Early Infancy (762-773)	White	680	8.1	31	293	286	57	8	4	1	
	Nonwhite	236	17.8	11	101	71	39	9	3	2	
	Total	916	9.4	42	394	357	96	17	7	3	
Premature Birth (774-776)	White	251	3.0	32	153	62	3			1	
	Nonwhite	92	6.9	16	49	20	4	2	1		
	Total	343	3.5	48	202	82	7	2	1	1	
All Other Causes	White	156	1.9	1	8	11	17	45	33	41	
	Nonwhite	53	4.0	1	1	1	7	16	15	12	
	Total	209	2.1	2	9	12	24	61	48	53	

Numbers following causes of death are codes of the
International List, 1955 revision
Rates are per 1,000 live births

TABLE J

RESIDENT MATERNAL DEATHS BY CAUSE AND COLOR WITH RATES
MISSOURI: 1961

Cause of Death	Number			Rates		
	Total	White	Nonwhite	Total	White	Nonwhite
All Puerperal Causes (640-689)	23	14	9	2.4	1.7	6.8
Abortion with Infection (651)	1		1	.1		.8
Abortion without Infection (650, 652)	1	1		.1	.1	
Puerperal Hemorrhage (643, 648, 670, 671, 672, 687)	7	5	2	.7	.6	1.5
Puerperal Infection (640, 641, 645.1, 680, 681)	4	3	1	.4	.4	.8
Toxemias of Pregnancy (642, 685, 686)	2	1	1	.2	.1	.8
Other Accidents of Childbirth (673-678)	4	2	2	.4	.2	1.5
Other Puerperal Causes	4	2	2	.4	.2	1.5

Rates are per 10,000 live births.

Numbers in parentheses refer to code numbers in the 7th Revision of International Statistical Classification of Causes of Death, 1955.

TABLE K

TEN LEADING CAUSES OF DEATH. MISSOURI: 1961
RESIDENT

Cause of Death	White	Nonwhite	Total	Rates
1. Heart Disease (410-443)	17,161	1,435	18,596	430.5
2. Malignant Neoplasms (140-205)	6,950	639	7,589	175.7
3. Vascular Lesions (330-334)	5,288	567	5,855	135.5
4. Accidents (800-962)	2,137	255	2,392	55.4
5. Malformations and Diseases of Early Infancy (750-776)	1,610	418	2,028	46.9
6. Diseases of Digestive System (530-587)	1,487	176	1,663	38.5
7. Pneumonia (490-493)	1,195	261	1,456	33.7
8. Arteriosclerosis (450)	1,122	111	1,233	28.5
9. Diabetes Mellitus (260)	661	99	760	17.6
10. Suicide (970-979)	495	29	524	12.1
Totals	38,106	3,990	42,096	
Total Resident Deaths - 47,303	Estimated Population -			4,319,813

Rates are per 100,000 population, 1960 Census.

Number in parentheses refer to code numbers in the 7th Revision of International Statistical Classification of Causes of Death, 1955

TABLE L
1961 RECORDED ACCIDENTAL DEATHS BY TYPE, AGE, AND SEX

TYPE OF ACCIDENT		All Ages		0-4		5-14		15-24		25-44		45-64		65-74		75 & Over		Age Unknown	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
		1,617	810	118	83	120	48	256	48	335	92	383	129	172	127	229	283	4	-
I. GRAND TOTAL																			
WORK (except public transportation)	2. WORK TOTAL	175	4	4	-	12	2	16	-	58	1	63	1	15	-	7	-	-	-
	3. Agriculture	81	3	4		12	2	8		15		27	1	11		4			
	4. Mining, Quarrying, Oil and Gas Wells	12	-					7		5									
	5. Manufacturing	12	-					1		3		8							
	6. Construction	27	-					4		10		10				2			
	7. Transportation	9	-							5		2		2					
	8. Public Utilities	12	-							7		4		1					
	9. Trade	4	-					1		1		2							
	10. Service	14	1					2		8	1	3				1			
	11. Other Specified Industry	4	-							2		2							
	12. Unspecified Industry	-	-																
HOME	13. HOME TOTAL	370	372	67	49	22	15	22	6	47	21	76	35	34	59	101	187	1	-
	14. Poisonings (gas excepted)	14	7	4				2	1	3	3	3	2	2	1				
	15. Poisonings by Gases and Vapors	14	8	1		1	2	2		5	1	5	3		1		1		
	16. Fire, Explosion of Combustible Material	92	79	13	17	6	8	4	3	12	8	28	13	9	16	19	14	1	
	17. Hot Substance, Corrosive Liquid, Steam	8	2	6						1		1				2			
	18. Mechanical Suffocation	32	17	26	15	1	1			1		2			1	2			
	19. Firearms	49	7	1	2	12	1	6	1	11	3	15		1		3			
	20. Falls on Same Level	16	51	1	1			1		1		2	5		7	12	38		
	21. Falls to Different Level or Unspecified	109	179	3	3	1	1	2	1	5	5	17	10	20	29	61	130		
	22. Other Specified Home Accidents	35	22	12	11	1	2	6		8		4	1	2	4	2	4		
	23. Unspecified Home Accidents	1								1									
MOTOR-VEHICLE	24. MOTOR-VEHICLE TOTAL	714	269	29	22	38	23	178	40	171	58	168	76	75	39	54	11	1	-
	25. Injury to Pedestrian	116	33	13	5	18	8	2		5	2	38	6	22	8	17	4	1	
	26. Collision with Other Motor Vehicle	262	138	7	7	7	9	60	20	62	31	59	45	38	19	29	7		
	27. Collision with Railroad Train	25	13	3	5	2		5	3	7	3	5	2	2		1			
	28. Collision with Street Car	-	-																
	29. Injury to Pedal Cyclist	6	1			5	1			1									
	30. Collision with Animal-drawn Vehicle or Animal	-	-																
	31. Collision with Fixed Object	44	16	2		1	2	14	3	10	4	16	5	1	2				
	32. Noncollision	244	62	4	4	4	3	94	14	80	16	45	16	11	9	6			
	33. Other and Unspecified Accident	17	6	1		1		3		6	2	5	2	1	1	1			
	34. PUBLIC NON-MOTOR-VEHICLE TOTAL (Priority given to items 35 to 39)	342	157	17	9	47	7	39	2	58	11	71	16	46	28	62	84	2	-
PUBLIC	35. Railroad—Not with Motor Vehicle	17	4			2				3		7		2	3	3	1		
	36. Street Car—Not with Motor Vehicle	-	-																
	37. Other Vehicle—Not with Motor Vehicle	1	-					1											
	38. Water Transportation	3	1			1	1			2									
	39. Air Transportation	14	-					2		12									
	40. Fire, Explosion of Combustible Material	11	2		1	2						3		4		1	1	1	
	41. Hot Substance, Corrosive Liquid, Steam	1	2		1								1						
	42. Drowning	98	15	5	3	26	5	21		18	2	20	2	4	2	3	1	1	
	43. Firearms	21	2	1		4		7	1	3	1	4		2					
	44. Falls on Same Level	37	26			2				4	2	8	1	4	4	19	19		
	45. Falls to Different Level or Unspecified	70	72	2		1				2	4	15	3	18	13	32	52		
	46. Other Specified Public Accidents	67	31	9	4	8	1	8	1	14	2	13	9	11	5	4	9		
	47. Unspecified Public Accidents	2	2			1						1			1		1		
48. Type of Accident Unknown		16	8	1	3	1	1	1	-	1	1	5	1	2	1	5	1	-	-

TABLE M

ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE
MISSOURI: 1961

County	Totals	Occupational Accidents	Home - Fire and Explosion	Home - Falls	Other Home Accidents	Motor Vehicle - Collision with Pedestrian	Motor Vehicle - Collision with Other Motor Vehicle	Other Motor Vehicle Accidents	Public - Drownings	Public - Falls	Other Public Accidents	Type of Accident Unknown
State Total	2,308	171	167	340	213	145	391	408	111	188	164	10
Cities over 10,000	760	38	68	186	91	83	46	44	17	124	56	7
Rural	1,548	133	99	154	122	62	345	364	94	64	108	3
Counties Exc. Cities over 10,000:												
Adair	8			1	1		4	2				
Andrew	12	1		3		1	5	2				
Atchison	8			2	1		1	4				
Audrain	9			1				7			1	
Barry	18	1	2	3	1		1	6	2		2	
Barton	6	1	1	1	1			2				
Bates	14	1		2	1	2	2	3	1	1	1	
Benton	8				2		2	3	1			
Bollinger	7			1		2	1	2			1	
Boone	15	5					6	1	1	1	1	
Buchanan	24	2	3	1			6	8		2	2	
Butler	32	1			3	2	7	15	1	1	2	
Caldwell	4		2							1	1	
Callaway	15	1	1	1	1		5	5		1		
Camden	12	2	1		1		2	1	4		1	
Cape Girardeau	13	2	1		2		2	4		1	1	
Carroll	9	3	2	1	1		1				1	
Carter	2						1	1				
Cass	34	1		5	1		8	11	1		7	
Cedar	3	1		1				1				
Chariton	12	1		3	1	1	5			1		
Christian	9			1			5	1	1	1		
Clark	5				2		1		1			1
Clay	20	1	4	1	2		2	2	3	4	1	
Clinton	21	2	1	1		2	4	8	2	1		
Cole	12	4		2	1		3	1	1			
Cooper	6		1	1	1		1	2				
Crawford	8	1		1	2			4				
Dade	7	2		2	3							
Dallas	5		1				2	1	1			
Daviess	18		1	3	2		5	5		1	1	
DeKalb	5	2			1		1			1		
Dent	4	1		1			1	1				

TABLE M (Continued)

ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE
MISSOURI: 1961

County	Totals	Occupational Accidents	Home - Fire and Explosion	Home - Falls	Other Home Accidents	Motor Vehicle - Collision with Pedestrian	Motor Vehicle - Collision with Other Motor Vehicle	Other Motor Vehicle Accidents	Public - Drownings	Public - Falls	Other Public Accidents	Type of Accident Unknown
Douglas	4	1			1			1	1			
Dunklin	24		4		2	2	8	6			2	
Franklin	32	3	2	1	1	3	12	4		1	4	1
Gasconade	2										2	
Gentry	4		1	2				1				
Greene	17			1		1	8	4		2	1	
Grundy	5			2					1	1	1	
Harrison	7			2			1	3		1		
Henry	9	1	1	1			4			1	1	
Hickory	2			1				1				
Holt	10	2	2	1	1	1	1	1	1			
Howard	12	3		1	1			5			2	
Howell	15	2	3	3		1	2	1			3	
Iron	6	1		2		1		2				
Jackson	44	1	3	4	2	1	5	15	7	1	5	
Jasper	32	1	2	5	2	2	10	8		2		
Jefferson	47	2	4	3	4	3	11	7	8	1	4	
Johnson	16			1	2	1	5	4	1	1	1	
Knox	1	1										
Laclede	16			3	1		1	8		2	1	
Lafayette	22	3	1	3	3		8	1	2	1		
Lawrence	21		1	1	1	1	9	6		1	1	
Lewis	6	1		1	1	1		1			1	
Lincoln	16	3		2		2	2	2	4		1	
Linn	13	1	1		1	1	3	2		1	3	
Livingston	8			2	1	1		1	1	2		
McDonald	8		2		1			3		1	1	
Macon	18			2			2	9	3	2		
Madison	3										3	
Maries	8	1		1			6					
Marion	18	1		1			3	8	1	3	1	
Mercer	3			1		1	1					
Miller	15	1		4	1		6	3				
Mississippi	11	2		1	2		3	1	1		1	
Moniteau	8			2	1		1	3			1	
Monroe	6	1		1			4					
Montgomery	12	1		1			5	3		1	1	
Morgan	7					1		2	2		2	
New Madrid	24	1	7		3	1	2	7			3	
Newton	28	2	1	5	2	1	3	13			1	

TABLE M (Continued)

ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE
MISSOURI: 1961

County	Totals	Occupational Accidents	Home - Fire and Explosion	Home - Falls	Other Home Accidents	Motor Vehicle - Collision with Pedestrian	Motor Vehicle - Collision with Other Motor Vehicle	Other Motor Vehicle Accidents	Public - Drownings	Public - Falls	Other Public Accidents	Type of Accident Unknown
Nodaway	22	7		1		1	4	8		1		
Oregon	6	1	2	1				2				
Osage	6	2	1		1	2						
Ozark	4		3						1			
Pemiscot	36	1	11	2	9	2	3	4	1		3	
Perry	8			2	1	1	4					
Pettis	11	1					2	5	1	1	1	
Phelps	14	1			3		1	6	2	1		
Pike	11		1	2		1	4	1	1		1	
Platte	20		2	1	3		5	7	1	1		
Polk	7			1	1			3				2
Pulaski	24	1		1	5	2	3	5	2	2	3	
Putnam	5	1		1			1	1		1		
Ralls	9				3		3	1		1	1	
Randolph	9	2		1	1		4	1				
Ray	22	2	7	4			5	3	1			
Reynolds	10	2					3	3	1		1	
Ripley	7				2	1		2	1	1		
St. Charles	23	2	2	1	2		1	5	6	1	3	
St. Clair	10	1		1			3	3		1	1	
St. Francois	25	7	3	2			10		1	1	1	
Ste. Genevieve	8	1			1		1	3	1		1	
St. Louis County	136	16	2	14	14	13	33	22	4	8	9	1
Saline	25	2	1	5	3		5	5	1	1	2	
Schuyler	5			2			1	2				
Scotland	1			1								
Scott	9			1		1	4	3				
Shannon	2							1	1			
Shelby	3			1			1				1	
Stoddard	27	2		2	3	1	12	3	1		3	
Stone	5	1	1				1	2				
Sullivan	4		1	3								
Taney	16		1		1	1	2	5	5		1	
Texas	17	2		2	1		5	7				
Vernon	13	1		1	1		5	1	2	1	1	
Warren	10		1				2	4	2		1	
Washington	11	2	2		1			5			1	

TABLE M (Continued)

ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE
MISSOURI: 1961

County	Totals	Occupational Accidents	Home - Fire and Explosion	Home - Falls	Other Home Accidents	Motor Vehicle - Collision with Pedestrian	Motor Vehicle - Collision with Other Motor Vehicle	Other Motor Vehicle Accidents	Public - Drownings	Public - Falls	Other Public Accidents	Type of Accident Unknown
Douglas	4	1			1			1	1			
Dunklin	24		4		2	2	8	6			2	
Franklin	32	3	2	1	1	3	12	4		1	4	1
Gasconade	2										2	
Gentry	4		1	2				1				
Greene	17			1		1	8	4		2	1	
Grundy	5			2					1	1	1	
Harrison	7			2			1	3		1		
Henry	9	1	1	1			4			1	1	
Hickory	2			1				1				
Holt	10	2	2	1	1	1	1	1	1			
Howard	12	3		1	1			5			2	
Howell	15	2	3	3		1	2	1			3	
Iron	6	1		2		1		2				
Jackson	44	1	3	4	2	1	5	15	7	1	5	
Jasper	32	1	2	5	2	2	10	8		2		
Jefferson	47	2	4	3	4	3	11	7	8	1	4	
Johnson	16			1	2	1	5	4	1	1	1	
Knox	1	1										
Laclede	16			3	1		1	8		2	1	
Lafayette	22	3	1	3	3		8	1	2	1		
Lawrence	21		1	1	1	1	9	6		1	1	
Lewis	6	1		1	1	1		1			1	
Lincoln	16	3		2		2	2	2	4		1	
Linn	13	1	1		1	1	3	2		1	3	
Livingston	8			2	1	1		1	1	2		
McDonald	8		2		1			3		1	1	
Macon	18			2			2	9	3	2		
Madison	3										3	
Maries	8	1		1			6					
Marion	18	1		1			3	8	1	3	1	
Mercer	3			1		1	1					
Miller	15	1		4	1		6	3				
Mississippi	11	2		1	2		3	1	1		1	
Moniteau	8			2	1		1	3			1	
Monroe	6	1		1			4					
Montgomery	12	1		1			5	3		1	1	
Morgan	7					1		2	2		2	
New Madrid	24	1	7		3	1	2	7			3	
Newton	28	2	1	5	2	1	3	13			1	

TABLE M (Continued)

ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE
MISSOURI: 1961

County	Totals	Occupational Accidents	Home - Fire and Explosion	Home - Falls	Other Home Accidents	Motor Vehicle - Collision with Pedestrian	Motor Vehicle - Collision with Other Motor Vehicle	Other Motor Vehicle Accidents	Public - Drownings	Public - Falls	Other Public Accidents	Type of Accident Unknown
Nodaway	22	7		1		1	4	8		1		
Oregon	6	1	2	1				2				
Osage	6	2	1		1	2						
Ozark	4		3						1			
Pemiscot	36	1	11	2	9	2	3	4	1		3	
Perry	8			2	1	1	4					
Pettis	11	1					2	5	1	1	1	
Phelps	14	1			3		1	6	2	1		
Pike	11		1	2		1	4	1	1		1	
Platte	20		2	1	3		5	7	1	1		
Polk	7			1	1			3			2	
Pulaski	24	1		1	5	2	3	5	2	2	3	
Putnam	5	1		1			1	1		1		
Ralls	9				3		3	1		1	1	
Randolph	9	2		1	1		4	1				
Ray	22	2	7	4			5	3	1			
Reynolds	10	2					3	3	1		1	
Ripley	7				2	1		2	1	1		
St. Charles	23	2	2	1	2		1	5	6	1	3	
St. Clair	10	1		1			3	3		1	1	
St. Francois	25	7	3	2			10		1	1	1	
Ste. Genevieve	8	1			1		1	3	1		1	
St. Louis County	136	16	2	14	14	13	33	22	4	8	9	1
Saline	25	2	1	5	3		5	5	1	1	2	
Schuyler	5			2			1	2				
Scotland	1			1								
Scott	9			1		1	4	3				
Shannon	2							1	1			
Shelby	3			1			1				1	
Stoddard	27	2		2	3	1	12	3	1		3	
Stone	5	1	1				1	2				
Sullivan	4		1	3								
Taney	16		1		1	1	2	5	5		1	
Texas	17	2		2	1		5	7				
Vernon	13	1		1	1		5	1	2	1	1	
Warren	10		1				2	4	2		1	
Washington	11	2	2		1			5			1	

TABLE M (Continued)

ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE
MISSOURI: 1961

County or City	Totals	Occupational Accidents	Home - Fire and Explosion	Home - Falls	Other Home Accidents	Motor Vehicle - Collision with Pedestrian	Motor Vehicle - Collision with Other Motor Vehicle	Other Motor Vehicle Accidents	Public - Drownings	Public - Falls	Other Public Accidents	Type of Accident Unknown
Wayne	10			1			4	1	4			
Webster	6	1	1		1		1	1			1	
Worth	-											
Wright	6	2	1				2		1			
Cities over 10,000 Population												
Bellefontaine Neighbors	2									1	1	
Berkeley	1							1				
Brentwood	2	1			1							
Cape Girardeau City	3				1		1				1	
Carthage	5	2		3								
Clayton	4	1			2					1		
Columbia	5	1			1	1			1		1	
Crestwood	2	1				1						
Ferguson	2			1	1							
Florissant	1				1							
Fulton	10			1				1		5	3	
Gladstone	-											
Hannibal	12		2	2	2	1		1	1	1	2	
Independence	15	4		5	4					1	1	
Jefferson City	5		1		2					2		
Jennings	1	1										
Joplin	13		2	2	1			4	1		3	
Kansas City	166	8	23	35	15	18	11	19	3	19	12	3
Kirkville	2		1	1								
Kirkwood	2			1	1							
Maplewood	4			2						1	1	
Mexico	2									2		
Moberly	7	1	2	2			1			1		
Overland	4			2	1	1						
Poplar Bluff	7		2	1			2	1		1		
Raytown	2				1		1					
Richmond Heights	2				2							
Rolla	6				1							
St. Ann	3			2						3	2	
St. Charles	6			1				1	1	1	2	

TABLE M (Continued)

ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE
MISSOURI: 1961

City	Totals	Occupational Accidents	Home - Fire and Explosion	Home - Falls	Other Home Accidents	Motor Vehicle - Collision with Pedestrian	Motor Vehicle - Collision with Other Motor Vehicle	Other Motor Vehicle Accidents	Public - Drownings	Public - Falls	Other Public Accidents	Type of Accident Unknown
St. Joseph	29	2	2	4	4	1	3	1		6	6	
St. Louis City	378	14	27	101	49	52	21	10	9	74	17	4
Sedalia	10		2	6		1				1		
Sikeston	5	1	1				2	1				
Springfield	27	1	1	6		7	4	2	1	2	3	
University City	9		1	6	1			1				
Webster Groves	6		1	2				1		1	1	

Detailed Fatal Accident Reports are available on the following:

Fatal Farm Accidents: Missouri, 1960 and 1961

Accidental Drownings: Missouri, 1961

Firearm Fatalities: Missouri, 1961

Department of Public Health and Welfare
Missouri Division of Health
Statistical Services
Jefferson City, Missouri

TABLE N

RESIDENT DEATHS BY AGE GROUPS, BY SEX, COLOR AND IMPORTANT CAUSES
MISSOURI: 1961

	ALL AGES	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 & Un- known	
TOTAL DEATHS	47,303	2,389	361	193	180	307	301	296	392	638	883	1,378	2,185	2,873	3,982	5,328	6,263	6,700	6,068	4,252	1,866	448	20
Male	26,291	1,369	184	106	91	200	191	169	202	295	378	859	1,399	1,874	2,611	3,357	3,669	3,549	2,953	1,934	730	160	11
Female	21,012	1,020	177	87	89	107	110	127	190	343	505	519	786	999	1,371	1,971	2,594	3,151	3,115	2,318	1,136	288	9
TOTAL WHITE	42,517	1,838	280	169	154	277	263	236	303	493	717	1,147	1,844	2,454	3,477	4,728	5,734	6,287	5,812	4,083	1,787	420	14
Male	23,648	1,067	143	93	75	177	169	132	156	221	287	738	1,219	1,649	2,333	2,991	3,358	3,330	2,813	1,851	693	144	9
Female	18,869	771	137	76	79	100	94	104	147	272	430	409	625	805	1,144	1,737	2,376	2,957	2,999	2,232	1,094	276	5
TOTAL NONWHITE	4,786	551	81	24	26	30	38	60	89	145	166	231	341	419	505	600	529	413	256	169	79	28	6
Male	2,653	302	41	13	16	23	22	37	46	74	91	121	180	225	278	366	311	219	140	83	37	16	2
Female	2,143	249	40	11	10	7	16	23	43	71	75	110	161	194	227	234	218	194	116	86	42	12	4
CAUSES OF DEATH																							
Tuberculosis of respiratory system (001-008)	257		1					2	4	13	15	19	28	22	39	27	37	26	12	10	2		
Tuberculosis, other forms (010-019)	16		2					1	2		2	1	2	1	1		3	1					
Syphilis, under 1 year (020-029)	-																						
Syphilis, age 1 year and over (020-029)	86									1		3	12	12	10	21	14	8	3	2			
Typhoid fever (040)	-																						
Paratyphoid fever (041)	-																						
Undulant fever (044)	-																						
Bacillary dysentery (045)	1									1													
Amebic dysentery (046)	-																						
Other and unspecified dysentery (047-048)	-																						
Scarlet fever and streptococcal sore throat (050-051)	1			1																			
Diphtheria (055)	-																						
Whooping cough (056)	-																						
Meningococcal infections (057)	11	2	4	2		3																	
Tularemia (059)	-																						
Tetanus (061)	2										1					1							
Acute poliomyelitis (080)	3					2		1															
Acute infectious encephalitis (082)	9	1		2	1	1				1					1	1							
Measles (085)	18	1	10	2	1			2	1														
Infectious hepatitis (092)	15	1	1	1				1		1		1	2			1	3	3					
Rabies (094)	-																						
Rocky mountain spotted fever (104)	-																						
Typhus & other rickettsial diseases (100-103; 105-108)	-																						
Malaria (110-117)	-																						
Other infectious & parasitic diseases (030-138, exc. above)	72	6	6	2	1		2		1		1	1	1	5	8	5	13	6	7	6		1	

TABLE N (Continued)

RESIDENT DEATHS BY AGE GROUPS, BY SEX, COLOR AND IMPORTANT CAUSES
MISSOURI: 1961

	ALL AGES	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 & Un- known	
Malignant neoplasms (140-205)	7,589	7	34	31	20	26	26	35	53	142	209	370	557	734	944	1,085	1,098	975	721	390	119	12	1
Benign and unspecified neoplasms (210-239)	100		1	3	2		2	1	1	5	4	8	12	11	13	11	9	5	7	2	1	2	
Diabetes mellitus (260)	760		2	1	2	1	5	11	9	7	15	20	23	75	92	106	129	147	73	31	10	1	
Anemias (290-293)	82		2	3	2	1	3	2		3	2		5	6	6	9	12	6	10	7	3		
Vascular lesions affecting central nervous system (330-334)	5,855	4	1	2	5	6	5	8	15	26	39	70	155	205	320	594	867	1,094	1,196	835	342	65	1
Nonmeningococcal meningitis (340)	59	10	9	3	2	1	2		2	2	2	5	4	2	2	3	5	3	1	1			
Rheumatic fever (400-402)	18		1		1	3				1		1	1	1	2	4		1	2				
Chronic rheumatic heart disease (410-416)	402				1	4	3	5	15	18	24	28	65	37	38	55	41	29	21	11	4	3	
Arteriosclerotic & degenerative heart disease (420-422)	15,867	2		1		1	2	8	29	82	162	352	627	949	1,474	2,056	2,439	2,665	2,386	1,663	780	184	5
Other diseases of heart (430-434)	726	6	2	3			3	3	5	9	21	27	27	48	47	74	105	104	111	90	35	6	
Hypertension with heart disease (440-443)	1,601							1	3	14	20	28	59	74	116	183	230	300	260	205	93	15	
Hypertension w/o mention of heart (444-447)	367						1	3	3	4	6	9	8	23	32	43	54	52	55	50	20	4	
Other diseases of circulatory system (450-468)	1,723	2	1			3	5	2	4	6	5	16	47	57	95	167	236	267	312	283	158	55	2
Influenza (480-483)	79	2	1	1		1			2	1	3	1		1	6	6	6	13	17	12	6		
Lobar pneumonia 4 weeks (490)	271	23	10	2			3	1	2	6	5	7	8	13	25	22	19	39	41	24	14	7	
Bronchopneumonia 4 weeks (491)	786	93	30	4	8	8	2	3	4	2	10	8	20	29	40	69	84	106	107	99	43	16	1
Pneumonia, other forms 4 weeks (492-493)	399	83	16	1	1	2	3	3	2	8	4	4	9	11	14	16	35	49	52	52	27	7	
Bronchitis (500-502)	122	9	6	1	1				1	1		2	6	7	12	19	12	15	20	8	2		
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	47	43	4																				
Gastro Enteritis and colitis, 2 years (571.1)	46		3	1		1		1	1		2	1	1	1	4	4	10	5	5	5		1	
Cirrhosis of liver (581)	478		1				4	3	15	18	41	54	77	56	59	54	34	39	16	7			
Other diseases of digestive system (530-587 excl. above)	1,092	29	8	9	10	3	5	11	7	16	29	55	55	67	94	133	144	149	133	94	35	5	1
Nephritis and nephrosis (590-594)	468	1	1	3	3	7	7	9	10	9	19	20	28	31	46	50	54	63	50	37	16	4	
Complications of pregnancy & puerperium (640-652; 660-689)	23				1	3	4	4	7	3	1												
Congenital malformations (750-759)	550	397	43	13	14	14	7	5	4	7	6	12	8	7	2	3	5	1		1		1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	728	728																					
Pneumonia of newborn (under 4 weeks) (763)	101	101																					
Diarrhea of newborn (under 4 weeks) (764)	10	10																					
Other infections of newborn (under 4 weeks) (765-768)	12	12																					
Other diseases of early infancy (under 4 weeks) (769-776)	627	627																					
Senility, ill defined and unknown causes (780-795)	698	43	7	3	1	2	4	2	5	8	11	22	25	54	54	80	86	80	86	61	43	18	3
All other diseases (residual)	2,002	65	35	19	19	19	18	27	22	38	44	53	102	147	205	246	274	259	212	135	44	19	
Motor vehicle accidents (810-835)	949	13	34	32	24	118	104	57	55	59	51	58	65	49	61	61	49	31	21	4	1	1	
All other accidents (800-802; 840-962)	1,443	62	82	47	56	46	45	32	52	62	59	58	70	73	71	77	104	126	110	120	66	22	3
Suicide and self-inflicted injury (970-979)	524				1	19	18	25	33	42	46	44	63	54	42	34	44	31	20	7	1		
Homicide (980-985)	208	6	3		3	12	15	26	22	24	22	19	15	10	5	8	8	5	1		1		1

TABLE O

RECORDED DEATHS FROM COMMUNICABLE DISEASES BY CAUSE AND COUNTY OR CITY
MISSOURI: 1961

County	Totals	Tuberculosis of Respiratory System (001-008)	Tuberculosis, other forms (010-019)	Syphilis, age 1 year and over (020-029)	Typhoid Fever (040)	Undulant Fever (044)	Bacillary Dysentery (045)	Other and Unspecified Dysentery (046-048)	Scarlet Fever and Streptococcal Sore Throat (050-051)	Diphtheria (055)	Whooping Cough (056)	Meningococcal Infections (057)	Tularemia (059)	Tetanus (061)	Acute Infectious Encephalitis (082)	Acute Poliomyelitis (080)	Measles (085)	Infectious Hepatitis (092)	Rocky Mountain Spotted Fever (104)	Other Infectious and Parasitic Diseases (130-138) exc. above
State Total	500	257	15	84	-	-	-	1	1	1	-	11	1	3	11	3	18	17	-	77
Cities over 10,000	318	136	14	68	-	-	-	1	1	1	-	9	1	2	9	2	9	16	-	50
Rural	182	121	1	16	-	-	-	-	-	-	-	2	-	1	2	1	9	1	-	27
Counties exc. Cities over 10,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Adair	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Andrew	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Atchison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Audrain	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barry	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barton	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bates	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benton	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bollinger	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Boone	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Buchanan	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Butler	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caldwell	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Callaway	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camden	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cape Girardeau	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carroll	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Carter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cass	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cedar	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chariton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Christian	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Clark	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Clay	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Clinton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cole	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cooper	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Crawford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dade	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dallas	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Daviess	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DeKalb	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dent	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Douglas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dunklin	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Franklin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gasconade	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Gentry	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greene	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Grundy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Harrison	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Henry	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Hickory	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holt	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 0 (Continued)
RECORDED DEATHS FROM COMMUNICABLE DISEASES BY CAUSE AND COUNTY OR CITY
MISSOURI: 1961

County	Tuberculosis of Respiratory System (001-008)	Tuberculosis, other forms (010-019)	Syphilis, age 1 year and over (020-029)	Typhoid Fever (040)	Undulant Fever (044)	Bacillary Dysentery (045)	Other and Unspecified Dysentery (046-048)	Scarlet Fever and Streptococcal Sore Throat (050-051)	Diphtheria (055)	Whooping Cough (056)	Meningococcal Infections (057)	Tularemia (059)	Tetanus (061)	Acute Poliomyelitis (080)	Acute Infectious Encephalitis (082)	Measles (085)	Infectious Hepatitis (092)	Rocky Mountain Spotted Fever (104)	Other Infectious and Parasitic Diseases (030-138) exc. above
Howard	1																2		
Howell	3																1		
Iron	1																		
Jackson	3																		
Jasper	2																		
Jefferson	2																		
Johnson	1																		
Knox	3																		
Laclede	2		1																2
Lafayette	2		1																1
Lawrence	49		1																2
Lewis	52																		2
Lincoln	1																		1
Linn	1																		
Livingston	1	1																	
McDonald	1		1																1
Macon	3																		
Madison	1																		
Maries	1																		
Marion	1																		
Mercer	1																		
Miller	1																		
Mississippi	2																		
Moniteau	1																		
Monroe	1																		
Montgomery	1																		
Morgan	1																		
New Madrid	3																		1
Newton	3																		
Nodaway	1																		
Oregon	3		1																
Osage	2																		
Ozark	1																		
Pemiscot	6																		1
Perry	2	3																	
Pettis	2	2																	
Pheips	1																		
Pike	2		1																1
Platte	2																		1
Polk	1	1																	1
Pulaski	1	1																	1
Putnam	3	1																	
Rails	1																		1
Randolph	1																		
Ray	1																		
Reynolds	1																		
Ripley	1																		
St. Charles	1																		
St. Clair	1		1																
St. Francois	2																		
Ste. Genevieve	1																		
St. Louis County	23	21	2																

TABLE O (Continued)

RECORDED DEATHS FROM COMMUNICABLE DISEASES BY CAUSE AND COUNTY OR CITY
MISSOURI: 1961

County or City	Totals	Tuberculosis of Respiratory System (001-008)	Tuberculosis, other forms (010-019)	Syphilis, age 1 year and over (020-029)	Typhoid Fever (040)	Undulant Fever (044)	Bacillary Dysentery (045)	Other and Unspecified Dysentery (046-048)	Scarlet Fever and Streptococcal Sore Throat (050-051)	Diphtheria (055)	Whooping Cough (056)	Meningococcal Infections (057)	Tularemia (059)	Tetanus (061)	Acute Poliomyelitis (080)	Acute Infectious Encephalitis (082)	Measles (085)	Rocky Mountain Spotted Fever (104)	Other Infectious and Parasitic Diseases (030-138) exc. above
Saline	5	1														1	3		
Schuyler	-																		
Scotland	-																		
Scott	-																		
Shannon	-																		
Shelby	-																		
Stoddard	1	1																	
Stone	-																		
Sullivan	-																		
Taney	3	2																	1
Texas	1																		1
Vernon	12	10		2															
Warren	-																		
Washington	4	1							1								1		1
Wayne	-																		
Webster	-																		
Worth	-																		
Wright	1	1																	
Cities over 10,000																			
Bellefontaine Neighbors	2																1		1
Berkeley	-																		
Brentwood	-																		
Cape Girardeau City	4			2								1				1			1
Carthage	1																		1
Clayton	11	4		4								1					1		1
Columbia	15	3	2	5								2					1		1
Crestwood	-																		
Ferguson	-																		
Florissant	-																		
Fulton	6	3		2															1
Gladstone	-																		
Hannibal	3	1		1													1		1
Independence	3			1													1		1
Jefferson City	3	1		1															1
Jennings	-																		
Joplin	6	3		2															1
Kansas City	92	55	4	7								1			1	3	1	6	14
Kirksville	2	1																	1
Kirkwood	3	1		1															1
Maplewood	-																		
Mexico	-																		
Moberly	-																		
Overland	-																		
Poplar Bluff	7	1		1								2		1					2
Raytown	-																		
Richmond Heights	1																		1
Rolla	-																		
St. Ann	-																		
St. Charles	-																		
St. Joseph	13	5		3						1						1			3
St. Louis City	127	52	8	33				1				1	1	1	2	5	7		16
Sedalia	3	1		1															1
Sikeston	1																		
Springfield	15	5		4								1			1		1		2
University City	-																		

TABLE AA

ALL MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE
MISSOURI: 1961

Age of Bride	Total	Age of Groom																														Not Stated
		15 & Under		16 to 75 & Over																												
		16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 & Over			
Totals	34,640	16	69	488	1,397	2,534	2,958	3,514	3,402	2,634	1,998	1,660	1,353	1,083	804	734	565	529	473	475	434	1,673	1,270	966	784	600	488	521	330	230	658	
15 yrs. & Under	461	1	16	49	95	99	61	49	30	21	8	9	6	6	2	2	2	2	2	1	1,673	1,270	966	784	600	488	521	330	230	658		
16 years	1,267	2	27	122	236	256	203	163	89	59	38	19	16	6	6	6	3	3	2	1	2	2	3	1							2	
17 years	2,158	1	9	150	337	433	345	324	207	117	67	43	36	23	15	11	10	5	3	3	4	5	3	2			1				4	
18 years	4,514	6	8	107	456	824	802	759	555	343	196	139	92	67	26	30	22	11	7	12	8	24	7	4							9	
19 years	4,683	2	6	40	190	616	790	834	742	469	300	217	136	114	52	44	30	19	14	13	8	26	9	4	3						5	
20 years	3,591		2	11	50	184	479	652	640	465	306	223	158	113	67	53	38	22	18	22	14	50	10	7							7	
21 years	2,772			3	18	68	164	411	471	412	282	247	188	126	103	56	53	37	25	25	16	47	9	3	3						5	
22 years	2,143			2	3	26	56	153	389	343	267	191	192	124	89	70	43	35	31	26	23	49	18	3	3	2	1		1		3	
23 years	1,497	1		3	5	9	20	81	122	209	211	187	130	114	85	68	40	31	24	32	27	55	27	9	2	2	1			1	1	
24 years	1,046				4	7	12	30	49	76	135	138	104	88	68	70	45	32	40	26	31	55	24	5	3	2					2	
25 years	788				1	3	7	12	30	37	69	91	86	69	68	64	41	37	24	21	18	59	29	16	2	4					2	
26 years	632		1			3	2	8	23	25	34	44	63	65	40	47	26	41	34	34	17	77	27	11	7		2				1	
27 years	532					1	3	10	18	17	23	32	37	45	34	36	35	38	24	35	28	72	23	15	2	1	2	1				
28 years	429	1					1	3	7	11	14	14	18	29	42	34	29	26	20	30	19	72	39	10	5	2		2	1			
29 years	439	1					2	6	6	8	18	16	22	15	21	37	31	36	23	28	22	79	43	15	8	2						
30 years	342					2	2	5	5	4	14	14	18	13	23	20	21	26	21	18		67	35	23	7	4						
31 years	346						2	1	4	4	8	16	8	8	17	17	31	19	23	28		87	49	14	5	4					1	
32 years	342						3	2	6	5	11	17	16	19	17	16	22	22	18		80	45	22	9	4		3	1	1			
33 years	304							2	2	1	6	5	8	11	11	12	17	25	23	28		81	43	14	11	3		1				
34 years	315							2	1	1	7	6	6	9	7	8	11	17	6	19		91	60	32	15	7	4	5		1		
35-39 years	1,356					2	3	3	7	10	6	8	13	25	25	29	42	54	51	61		361	304	189	78	45	18	13	5	3	1	
40-44 years	1,049					1	1	1		1	1	6	7	3	4	7	12	13	16	17		162	295	221	164	55	34	18	4	4	2	
45-49 years	861	1								1	1		1	2	2	2	3	3	5		49	118	220	212	116	62	41	16	5	1		
50-54 years	683		1								1						3	1	2	1		17	34	84	159	153	100	87	29	9		
55-59 years	554																					4	12	24	69	121	134	119	48	23		
60-64 years	370															1						1	1	8	10	50	85	115	73	25	1	
65-69 years	290																					1		5	4	15	31	98	80	56		
70-74 years	138																								1	5	6	16	53	56		
75 yrs. & over	71																										5	2	16	47		
Not Stated	667				2	5	6	8	7	1	3	2	1	2			1	1	1		1			1		5	1	3			613	

TABLE BB

(52)

TABLE CC

Age of Bride	Total	Age of Groom																														
		15 & Und.	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 & Over	Not Stat-ed	
Totals	10,183	3	23	165	518	1,037	1,198	1,384	1,340	1,088	770	572	472	335	242	201	150	112	101	86	76	173	61	24	18	9	9	6	1	1	8	
15 yrs. & Under	179		10	19	42	38	25	16	13	8	3	2			1		1		1													
16 years	456		7	40	91	101	80	53	29	23	13	5	6	2	2	2		1					1									
17 years	791	1	3	44	139	188	134	126	65	37	13	16	8	6	3	2	3	1				1									1	
18 years	1,550	1	2	42	149	315	296	267	176	115	66	41	27	19	4	12	7		1	1	2	4		1							2	
19 years	1,826	1	1	16	57	266	332	328	301	212	105	79	39	37	15	11	6	7	5	3	2	2			1							
20 years	1,496			3	27	81	228	283	293	195	131	79	55	48	23	15	7	6	8	4	4	2	3								1	
21 years	1,125			1	6	28	73	188	209	172	117	99	80	50	34	17	16	8	8	7	5	6									1	
22 years	872				2	12	17	70	161	167	124	71	80	39	40	26	15	10	8	6	8	13		1	2						1	
23 years	558				3	4	6	32	55	95	91	73	49	38	27	24	11	8	10	6	15	9	2									
24 years	336				2	1	2	8	15	35	51	47	44	26	25	19	19	10	8	6	8	8	1	1								
25 years	226						2	3	7	12	25	31	35	20	20	18	11	13	5	9	2	9	4									
26 years	134					1	1	3	5	7	10	11	17	17	9	13	7	9	7	9	1	6			1							
27 years	119							1	7	7		7	6	13	14	8	6	4	8	7	5	16		1								
28 years	84										6	3	5	5	12	6	12	7	7	4	3	12	2									
29 years	73							2			4	3	3	4	6	12	8	8	5	4	4	8	2									
30 years	52							1	1		2	3	3	4	4	3	7	4	3	5	2	7	2		1							
31 years	39										2	2	1			4	4	4	2	4	3	8	4	1								
32 years	37							1		1	1	3	2	3	2	3	3	9		1	5	2										
33 years	32												1	4	2	3	1	1	4	5	9	2										
34 years	27												2	2	2	2		1	1	2	11	3	1									
35-39 years	81								1	2	1		1			4	4	2	4	5	4	27	14	7	4	1						
40-44 years	33													1			2	1			8	11	6	4	1							
45-49 years	23															1				2	7	5	3	2		1					1	
50-54 years	11																						1	4	2	2						
55-59 years	5																							1	1	2	1					
60-64 years	4																										3	1				
65-69 years	2																											1		1		
70-74 years	1																												1			
75 yrs. & over	1																													1		
Not Stated	10					2	2	2	2																							2

TABLE EE

MARRIAGES BY MARITAL STATUS AND SELECTED AGE GROUPS
GROOMS AND BRIDES. MISSOURI: 1961

Age	Groom						Bride					
	Total	Single	Annulled	Widowed	Divorced	Not Stated	Total	Single	Annulled	Widowed	Divorced	Not Stated
Totals	34,640	24,827	6	2,047	7,146	614	34,640	24,818	10	2,315	6,879	618
15 yrs. & under	16	15			1		461	459			2	
16 years	69	69					1,267	1,258		1	7	1
17 years	488	486			2		2,158	2,124		1	32	1
18 years	1,397	1,384			9	4	4,514	4,415	2	4	85	8
19 years	2,534	2,507		2	25		4,683	4,457	2	8	215	1
20 years	2,958	2,909		2	46	1	3,591	3,333	1	9	245	3
21 years	3,514	3,385	1	4	119	5	2,772	2,447		25	296	4
22 years	3,402	3,208	1	4	187	2	2,143	1,834		14	295	
23 years	2,634	2,393		6	234	1	1,497	1,138	1	14	344	
24 years	1,998	1,761	1	6	230		1,046	739		13	292	2
25 years	1,660	1,349		7	304		788	494		15	279	
26 years	1,353	1,102		7	244		632	337	1	16	278	
27 years	1,083	790	1	7	283	2	532	257		17	258	
28 years	804	539		5	258	2	429	192		21	215	1
29 years	734	479		10	245		439	173		26	240	
30 years	565	352		13	200		342	113		21	208	
31 years	529	276		11	242		346	112		18	215	1
32 years	473	232		7	234		342	94	1	23	223	1
33 years	475	223		13	238	1	304	79		25	199	1
34 years	434	180		10	244		315	78		32	204	1
35 years	385	146		19	220		302	64	1	29	208	
36 years	375	137		20	218		278	53		26	199	
37 years	329	94		19	216		290	53	1	33	203	
38 years	302	84		23	195		243	32		36	175	
39 years	282	60	1	23	197	1	243	45		28	170	
40 years	279	55		28	196		223	34		45	143	1

TABLE EE (Continued)

MARRIAGES BY MARITAL STATUS AND SELECTED AGE GROUPS
GROOMS AND BRIDES, MISSOURI: 1961

	Age	Groom					Bride							
		Total	Single	Annulled	Widowed	Divorced	Not Stated	Total	Single	Annulled	Widowed	Divorced	Not Stated	
FED.	41 years	276	54		29		193	202	24		39		139	
	42 years	251	42		31		177	200	30		37		133	
	43 years	242	34		22		186	222	28		66		127	
	44 years	222	41		24		157	202	15		55		132	
	45-49 years	966	155		183		628	861	103		296		461	
	50-54 years	784	93		195		495	683	58		337		286	
	55-59 years	600	67		258		273	554	43		329		178	
	60-64 years	488	44	1	268		171	370	28		241		96	
	65-69 years	521	28		328		161	290	21		218		51	
	70-74 years	330	8		255		67	138	7		112		19	
	75 yrs. & over	230	4		190		34	71	4		57		10	
	Not Stated	658	42		18		17	581	667	43		28		17

TABLE FF

RECORDED MARRIAGES BY MARITAL STATUS
MISSOURI: 1961

	Total	Bride				
		Single	Widowed	Divorced	Annulled	Not Stated
Groom Single	24,827	22,279	376	2,155	7	10
Widowed	2,047	287	1,127	630		3
Divorced	7,146	2,242	810	4,089	2	3
Annulled	6	1		4	1	
Not Stated	614	9	2	1		602
Total	34,640	24,818	2,315	6,879	10	618

TABLE GG

RESIDENT MARRIAGES BY MARITAL STATUS - GROOM URBAN*
MISSOURI: 1961

	Total	Bride				
		Single	Widowed	Divorced	Annulled	Not Stated
Groom Single	11,490	10,183	165	1,135	4	3
Widowed	973	150	489	334		
Divorced	4,010	1,217	419	2,373		1
Annulled	2			1	1	
Not Stated	339	4	1			334
Total	16,814	11,554	1,074	3,843	5	338

TABLE HH

RESIDENT MARRIAGES BY MARITAL STATUS - GROOM RURAL*
MISSOURI: 1961

	Total	Bride				
		Single	Widowed	Divorced	Annulled	Not Stated
Groom Single	10,093	9,228	162	694	2	7
Widowed	790	93	493	203		1
Divorced	2,058	689	275	1,091	1	2
Annulled	2			2		
Not Stated	201	2	1	1		197
Total	13,144	10,012	931	1,991	3	207

*Marriage resident data does not carry the usual connotation of residence. There is no interchange of marriage data between states; therefore, the resident data relates only to those persons married in Missouri and residents of Missouri.

TABLE II
MARRIAGES. COLOR OF GROOM
MISSOURI: 1961

Color	Number
White	30,495
Nonwhite	3,558
Other*	19
Not Stated	568
Total	34,640

*Includes Indians, Mexicans, Japanese and Chinese.

TABLE JJ
DIVORCES AND ANNULMENTS BY NUMBER OF CHILDREN AFFECTED
MISSOURI: 1961

Children Reported	Number		
	Total	Divorces	Annulments
No Children	5,333	5,277	56
One Child	2,588	2,586	2
Two Children	1,771	1,771	
Three Children	979	979	
Four Children	405	405	
Five Children	172	172	
Six Children	66	66	
Seven Children	34	34	
Eight Children	17	17	
Nine or More Children	7	7	
Not Stated	202	196	6
Total	11,574	11,510	64

TABLE KK

COMPLAINANT vs TO WHOM DECREE GRANTED. DIVORCES - MISSOURI: 1961

Complainant	Total	Decree to Whom Granted				
		Husband	Wife	Separate Maintenance		Not Stated
Husband	2,920	2,485	408			27
Wife	8,440	110	8,259		12	59
Others	-					
Not Stated	150	32	77			41
Total	11,510	2,627	8,744	-	12	127

COMPLAINANT vs TO WHOM DECREE GRANTED. ANNULMENTS - MISSOURI: 1961

Complainant	Total	Decree to Whom Granted				
		Husband	Wife	Separate Maintenance		Not Stated
Husband	14	14				
Wife	48		48			
Others	-					
Not Stated	2					2
Total	64	14	48	-	-	2

TABLE LL

COMPLAINANT vs DISPOSITION OF CHILDREN. DIVORCES - MISSOURI: 1961

Complainant	Total	Disposition of Children						
		Husband	Wife	Guardian	Joint	Custody to Others	Not Stated	No Children
Husband	2,920	352	735	1	55	13	78	1,686
Wife	8,440	120	4,442	2	68	20	83	3,705
Others	-							
Not Stated	150	2	46				20	82
Total	11,510	474	5,223	3	123	33	181	5,473

COMPLAINANT vs DISPOSITION OF CHILDREN. ANNULMENTS - MISSOURI: 1961

Complainant	Total	Disposition of Children						
		Husband	Wife	Guardian	Joint	Custody to Others	Not Stated	No Children
Husband	14						1	13
Wife	48		1					47
Others	-							
Not Stated	2							2
Total	64	-	1	-	-	-	1	62

TABLE MM

DIVORCES AND ANNULMENTS
NUMBER OF CASES CONTESTED. MISSOURI: 1961

Contestant	Number		
	Total	Divorces	Annulments
Husband	411	410	1
Wife	352	351	1
No Contest	10,499	10,438	61
Not Stated	312	311	1
Total	11,574	11,510	64

TABLE NN

DIVORCES AND ANNULMENTS
ALIMONY AND SETTLEMENTS. MISSOURI: 1961

Alimony and Settlement	Number		
	Total	Divorces	Annulments
No Alimony or Support	6,191	6,132	59
Alimony to Wife	571	571	
Alimony to Husband	"		
Property Settlement	17	17	
Support to Children	2,740	2,740	
Alimony and Child Support	1,706	1,706	
Alimony and Support to Others	"		
Not Stated	349	344	5
Total	11,574	11,510	64

TABLE OO

DIVORCES AND ANNULMENTS
CAUSE OR GROUNDS ALLEGED. MISSOURI: 1961

Cause	Number
Adultery	138
Cruelty	246
Desertion	1,361
Drunkenness	102
Nonsupport	150
Bigamy	5
Conviction of Crime	73
Indignities	9,238
Insanity	"
Annulment	64
Social Disease	"
Not Stated	197
Total	11,574

TABLE PP

COLOR - HUSBAND vs WIFE - DIVORCES - MISSOURI: 1961

		Total	Wife			
			White	Nonwhite	Other	Not Stated
Husband	White	9,917	9,852	1		64
	Nonwhite	1,381	5	1,364		12
	Other	3	3			
	Not Stated	209	85	9		115
	Total	11,510	9,945	1,374	-	191

COLOR - HUSBAND vs WIFE - ANNULMENTS - MISSOURI: 1961

		Total	Wife			
			White	Nonwhite	Other	Not Stated
Husband	White	58	57			1
	Nonwhite	4		4		
	Other	-				
	Not Stated	2				2
	Total	64	57	4	-	3

TABLE QQ

NUMBER OF PREVIOUS MARRIAGES - HUSBAND vs WIFE - DIVORCES - MISSOURI: 1961

Husband	Total	Wife						
		None	One	Two	Three	Four	5 or More	Not Stated
None	2,206	1,782	347	50	20	3	2	2
One	6,067	321	4,728	815	120	30	11	42
Two	2,144	61	732	980	259	60	30	22
Three	617	12	147	253	150	33	12	10
Four	150	1	32	64	32	16	3	2
Five or More	104	2	18	40	25	12	6	1
Not Stated	222	8	43	18	8	1	2	142
Total	11,510	2,187	6,047	2,220	614	155	66	221

NUMBER OF PREVIOUS MARRIAGES - HUSBAND vs WIFE - ANNULMENTS - MISSOURI: 1961

Husband	Total	Wife						
		None	One	Two	Three	Four	5 or More	Not Stated
None	10	7	2		1			
One	21	2	12	5		1		1
Two	16		6	8	2			
Three	7		2	5				
Four	1				1			
Five or More	1					1		
Not Stated	8		2	2				4
Total	64	9	24	20	4	2	-	5

TABLE RR

DIVORCES AND ANNULMENTS BY AGE OF HUSBAND AND OF WIFE, AND BY NUMBER OF TIMES MARRIED
MISSOURI: 1961

Age	Husband						Wife					
	Total	One	Two	Three	Four or More	Not Stated	Total	One	Two	Three	Four or More	Not Stated
Total	11,574	2,216	6,088	2,160	880	230	11,574	2,196	6,071	2,240	841	226
15 years							7	1	4	2		
16 years	3	2	1				34	7	27			
17 years	5	3	2				108	31	76	1		
18 years	39	7	32				220	56	157	5		2
19 years	91	27	63	1			394	96	282	13		3
20 years	166	33	128	4		1	445	111	307	21	3	3
21 years	298	83	206	8		1	516	133	339	41	1	2
22 years	367	99	250	14	2	2	518	134	334	44	3	3
23 years	404	101	273	29	1		524	120	333	60	3	8
24 years	430	95	313	16	2	4	449	122	269	51	6	1
25 years	458	117	284	46	9	2	418	100	232	70	11	5
26 years	418	108	248	45	9	8	389	90	222	65	10	2
27 years	418	112	238	55	9	4	394	88	232	62	10	2
28 years	364	77	228	49	7	3	340	72	193	53	18	4
29 years	390	97	225	53	9	6	344	71	188	59	22	4
30 years	357	87	204	54	10	2	332	80	175	58	17	2
31 years	395	84	220	70	20	1	337	61	191	61	20	4
32 years	381	83	205	77	12	4	313	68	151	72	17	5
33 years	319	58	178	68	10	5	322	63	165	64	28	2
34 years	382	76	203	81	20	2	287	53	142	64	27	1
35 years	320	64	163	62	28	3	303	54	154	65	25	5
36 years	323	63	166	67	23	4	315	38	151	96	26	4
37 years	296	59	151	65	18	3	271	50	123	74	22	2
38 years	286	42	149	63	29	3	292	50	138	69	34	1
39 years	275	56	131	58	27	3	271	33	120	86	28	4
40 years	312	55	152	74	30	1	239	30	106	68	33	2
41 years	263	40	136	53	32	2	240	34	117	59	27	3
42 years	210	38	101	47	24		216	34	88	64	28	2
43 years	238	36	108	62	31	1	226	34	106	57	26	3
44 years	220	27	122	46	23	2	179	30	76	52	21	
45-49 years	927	151	413	231	120	12	779	105	335	224	107	8
50-54 years	678	82	295	193	98	10	511	57	193	163	89	9
55-59 years	451	58	175	132	82	4	276	30	101	97	44	4
60-64 years	247	29	75	87	51	5	174	20	53	54	45	2
65-69 years	200	23	58	76	41	2	104	7	31	43	23	
70-74 years	112	8	28	44	32		34	1	10	12	11	
75 years & over	77	1	16	35	24	1	25		5	6	13	1
Not Stated	454	35	148	95	47	129	428	32	145	85	43	123

TABLE SS

DIVORCES AND ANNULMENTS BY DURATION OF MARRIAGE IN YEARS
MISSOURI: 1961

Duration of Marriage (In Years)	Total	Divorces	Annulments
Under 1 year	349	332	17
1 year	1,290	1,258	32
2 years	1,172	1,163	9
3 years	974	973	1
4 years	922	921	1
5 years	771	769	2
6 years	649	649	
7 years	517	517	
8 years	468	468	
9 years	446	446	
10 years	374	374	
11 years	375	375	
12 years	290	290	
13 years	298	298	
14 years	285	285	
15 years	325	325	
16 years	223	223	
17 years	165	165	
18 years	153	153	
19 years	170	169	1
20-24 years	609	609	
25-29 years	340	340	
30-34 years	152	152	
35-39 years	90	90	
40 years and over	90	90	
Not Stated	77	76	1
Total	11,574	11,510	64

TABLE TT

DIVORCES AND ANNULMENTS BY PARTY TO WHOM GRANTED
MISSOURI: 1961

Party to Whom Granted	Total	Divorces	Annulments
Husband	2,641	2,627	14
Wife	8,792	8,744	48
Other*	12	12	
Not Stated	129	127	2
Total	11,574	11,510	64

*Separate Maintenance

STATE TOTAL

Births, Stillbirths and Specified Causes of Death by Residence - 19 61

	State Total				Population Under 2,500		Population 2,500 less than 5,000		Population 5,000 less than 10,000		Population 10,000 less than 15,000	
	Total	Rate	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	4,319,813											
TOTAL LIVE BIRTHS	97,321	22.5	84,078	13,243	31,336	1,180	4,777	237	6,875	528	3,387	191
Attended by M.D.	86,254		73,711	12,543	25,440	754	4,069	182	6,227	440	2,936	131
Attended by D.O.	10,484		10,149	335	5,744	203	689	33	640	35	447	14
Attended by midwives	445		121	324	91	201	13	19	2	48	1	42
Others or unspecified	138		97	41	61	22	6	3	6	5	3	4
TOTAL STILLBIRTHS	1,433	14.7	1,076	357	432	24	48	10	87	15	40	5
Attended by M.D.	1,272		945	327	361	22	44	9	78	13	31	5
Attended by D.O.	126		121	5	65	2	4	1	9	1	9	
Attended by midwives												
Others or unspecified	35		10	25	6					1		
TOTAL DEATHS	47,303	11.0	42,517	4,786	16,371	495	2,611	148	3,010	203	1,313	79
Under one year of age	2,389	24.5	1,838	551	676	78	114	15	153	21	79	6
Neonatal deaths	1,758	18.1	1,379	379	480	40	87	8	111	11	72	5
Maternal deaths	23	24	14	9	8	1	2	1	1	1		1
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	257	5.9	217	40	84	3	11	1	13	1	6	
Tuberculosis, other forms (010-019)	16	.4	9	7	6							
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	86	2.0	55	31	18	4	4		2	4		
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)	1			1								
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)	1		1				1					
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)	11	.3	10	1	5	1	1					
Tularemia (059)												
Tetanus (061)	2			2		1						
Acute poliomyelitis (080)	3	.1	3		1							
Acute infectious encephalitis (082)	9	.2	7	2	2		1		1			1
Measles (085)	18	.4	15	3	8	1			3		1	
Infectious hepatitis (092)	15	.3	13	2	1		3		2			
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	72	1.7	65	7	32	1	4	1	1	1	3	
Malignant neoplasms (140-205)	7,589	175.7	6,950	639	2,550	53	399	20	498	26	202	13
Benign and unspecified neoplasms (210-239)	100	2.3	83	17	22	2	4	1	7	1	4	
Diabetes mellitus (260)	760	17.6	661	99	239	7	45	3	34	6	15	
Anemias (290-293)	82	1.9	74	8	27	2	5		4		3	
Vascular lesions affecting central nervous system (330-334)	5,855	135.5	5,288	567	2,277	64	325	17	399	28	167	13
Nonmeningococcal meningitis (340)	59	1.4	43	16	17	1	1		3			
Rheumatic fever (400-402)	18	.4	15	3	4		1		1			
Chronic rheumatic heart disease (410-416)	402	9.3	354	48	124	8	26	1	27	2	8	
Arteriosclerotic and degenerative heart disease (420-422)	15,867	367.3	14,823	1,044	5,521	115	929	40	1,036	38	436	23
Other diseases of heart (430-434)	726	16.8	640	86	311	13	54	2	44	1	19	
Hypertension with heart disease (440-443)	1,601	37.1	1,344	257	560	23	69	7	88	7	35	3
Hypertension w/o mention of heart (444-447)	367	8.5	299	68	126	4	14	3	28	4	10	
Other diseases of circulatory system (450-468)	1,723	39.9	1,554	169	564	7	97	3	117	4	48	2
Influenza (480-483)	79	1.8	76	3	42	1	6		3			
Lobar pneumonia 4 weeks (490)	271	6.3	219	52	94	3	24	1	10	3	7	2
Bronchopneumonia 4 weeks (491)	786	18.2	638	148	213	9	45	1	49	1	17	1
Pneumonia, other forms 4 weeks (492-493)	399	9.2	338	61	128	14	19	2	18	1	16	1
Bronchitis (500-502)	122	2.8	109	13	35		5		7	3	6	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	47	1.1	31	16	16	9	1	1	2			
Gastro Enteritis and colitis, 2 years (571.1)	46	1.1	42	4	11	1	2		4			
Cirrhosis of liver (581)	478	11.1	419	59	75		16	1	33		8	
Other diseases of digestive system (530-587 excl. above)	10,922	253.3	9,955	967	3,597	6	72	3	74	6	33	2
Nephritis and nephrosis (590-594)	468	10.8	385	83	170	5	30		21	3	7	
Complications of pregnancy and puerperium (640-652; 660-689)	23	.5	14	9	8	1	2	1	1	1		1
Congenital malformations (750-759)	550	12.7	491	59	184	7	24	1	55	2	13	2
Birth injuries, asphyxia, (under 4 weeks) (760-762)	728	16.9	573	155	172	8	41	3	37	3	34	
Pneumonia of newborn (under 4 weeks) (763)	101	2.3	63	38	25	7	2	2	5	1	1	
Diarrhea of newborn (under 4 weeks) (764)	10	.2	6	4	5	2						
Other infections of newborn (under 4 weeks) (765-768)	12	.3	6	6		1	1	1	1	1	2	1
Other diseases of early infancy (under 4 weeks) (769-776)	627	14.5	471	156	177	16	33	2	39	5	25	3
Senility, ill defined and unknown causes (780-795)	698	16.2	623	75	274	19	35	4	52	18	25	3
All other diseases (residual)	2,002	46.3	1,769	233	458	16	116	7	115	15	72	2
Motor vehicle accidents (810-835)	949	22.0	884	65	445	18	48	1	71	2	26	1
All other accidents (800-802; 840-962)	1443	33.4	1,253	190	546	30	73	15	76	8	40	3
Suicide and self-inflicted injury (970-979)	524	12.1	495	29	201	1	23	2	24	1	19	1
Homicide (980-985)	208	4.8	194	14	34	11	1	1	5	5	5	1

Live birth and total death rates are per 1,000 population.
Stillbirth and infant death rates are per 1,000 live births

Maternal death rates are per 10,000 live births
Rates for specific causes of death are per 100,000 population

STATE TOTAL

Births, Stillbirths and Specified Causes of Death by Residence - 1961

	Population 15,000 less than 25,000		Population 25,000 less than 50,000		Population 50,000 less than 75,000		Population 75,000 less than 100,000		Population 100,000 less than 500,000		Population 500,000 and over	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960												
TOTAL LIVE BIRTHS	5,816	200	4,686	252	2,955	14	3,629	141	9,396	3,182	11,221	7,318
Attended by M.D.	5,404	185	4,388	236	2,638	14	3,479	140	8,144	3,148	10,984	7,373
Attended by D.O.	402	3	298	13	317		146	1	1,243	32	225	1
Attended by midwives	7	10	1	3			4		3	1	3	3
Others or unspecified	3	2							6	1	7	1
TOTAL STILLBIRTHS	61	5	54	6	26		48	5	120	53	160	234
Attended by M.D.	53	4	50	6	25		47	5	100	52	156	211
Attended by D.O.	7		4		1		1		20	1	1	
Attended by midwives												
Others or unspecified	1	1									3	23
TOTAL DEATHS	2,267	115	1,668	120	1,176	12	2,043	70	4,637	1,027	7,421	2,517
Under one year of age	138	10	81	13	47	1	83	2	197	101	270	304
Neonatal deaths	116	7	67	10	37		57	2	145	72	207	224
Maternal deaths	1						1				2	4
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	6		8	1	1		10		37	14	41	20
Tuberculosis, other forms (010-019)									1	3	2	4
Syphilis, under 1 year (020-029)	4		3	3	2		2	1	7		13	19
Syphilis, age 1 year and over (020-029)												
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												1
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)			1						2		1	
Tularemia (059)												
Tetanus (061)												1
Acute poliomyelitis (080)							1		1			
Acute infectious encephalitis (082)	1										1	1
Measles (085)	1				1				1	1	1	1
Infectious hepatitis (092)			1				1		2		3	2
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1		1		5		3		7	2	8	2
Malignant neoplasms (140-205)	368	17	288	18	243	1	317	8	760	128	1325	355
Benign and unspecified neoplasms (210-239)	7		4		4		3		8	3	20	10
Diabetes mellitus (260)	43	1	32	2	19		29	2	66	19	139	59
Anemias (290-293)	4		1		4		6		9	3	11	3
Vascular lesions affecting central nervous system (330-334)	260	6	214	15	116	1	247	9	564	109	719	305
Nonmeningococcal meningitis (340)							2		8	6	12	9
Rheumatic fever (400-402)			1				1			2	7	1
Chronic rheumatic heart disease (410-416)	25		13		9	1	11	2	40	19	71	15
Arteriosclerotic and degenerative heart disease (420-422)	805	31	565	30	436	5	711	16	1616	223	2768	523
Other diseases of heart (430-434)	40		16	2	13		23		56	21	64	47
Hypertension with heart disease (440-443)	67	9	49	6	32		101	11	122	65	221	126
Hypertension w/o mention of heart (444-447)	10	2	7	1	12		15	1	27	12	50	41
Other diseases of circulatory system (450-468)	69	3	65	5	36	1	66	3	182	44	310	97
Influenza (480-483)	3	1	1		1		2		6	1	12	
Lobar pneumonia 4 weeks (490)	10	2	6	1	5		3	1	20	6	40	33
Bronchopneumonia 4 weeks (491)	32	6	16	2	11		21	1	136	52	98	75
Pneumonia, other forms 4 weeks (492-493)	23	2	13	3	3	1	24	1	31	12	63	24
Bronchitis (500-502)	6		3		4		5		9	2	29	8
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1		1	1			3		1		7	4
Gastro Enteritis and colitis, 2 years (571.1)	5		2		2		3		6	3	7	
Cirrhosis of liver (581)	22		16	2	17		17	2	72	12	143	42
Other diseases of digestive system (530-587 excl. above)	48	5	33	1	25		39	1	129	22	183	51
Nephritis and nephrosis (590-594)	24	2	14		3		18		36	24	62	49
Complications of pregnancy and puerperium (640-652; 660-689)	1							1			2	4
Congenital malformations (750-759)	35		31	2	17		21	1	51	14	60	30
Birth injuries, asphyxia, (under 4 weeks) (760-762)	41	5	33	4	18		28	1	54	15	115	116
Pneumonia of newborn (under 4 weeks) (763)	8	1	1	1	2		2		11	10	6	16
Diarrhea of newborn (under 4 weeks) (764)	1											1
Other infections of newborn (under 4 weeks) (765-768)							1		2	1		
Other diseases of early infancy (under 4 weeks) (769-776)	35		17	4	10		17		55	40	63	86
Senility, ill defined and unknown causes (780-795)	55	4	39	3	16	1	77	3	25	11	25	9
All other diseases (residual)	87	7	71	6	43		48	2	207	49	302	129
Motor vehicle accidents (810-835)	37	1	34	2	10		46		66	12	101	28
All other accidents (800-802; 840-962)	56	7	41	2	36	1	46		118	30	221	94
Suicide and self-inflicted injury (970-979)	22		2	1	18		21	2	67	5	76	16
Homicide (980-985)	4	3	3	2	2		2	1	19	31	19	59

COUNTY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 1961

	Adair		Andrew		Atchison		Audrain		Barry		Barton	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	20,105		11,062		9,213		26,079		18,921		11,113	
TOTAL LIVE BIRTHS	443	1	188	1	174		518	49	367		164	
Attended by M.D.	150	1	162	1	173		376	38	281		159	
Attended by D.O.	293		26		1		142	11	80		5	
Attended by midwives									2			
Others or unspecified									4			
TOTAL STILLBIRTHS	6		4		2		10		6			
Attended by M.D.	1		2		2		5		5			
Attended by D.O.	5		2				5		1			
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	226		125		119		244	26	270		153	
Under one year of age	22		5		4		10		10		4	
Neonatal deaths	19		3		4		8		9		3	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1		1				1		4			
Tuberculosis, other forms (010-019)					1							
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)									2			
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)					1							
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)			1									
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)					1		1					
Malignant neoplasms (140-205)	43		26		21		38	4	43		26	
Benign and unspecified neoplasms (210-239)							2		1		1	
Diabetes mellitus (260)	2		4		2		6		4		5	
Anemia (290-293)	1						1				1	
Vascular lesions affecting central nervous system (330-334)	16		15		18		37	6	41		25	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	3		1		2		4		2			
Arteriosclerotic and degenerative heart disease (420-422)	73		43		38		71	8	95		55	
Other diseases of heart (430-434)	6				3		6		4		1	
Hypertension with heart disease (440-443)	8		2		5		12		10		2	
Hypertension w/o mention of heart (444-447)	3				1		1	1	2		1	
Other diseases of circulatory system (450-468)	8		4		3		7	1	9		5	
Influenza (480-483)	1										1	
Lobar pneumonia 4 weeks (490)			1						1		1	
Bronchopneumonia 4 weeks (491)			5		1		1		1		1	
Pneumonia, other forms 4 weeks (492-493)	2						1		1		1	
Bronchitis (500-502)	1						2					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)											1	
Cirrhosis of liver (581)	1				1							
Other diseases of digestive system (530-587 excl. above)	3		2		6		8	1	3		3	
Nephritis and nephrosis (590-594)	3						1		2		3	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	3				1		4		1		2	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	12				1		3		6		2	
Pneumonia of newborn (under 4 weeks) (763)							2		1			
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)	1											
Other diseases of early infancy (under 4 weeks) (769-776)	4		3		2		2		2			
Senility, ill defined and unknown causes (780-795)	1		1				1		4		1	
All other diseases (residual)	18		3		3		17	2	14		6	
Motor vehicle accidents (810-835)	2		7		2		6		6		2	
All other accidents (800-802; 840-962)	4		4		4		5	1	9		4	
Suicide and self-inflicted injury (970-979)	5		2		2		4	1	2		2	
Homicide (980-985)	1							1			1	

COUNTY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 19 61

	Bates		Benton		Bollinger		Boone		Buchanan		Butler	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 60	15,905		8,737		9,167		55,202		90,581		34,656	
TOTAL LIVE BIRTHS	246	6	134	1	177		1280	107	1890	84	710	58
Attended by M.D.	205	5	69		93		1256	107	1782	83	604	34
Attended by D.O.	41	1	64	1	83		24		106	1	83	7
Attended by midwives											20	15
Others or unspecified			1		1				2		3	2
TOTAL STILLBIRTHS	6		1		2		11	1	29	4	10	
Attended by M.D.	6		1		1		11	1	28	4	8	
Attended by D.O.					1				1		1	
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	219	4	130	1	80		433	56	1156	43	377	38
Under one year of age	5	1	4		5		25	6	49	2	18	3
Neonatal deaths	4		3		2		21	5	36	2	16	
Maternal deaths								1			1	
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)					1		1		5		2	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)												
Typhoid fever (040)	1		1	1				1	2		1	
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amoebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)							1					
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)							1					
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)							1		1			
Malignant neoplasms (140-205)	34		17		13		79	9	182	2	53	6
Benign and unspecified neoplasms (210-239)									2		1	
Diabetes mellitus (260)	4		1				4		16	1	4	
Anemias (290-293)									4			
Vascular lesions affecting central nervous system (330-334)	28	1	30		8		73	8	140	7	55	3
Nonmeningococcal meningitis (340)							2		1			1
Rheumatic fever (400-402)	1											
Chronic rheumatic heart disease (410-416)	6						3	1	3	1	1	1
Arteriosclerotic and degenerative heart disease (420-422)	64	1	43		21		136	16	396	13	140	11
Other diseases of heart (430-434)	16		4				6	1	16		5	1
Hypertension with heart disease (440-443)	8		2		13		14	3	40	4	8	2
Hypertension w/o mention of heart (444-447)	1						5		7		2	1
Other diseases of circulatory system (450-468)	11		3		2		5		33	3	6	1
Influenza (480-483)			1						3			
Lobar pneumonia 4 weeks (490)	1		1				2		1		3	2
Bronchopneumonia 4 weeks (491)	6		2				4		6	1	6	1
Pneumonia, other forms 4 weeks (492-493)					3		3	2	7		3	3
Bronchitis (500-502)							1		2		2	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							2				1	
Gastro Enteritis and colitis, 2 years (571.1)									2		2	
Cirrhosis of liver (581)							2	1	10	2	2	
Other diseases of digestive system (530-587 excl. above)	4		1		3		13	1	21		2	
Nephritis and nephrosis (590-594)	8						2		15		6	
Complications of pregnancy and puerperium (640-652; 660-689)								1			1	
Congenital malformations (750-759)	3		1		2		6	1	10	1	10	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1		1		1		11	1	22	1	3	
Pneumonia of newborn (under 4 weeks) (763)							1	1			1	
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	2		1		1		5	4	9		3	1
Senility, ill defined and unknown causes (780-795)	1		1		1		1		66	3	11	1
All other diseases (residual)	9		12		3		21	3	59	1	13	1
Motor vehicle accidents (810-835)	7		3		5		13	1	26		12	
All other accidents (800-802; 840-962)	7	2	3		3		8	1	30		15	1
Suicide and self-inflicted injury (970-979)	1		1				7		15	2	1	
Homicide (980-985)			1					2	1	1	2	1

COUNTY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 19 61

	Caldwell		Callaway		Camden		Cape Girardeau		Carroll		Carter	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 61	8,830		23,858		9,116		42,020		13,847		3,973	
TOTAL LIVE BIRTHS	132		395	42	150		823	30	213	7	86	
Attended by M.D.	97		353	34	102		749	25	151	7	78	
Attended by D.O.	35		42	8	48		73	2	62		6	
Attended by midwives								2			2	
Others or unspecified							1	1				
TOTAL STILLBIRTHS	3		6		1		11	1	4			
Attended by M.D.	3		6		1		10		4			
Attended by D.O.							1					
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	133		233	23	130		386	15	201	3	59	
Under one year of age	1		4	3	4		13		11		2	
Neonatal deaths	1		3	3	2		11		8		1	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)												1
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)							2					
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)									2			
Malignant neoplasms (140-205)	15		42	5	26		72	3	37	1	12	
Benign and unspecified neoplasms (210-239)	2											
Diabetes mellitus (260)	2		1		1		6		4		1	
Anemias (290-293)	1								1			
Vascular lesions affecting central nervous system (330-334)	22		27	4	16		47	3	19	1	9	
Nonmeningococcal meningitis (340)	1						1					
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)							3		2		1	
Arteriosclerotic and degenerative heart disease (420-422)	48		79	2	37		128	4	66	1	17	
Other diseases of heart (430-434)	1		6		1		9		6		1	
Hypertension with heart disease (440-443)	6		11	1	10		13		4		2	
Hypertension w/o mention of heart (444-447)	3				1		2		2			
Other diseases of circulatory system (450-468)	3		10	1	3		10	1	1		2	
Influenza (480-483)	1		1				1		2			
Lobar pneumonia 4 weeks (490)				1	1		5		3		1	
Bronchopneumonia 4 weeks (491)	5		5	1	2		3		3		1	
Pneumonia, other forms 4 weeks (492-493)			4		2		6		1		1	
Bronchitis (500-502)			1		1		1					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)	1		1				3		2			
Other diseases of digestive system (530-587 excl. above)	1		4	1	4		8	1	7		1	
Nephritis and nephrosis (590-594)	1		4		2		4		2			
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	1		2				7		2			
Birth injuries, asphyxia, (under 4 weeks) (760-762)							2		1			
Pneumonia of newborn (under 4 weeks) (763)												
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)			1	3	2		4		4		1	
Senility, ill defined and unknown causes (780-795)	4		5				3	1	10		1	
All other diseases (residual)	9		14		8		20	1	7		3	
Motor vehicle accidents (810-835)	1		4	1	2		7		4			
All other accidents (800-802; 840-962)	4		5		5		11		8		2	
Suicide and self-inflicted injury (970-979)	1		4	2	5		5					
Homicide (980-985)			1	1			3	1	1		2	

COUNTY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 19 51

	Cass		Cedar		Chariton		Christian		Clark		Clay	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1950	29,702		9,185		12,720		12,359		8,725		87,474	
TOTAL LIVE BIRTHS	562	1	158		171	18	222		179		2206	19
Attended by M.D.	455	1	99		117	15	198		142		1948	15
Attended by D.O.	107		59		54	3	22		37		258	4
Attended by midwives												
Others or unspecified							1					
TOTAL STILLBIRTHS	3		2									
Attended by M.D.	3		2						1		17	
Attended by D.O.			1						1		13	
Attended by Midwives			1								3	
Others or unspecified												
TOTAL DEATHS	282	1	130		150	22	140		112	3	559	7
Under one year of age	15	1	6		2		6		1		40	
Neonatal deaths	8	1	3		1		4		1		29	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)			2				2				1	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)												
Typhoid fever (040)						1						
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)											1	
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)							2		1			
Malignant neoplasms (140-205)	33		19		24	4	18		20		90	
Benign and unspecified neoplasms (210-239)	1		1									
Diabetes mellitus (260)	4		1		3	2	3				8	
Anemias (290-293)			1						1			
Vascular lesions affecting central nervous system (330-334)	41		18		22	7	24		19	3	70	1
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)							1					
Chronic rheumatic heart disease (410-416)	3		1		1		1		2		5	
Arteriosclerotic and degenerative heart disease (420-422)	108		49		47	4	42		36		182	3
Other diseases of heart (430-434)	3		5		2	1	2		1		6	
Hypertension with heart disease (440-443)	5		1		4	1	3		4		11	
Hypertension w/o mention of heart (444-447)	3		1		2		1				5	
Other diseases of circulatory system (450-468)	5		5		4		1		2		42	
Influenza (480-483)					1						1	
Lobar pneumonia 4 weeks (490)			2						1			
Bronchopneumonia 4 weeks (491)	12		1		2		4		2		10	
Pneumonia, other forms 4 weeks (492-493)	5		2								5	
Bronchitis (500-502)												
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					1						1	
Gastro Enteritis and colitis, 2 years (571.1)	1											
Cirrhosis of liver (581)	4						1		1		2	
Other diseases of digestive system (530-587 excl. above)	5		2		3		1		2		9	1
Nephritis and nephrosis (590-594)	3		2		3		1				2	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	4						3				17	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3	1	1		1		2				13	
Pneumonia of newborn (under 4 weeks) (763)											1	
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	3		1				1				8	
Senility, ill defined and unknown causes (780-795)	1		4				2		1		3	
All other diseases (residual)	13		6		10	1	6		6		27	1
Motor vehicle accidents (810-835)	14		2		7		3		4		9	
All other accidents (800-802; 840-962)	7		3		7	1	3		4		19	1
Suicide and self-inflicted injury (970-979)	1				4		5		4		4	
Homicide (980-985)					2				1		2	

COUNTY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 19 61

	Clinton		Cole		Cooper		Crawford		Dade		Dallas	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	11,588		40,761		15,448		12,647		7,577		9,314	
TOTAL LIVE BIRTHS	208	7	862	38	243	36	254		110	1	124	
Attended by M.D.	145	3	726	24	231	35	191		106	1	111	
Attended by D.O.	63	4	136	13	12	1	60		4		13	
Attended by midwives							1					
Others or unspecified				1			2					
TOTAL STILLBIRTHS	4		11	1	3	1	7		2		1	
Attended by M.D.	4		9	1	2	1	5		2		1	
Attended by D.O.			1		1		2					
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	160	4	348	19	179	15	162		115	2	124	
Under one year of age	4	1	12	3	5	2	7		5		1	
Neonatal deaths	3		8	2	3		4		4		1	
Maternal deaths							1					
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)			1		1				2			
Tuberculosis, other forms (010-019)					1							
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)												
Typhoid fever (040)			1	1			1				1	
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)			1									
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)	1											
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1								1	
Malignant neoplasms (140-205)	26	1	64	4	30	1	20		12	1	19	
Benign and unspecified neoplasms (210-239)			1						1		1	
Diabetes mellitus (260)	1		8		3		2		2		2	
Anemias (290-293)											1	
Vascular lesions affecting central nervous system (330-334)	18	2	30	2	19	2	24		17	1	17	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)			4				1				1	
Arteriosclerotic and degenerative heart disease (420-422)	70	1	135	4	74	7	55		36		46	
Other diseases of heart (430-434)	3		3		2		2		3			
Hypertension with heart disease (440-443)	3		9	1	3	1			3		5	
Hypertension w/o mention of heart (444-447)	2		1		2		2		2		4	
Other diseases of circulatory system (450-468)	5		12	2	16		12		9		6	
Influenza (480-483)											1	
Lobar pneumonia 4 weeks (490)			3		1		2					
Bronchopneumonia 4 weeks (491)			3		1		1		1		1	
Pneumonia, other forms 4 weeks (492-493)	2		3		1	1	4					
Bronchitis (500-502)	1		2		1		1					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)				1								
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)			2	1	1		2		1			
Other diseases of digestive system (530-587 excl. above)	3		5		3		2		4			
Nephritis and nephrosis (590-594)	1		1		2				1		2	
Complications of pregnancy and puerperium (640-652; 660-689)							1					
Congenital malformations (750-759)			8						1			
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3		2	2	1		3		1			
Pneumonia of newborn (under 4 weeks) (763)												
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)					1							
Other diseases of early infancy (under 4 weeks) (769-776)			2		2		1		2			
Senility, ill defined and unknown causes (780-795)	2		6				3		5		5	
All other diseases (residual)	6		18		7		6		3		3	
Motor vehicle accidents (810-835)	3		6		3	1	3		1		3	
All other accidents (800-802; 840-862)	6		15	1	3	2	7		8		2	
Suicide and self-inflicted injury (970-979)	4		4		2		1				1	
Homicide (980-985)												

COUNTY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 19 61

	Daviness		De Kalb		Dent		Douglas		Dunklin		Franklin	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 60.	9,502		7,226		10,445		9,653		39,139		44,566	
TOTAL LIVE BIRTHS	139		110		223	1	153		893	47	1131	12
Attended by M.D.	75		65		167	1	85		797	34	1069	9
Attended by D.O.	64		45		46		65		94	8	61	3
Attended by midwives					10					5		
Others or unspecified												
TOTAL STILLBIRTHS	2		1		2		3		2		1	
Attended by M.D.	1				2		2		15	2	17	1
Attended by D.O.	1		1		2		2		17	1	15	1
Attended by Midwives									1	1	2	
Others or unspecified												
TOTAL DEATHS	178	3	90	1	147		102		388	19	454	5
Under one year of age	4		2		2		1		20	1	27	1
Neonatal deaths	2		2				1		15		20	1
Maternal deaths									1	1	1	
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)					1		1		6		1	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)												
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)									1		1	
Malignant neoplasms (140-205)	26		13		23		21		71	2	73	
Benign and unspecified neoplasms (210-239)					1				1		1	
Diabetes mellitus (260)	1		2		1				5		11	
Anemias (290-293)												
Vascular lesions affecting central nervous system (330-334)	23	1	16		29		15		32	1	46	
Nonmeningococcal meningitis (340)									1			
Rheumatic fever (400-402)											1	
Chronic rheumatic heart disease (410-416)	6				5				1	1	5	
Arteriosclerotic and degenerative heart disease (420-422)	56	1	31	1	47		29		142	3	179	2
Other diseases of heart (430-434)	3				2		2		8		4	
Hypertension with heart disease (440-443)	6	1	3		5		3		17		19	
Hypertension w/o mention of heart (444-447)	7		2		1		2			1	2	
Other diseases of circulatory system (450-468)	10		2		5		7		9		13	1
Influenza (480-483)												
Lobar pneumonia 4 weeks (490)	4				2		1		4		5	
Bronchopneumonia 4 weeks (491)					6				6	1	8	
Pneumonia, other forms 4 weeks (492-493)					1		2		1		1	
Bronchitis (500-502)	2		1		1				1		1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1										2	
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)	1		1		1				3		1	
Other diseases of digestive system (530-587 excl. above)	2		1		1		2		12	2	11	
Nephritis and nephrosis (590-594)	7				1		1			1	2	
Complications of pregnancy and puerperium (640-652; 660-689)									1	1	1	
Congenital malformations (750-759)			1		1		1		6		3	1
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1		2						4		8	
Pneumonia of newborn (under 4 weeks) (763)									1		1	
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	1						1		5		9	
Senility, ill defined and unknown causes (780-795)	1		1		6		2		3		4	
All other diseases (residual)	6		6		4		2		13		10	1
Motor vehicle accidents (810-835)							1		25		14	
All other accidents (800-802; 840-962)	7		7		3		5		8	2	12	
Suicide and self-inflicted injury (970-979)	1						3		1		4	
Homicide (980-985)										4		

COUNTY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 1961

	Gasconade		Gentry		Greene		Grundy		Harrison		Henry	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	12,195		8,793		12,276		12,320		11,603		19,226	
TOTAL LIVE BIRTHS	212		156		2637	58	195		195		318	7
Attended by M.D.	173		98		2558	58	169		116		237	5
Attended by D.O.	37		58		77		26		79		79	2
Attended by midwives												
Others or unspecified	2				2						2	
TOTAL STILLBIRTHS	4		2		29	1	4		6		4	
Attended by M.D.	3		1		29	1	4		5		2	
Attended by D.O.	1		1						1		2	
Attended by Midwives												
Others or unspecified												
TOTAL DEATHS	156		146		1286	30	203		173		273	1
Under one year of age	3		4		51		5		7		6	
Neonatal deaths	2		2		33		4		4		4	
Maternal deaths						1						
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)					10				1			
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)					2	1						
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)					1							
Acute infectious encephalitis (082)												
Measles (085)	1											
Infectious hepatitis (092)												
Rabies (094)					1		1					
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1		2						1	
Malignant neoplasms (140-205)	32		27		191	6	16		27		48	
Benign and unspecified neoplasms (210-239)	1				1							
Diabetes mellitus (260)	4		2		19	1	2		2		2	
Anemias (290-293)			1		3						1	
Vascular lesions affecting central nervous system (330-334)	20		21		161	2	31		15		39	
Nonmeningococcal meningitis (340)			1		1							
Rheumatic fever (400-402)					1							
Chronic rheumatic heart disease (410-416)	1		4		13	1	3		2		5	
Arteriosclerotic and degenerative heart disease (420-422)	57		49		456	5	74		53		99	
Other diseases of heart (430-434)	3		2		15	1	2		6		15	
Hypertension with heart disease (440-443)	6		1		77	7	20		18		6	
Hypertension w/o mention of heart (444-447)	2		2		12	1	2		1			
Other diseases of circulatory system (450-468)	8		9		43		14		4		5	
Influenza (480-483)			1								3	
Lobar pneumonia 4 weeks (490)			1		3	1			1		1	
Bronchopneumonia 4 weeks (491)	4		1		15		5		3		3	
Pneumonia, other forms 4 weeks (492-493)	2		1		19	1	1		2		1	1
Bronchitis (500-502)					5		1				1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					3				1			
Gastro Enteritis and colitis, 2 years (571.1)					2							
Cirrhosis of liver (581)	2				7				1		1	
Other diseases of digestive system (530-587 exci. above)	1		4		26	1	5		4		8	
Nephritis and nephrosis (590-594)			2		5		4		3		3	
Complications of pregnancy and puerperium (640-652; 660-689)						1						
Congenital malformations (750-759)			1		12		1		1		5	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1				13		2		3		1	
Pneumonia of newborn (under 4 weeks) (763)					3							
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)					1							
Other diseases of early infancy (under 4 weeks) (769-776)	1		1		12		1		1		1	
Senility, ill defined and unknown causes (780-795)					32		3		2		4	
All other diseases (residual)	5		3		51	1	5		8		8	
Motor vehicle accidents (810-835)	1		3		33		4		3		6	
All other accidents (800-802; 840-862)	3		5		24		5		2		5	
Suicide and self-inflicted injury (970-979)			3		10		1		4		1	
Homicide (980-985)	1				1							

COUNTY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 19 61

	Hickory		Holt		Howard		Howell		Iron		Jackson	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 60	4,516		7,885		10,859		22,027		8,041		6,227	7,321
TOTAL LIVE BIRTHS	51		115		174	32	434	1	157	2	12,522	3,198
Attended by M.D.	30		95		160	26	377	1	142	2	10,854	3,164
Attended by D.O.	21		20		13	5	54		12		1,657	32
Attended by midwives						1	2		2		3	1
Others or unspecified					1		1		1		6	1
TOTAL STILLBIRTHS			2		1	2	5		1		164	53
Attended by M.D.			2		1	2	5		1		145	52
Attended by D.O.							4				19	1
Attended by midwives							1					
Others or unspecified												
TOTAL DEATHS	53		120	1	133	29	241		139	3	5676	1042
Under one year of age			2		8	4	14		4		259	102
Neonatal deaths			2		7	3	11		4		198	72
Maternal deaths											1	
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)												
Tuberculosis, other forms (010-019)	1						3				38	14
Syphilis, under 1 year (020-029)											1	3
Syphilis, age 1 year and over (020-029)			1								9	
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)											1	
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)											1	
Acute infectious encephalitis (082)											2	
Measles (085)											1	1
Infectious hepatitis (092)							1				3	
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)							2				11	2
Malignant neoplasms (140-205)	5		19		14	5	26		16	1	953	128
Benign and unspecified neoplasms (210-239)											9	3
Diabetes mellitus (260)			1		2		1		1		84	19
Anemias (290-293)			1			1					15	3
Vascular lesions affecting central nervous system (330-334)	3		25		25	2	37		35		662	110
Nonmeningococcal meningitis (340)											9	6
Rheumatic fever (400-402)												2
Chronic rheumatic heart disease (410-416)					1		1			1	47	20
Arteriosclerotic and degenerative heart disease (420-422)	25		36		44	9	88		37	1	1993	229
Other diseases of heart (430-434)			7	1	4	2	5		1		76	22
Hypertension with heart disease (440-443)	3		1		4	2	5		6		154	65
Hypertension w/o mention of heart (444-447)			1		4		4				34	12
Other diseases of circulatory system (450-468)	2		1		7	2	5		7		212	45
Influenza (480-483)	2								2		7	1
Lobar pneumonia 4 weeks (490)			1				4				26	6
Bronchopneumonia 4 weeks (491)	2		1				4		4		148	52
Pneumonia, other forms 4 weeks (492-493)			2			1	1		4		36	13
Bronchitis (500-502)							1				12	2
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)											1	1
Gastro Enteritis and colitis, 2 years (571.1)			1								8	3
Cirrhosis of liver (581)			1		1						81	12
Other diseases of digestive system (530-587 excl. above)	3		2		2		6		3		152	22
Nephritis and nephrosis (590-594)	1						4		1		39	25
Complications of pregnancy and puerperium (640-652; 660-689)											1	
Congenital malformations (750-759)			3		1		3		1		67	14
Birth injuries, asphyxia, (under 4 weeks) (760-762)					3	2	7		4		73	15
Pneumonia of newborn (under 4 weeks) (763)											15	10
Diarrhea of newborn (under 4 weeks) (764)											2	1
Other infections of newborn (under 4 weeks) (765-768)											72	40
Other diseases of early infancy (under 4 weeks) (769-776)			1		4	1	2					
Senility, ill defined and unknown causes (780-795)	4				1		5				31	12
All other diseases (residual)			4		6	2	10		10		250	49
Motor vehicle accidents (810-835)	1		3		4		5		4		90	12
All other accidents (800-802; 840-962)	1		7		5		11		2		151	32
Suicide and self-inflicted injury (970-979)			1		1		3		1		79	5
Homicide (980-985)											19	31

COUNTY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 19 61

	Jasper		Jefferson		Johnson		Knox		Laclede		Lafayette	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	78,863		66,377		28,981		6,558		18,991		25,274	
TOTAL LIVE BIRTHS	1586	27	1709	28	530	19	111	2	389	6	455	22
Attended by M.D.	1285	25	1603	26	476	17	49		377	6	381	20
Attended by D.O.	298	2	106	2	52	1	62	2	12		74	2
Attended by midwives	1				1							
Others or unspecified	2				1	1						
TOTAL STILLBIRTHS	27		19		10	1	1		3		3	
Attended by M.D.	23		18		9	1	1		2		2	
Attended by D.O.	4		1		1				1		1	
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	1063	14	503	20	273	7	88		227		301	23
Under one year of age	46	1	31	2	17	1	1		13		6	
Neonatal deaths	31	1	23	1	13				10		6	
Maternal deaths											1	
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	13		2						1			
Tuberculosis, other forms (010-019)			1									
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	2										1	
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)					1							
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1								1		1	
Malignant neoplasms (140-205)	160	2	83	3	45		16		38		46	6
Benign and unspecified neoplasms (210-239)	3		1	1			1					
Diabetes mellitus (260)	15	1	5		4		2		3		7	1
Anemias (290-293)	1				1		1				2	
Vascular lesions affecting central nervous system (330-334)	126	2	57	5	42		17		21		34	1
Nonmeningococcal meningitis (340)			1									
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	6		5		1				2		1	
Arteriosclerotic and degenerative heart disease (420-422)	367	5	182	4	90	4	34		62		116	6
Other diseases of heart (430-434)	19		4		5				16		4	1
Hypertension with heart disease (440-443)	29	1	12	1	6		1		14		10	2
Hypertension w/o mention of heart (444-447)	7	1	4		2		1		3		3	1
Other diseases of circulatory system (450-468)	44		16		12				2		9	
Influenza (480-483)	1		1						1		1	
Lobar pneumonia 4 weeks (490)	7		3	1			1				2	
Bronchopneumonia 4 weeks (491)	16		14		2	1			4		6	
Pneumonia, other forms 4 weeks (492-493)	9		3				1		2		2	
Bronchitis (500-502)	1		3									
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1								1			
Gastro Enteritis and colitis, 2 years (571.1)	1		2		1	1			1			
Cirrhosis of liver (581)	11		2		1				1		1	
Other diseases of digestive system (530-587 excl. above)	40		9		5		2		4		8	
Nephritis and nephrosis (590-594)	8		8						2		5	1
Complications of pregnancy and puerperium (640-652; 660-689)											1	
Congenital malformations (750-759)	16		5	1	4				6		2	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	10		7		2				2		1	
Pneumonia of newborn (under 4 weeks) (763)			2	1					1			
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	15	1	10		9				3		4	
Senility, ill defined and unknown causes (780-795)	22		2		2				3			
All other diseases (residual)	47		15	2	13		3		16		10	2
Motor vehicle accidents (810-835)	29	1	14	1	17	1	6		3		8	
All other accidents (800-802; 840-962)	24		21		6		2		9		11	2
Suicide and self-inflicted injury (970-979)	6		7		2						5	
Homicide (980-985)	1		2									

COUNTY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 19 61

	Lawrence		Lewis		Lincoln		Linn		Livingston		McDonald	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	23,260		10,984		14,783		16,815		15,771		11,798	
TOTAL LIVE BIRTHS	395		201	21	308	10	241	4	297	3	197	
Attended by M.D.	342		156	18	247	7	167	3	219	2	141	
Attended by D.O.	53		45	3	61	3	74	1	78	1	55	
Attended by midwives												
Others or unspecified												
TOTAL STILLBIRTHS	2		6	1	9		3		4		2	
Attended by M.D.	2		4	1	8		3		3		2	
Attended by D.O.			2		1				1			
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	311		129	7	185	13	256	4	197	6	142	
Under one year of age	5		4	1	5		4		3		6	
Neonatal deaths	5		3	1	4		2		1		2	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	5				1		1				2	
Tuberculosis, other forms (010-019)									1			
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	1											
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)	1											
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)	1				1							
Measles (085)							1					
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1				1		2					
Malignant neoplasms (140-205)	38		20		18	1	41		30		12	
Benign and unspecified neoplasms (210-239)					1							
Diabetes mellitus (260)	6		1		4	1	2		6	1	2	
Anemias (290-293)	1								1			
Vascular lesions affecting central nervous system (330-334)	47		27	1	46	3	40	1	34	1	27	
Nonmeningococcal meningitis (340)	1		1						1		1	
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	2				1		3		1		2	
Arteriosclerotic and degenerative heart disease (420-422)	105		45	4	62	3	97	1	64		50	
Other diseases of heart (430-434)	3		5		6		5		5		4	
Hypertension with heart disease (440-443)	10				2		14		4		2	
Hypertension w/o mention of heart (444-447)	1				1	1	1		2			
Other diseases of circulatory system (450-468)	11		4		6	1	3		12		9	
Influenza (480-483)											1	
Lobar pneumonia 4 weeks (490)	2		2		1	1	1		3		1	
Bronchopneumonia 4 weeks (491)	2		1		1		1		3	1		
Pneumonia, other forms 4 weeks (492-493)	2				1		2				2	
Bronchitis (500-502)	4		1									
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)									1			
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)			1		1		2					
Other diseases of digestive system (530-587 excl. above)	17		1		2		5	1	3		1	
Nephritis and nephrosis (590-594)	2		2		3	1	3		1		4	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	1				1		1		4		2	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2				3		1				1	
Pneumonia of newborn (under 4 weeks) (763)												
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	3		3	1	1		1					
Scalds, ill defined and unknown causes (780-795)	3		2		3		3		1		3	
All other diseases (residual)	19		3		3	1	11	1	8	3	7	
Motor vehicle accidents (810-835)	10		2		6		6		2		4	
All other accidents (800-802; 840-962)	7		4		6		6		6		3	
Suicide and self-inflicted injury (970-979)	2		4	1	3		3		4		2	
Homicide (980-985)	1											

COUNTY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 1961

	Macon		Madison		Maries		Marion		Mercer		Miller	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	76,473		9,366		7,282		29,522		5,750		13,800	
TOTAL LIVE BIRTHS	260	8	194		116		605	42	90		307	
Attended by M.D.	112	5	176		42		598	42	42		99	
Attended by D.O.	146	3	18		74		7		48		207	
Attended by midwives												
Others or unspecified	2										1	
TOTAL STILLBIRTHS	3		3		3		8	1	1		2	
Attended by M.D.	3		2		2		8	1	1		1	
Attended by D.O.			1		1						1	
Attended by Midwives												
Others or unspecified												
TOTAL DEATHS	255	5	116	2	79		400	38	82		144	1
Under one year of age	6		5		3		20	3			8	
Neonatal deaths	6		5		2		14	2			8	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1	1					2					
Tuberculosis, other forms (010-019)											1	
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	1						1				1	
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)	1						1					
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1											
Malignant neoplasms (140-205)	39	1	19	1	7		58	4	10		22	
Benign and unspecified neoplasms (210-239)		1			1		1					
Diabetes mellitus (260)	3		1		2		14					
Anemias (290-293)			1				2					
Vascular lesions affecting central nervous system (330-334)	50		25	1	8		46	4	8		21	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)			1		1		5		1		2	
Arteriosclerotic and degenerative heart disease (420-422)	83	1	35		26		135	14	39		44	
Other diseases of heart (430-434)	5		2		4		10		2		7	
Hypertension with heart disease (440-443)	6	1	3		6		8	2	3		3	1
Hypertension w/o mention of heart (444-447)	2				1		4	1	1		1	
Other diseases of circulatory system (450-468)	10		4		5		21	1	5		3	
Influenza (480-483)												
Lobar pneumonia 4 weeks (490)			1				3					
Bronchopneumonia 4 weeks (491)	3				3		7	2	1		4	
Pneumonia, other forms 4 weeks (492-493)	2				1		4					
Bronchitis (500-502)												
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1					
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)							5		2			
Other diseases of digestive system (530-587 excl. above)	1		1				10				4	
Nephritis and nephrosis (590-594)	5		4		2		4	1			4	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	1		2				5				2	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3		2				3	1			4	
Pneumonia of newborn (under 4 weeks) (763)								1			1	
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	2		1		1		7				2	
Senility, ill defined and unknown causes (780-795)	6		3		2		4				6	
All other diseases (residual)	10		6		4		19	1	4		2	
Motor vehicle accidents (810-835)	4				3		7	1	2		2	
All other accidents (800-802; 840-962)	5		4		2		10	4	2		7	
Suicide and self-inflicted injury (970-979)	5		1				3		2		2	
Homicide (980-985)								1			1	

COUNTY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 19 61

	Mississippi		Moniteau		Monroe		Montgomery		Morgan		New Madrid	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 61	20,695		10,500		10,688		11,097		9,476		34,350	
TOTAL LIVE BIRTHS	354	207	180	6	196	13	206	14	165	2	575	231
Attended by M.D.	197	39	144	5	180	12	125	13	140	2	472	104
Attended by D.O.	155	65	35	1	16	1	81	1	25		98	52
Attended by midwives	2	97									4	73
Others or unspecified		6	1								1	3
TOTAL STILLBIRTHS	7	1	2	1			4	3	1		6	5
Attended by M.D.	3	1	2	1			4	3	1		5	4
Attended by D.O.	3										1	1
Attended by midwives												
Others or unspecified	1											
TOTAL DEATHS	154	60	152	2	143	4	151	10	123	5	207	81
Under one year of age	15	18	5		6	1	2		3		14	16
Neonatal deaths	13	11	2		6		1		3		8	7
Maternal deaths											2	1
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	2	1	2				1				1	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)												
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												1
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)							1					
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)											1	
Malignant neoplasms (140-205)	25	13	25		14	2	28	2	22	1	20	4
Benign and unspecified neoplasms (210-239)					6		2		2		1	1
Diabetes mellitus (260)												
Anemias (290-293)												
Vascular lesions affecting central nervous system (330-334)	14	5	29		17	1	28	1	26	2	33	7
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)									1			
Chronic rheumatic heart disease (410-416)												2
Arteriosclerotic and degenerative heart disease (420-422)	48	13	55	1	59		53	5	33	2	64	7
Other diseases of heart (430-434)	4		4		3		5		3		8	2
Hypertension with heart disease (440-443)	2		3		6				3		9	3
Hypertension w/o mention of heart (444-447)					1		1		1			2
Other diseases of circulatory system (450-468)	3	2	4		1		5		4		9	1
Influenza (480-483)					1				1		2	
Lobar pneumonia 4 weeks (490)	1		3						1		4	1
Bronchopneumonia 4 weeks (491)	4		1				2		4		4	3
Pneumonia, other forms 4 weeks (492-493)	2	4			1	1	1		1		3	1
Bronchitis (500-502)	1		1				1				1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)		1									1	2
Gastro Enteritis and colitis, 2 years (571.1)			1								1	
Cirrhosis of liver (581)	3				1						1	
Other diseases of digestive system (530-587 excl. above)	4	1	5		4		6		1		1	1
Nephritis and nephrosis (590-594)	2				3		1				2	
Complications of pregnancy and puerperium (640-652; 660-689)											2	1
Congenital malformations (750-759)	2		4		1				1		4	1
Birth injuries, asphyxia, (under 4 weeks) (760-762)	9	2			3				2		2	1
Pneumonia of newborn (under 4 weeks) (763)	2	4										2
Diarrhea of newborn (under 4 weeks) (764)		1			1						2	
Other infections of newborn (under 4 weeks) (765-768)		1										1
Other diseases of early infancy (under 4 weeks) (769-776)		2					1				2	4
Senility, ill defined and unknown causes (780-795)	10	4			5		2		1		4	9
All other diseases (residual)	5	3	7		6		5		5		10	5
Motor vehicle accidents (810-835)	4		1		5		2	1	5		6	8
All other accidents (800-802; 840-962)	5	3	4	1	4		3	1	4		6	9
Suicide and self-inflicted injury (970-979)	1		1				3		1		2	
Homicide (980-985)	1								1		1	2

COUNTY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 19 61

	Newton		Nodaway		Oregon		Osage		Ozark		Pemiscot	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	30,093		22,215		9,845		10,867		6,744		38,095	
TOTAL LIVE BIRTHS	577	6	404		152		226		109		597	407
Attended by M.D.	443	4	392		122		175		84		587	348
Attended by D.O.	133	2	12		29		51		25		3	2
Attended by midwives					1						1	47
Others or unspecified	1										6	10
TOTAL STILLBIRTHS	6		6		1		1				19	9
Attended by M.D.	6		6		1		1				18	9
Attended by D.O.	3											
Attended by Midwives												
Others or unspecified												
TOTAL DEATHS	313	1	276		127		97		74		240	145
Under one year of age	8		6		4		5		2		26	31
Neonatal deaths	6		6		2		1		2		18	14
Maternal deaths											1	
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	4				2				2		7	3
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	1				1							1
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amoebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												1
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)			1									1
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1									2
Malignant neoplasms (140-205)	46		44		17		14		9		29	10
Benign and unspecified neoplasms (210-239)			1				3				1	1
Diabetes mellitus (260)			6		2				2		4	5
Anemias (290-293)			1								1	1
Vascular lesions affecting central nervous system (330-334)	39		64		17		10		10		28	13
Nonmeningococcal meningitis (340)											1	
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	2		3				1				1	1
Arteriosclerotic and degenerative heart disease (420-422)	123		83		44		33		21		54	23
Other diseases of heart (430-434)	8				4		1		3		5	2
Hypertension with heart disease (440-443)	4		8		12		4		1		7	9
Hypertension w/o mention of heart (444-447)	2								1		2	
Other diseases of circulatory system (450-468)	12		4		4		8		4		9	2
Influenza (480-483)			3						2			
Lobar pneumonia 4 weeks (490)		1			1		1		1		1	2
Bronchopneumonia 4 weeks (491)	2		2		1		2		1		5	1
Pneumonia, other forms 4 weeks (492-493)	3						1					3
Bronchitis (500-502)	1		1									
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1											3
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)			4		2		1				3	
Other diseases of digestive system (530-587 excl. above)	6		5		1		2		1		6	2
Nephritis and nephrosis (590-594)	5		1						2			1
Complications of pregnancy and puerperium (640-652; 660-689)											1	
Congenital malformations (750-759)			3		1		1				5	4
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3		2				1				7	2
Pneumonia of newborn (under 4 weeks) (763)	2										1	1
Diarrhea of newborn (under 4 weeks) (764)					1							2
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	1		2						2		8	6
Senility, ill defined and unknown causes (780-795)	1		5				1				10	15
All other diseases (residual)	18		9		7		6		7		10	4
Motor vehicle accidents (810-835)	5		13		3		2				10	3
All other accidents (800-802; 840-962)	14		8		6		4		5		16	17
Suicide and self-inflicted injury (970-979)	7		2		1		1				2	1
Homicide (980-985)	2										2	3

COUNTY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 1961

	Perry		Pattis		Phelps		Pike		Platte		Polk	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1961	14,642		35,120		25,396		16,706		23,350		13,753	
TOTAL LIVE BIRTHS	317		742	51	602	2	347	32	582	3	188	
Attended by M.D.	311		583	51	481	2	320	19	549	3	153	
Attended by D.O.	6		159		117		127	13	33		34	
Attended by midwives					2							
Others or unspecified					2							
TOTAL STILLBIRTHS	3		10	1	9		6		10		2	
Attended by M.D.	2		5	1	5		2		10		2	
Attended by D.O.	1		5		4		4					
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	158		370	31	254		190	29	191	8	204	
Under one year of age	8		23	3	21		5	1	7		3	
Neonatal deaths	6		20	3	13		5		4		3	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	3		1				1		3		2	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)			1				2				1	
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amoebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1				1		1			
Malignant neoplasms (140-205)	31		60	5	32		31	7	25		29	
Benign and unspecified neoplasms (210-239)			2									
Diabetes mellitus (260)	2		5	1	2		1	1	3		1	
Anemias (290-293)			1						1			
Vascular lesions affecting central nervous system (330-334)	20		53	1	51		20	3	22	2	33	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	3		2		1						3	
Arteriosclerotic and degenerative heart disease (420-422)	46		117	7	78		61	7	67	3	80	
Other diseases of heart (430-434)	3		11		10		5	1	1		1	
Hypertension with heart disease (440-443)	4		11	4	15		13	2	5		3	
Hypertension w/o mention of heart (444-447)			1	1	1		2		1		1	
Other diseases of circulatory system (450-468)	3		13	1	5		9		4		12	
Influenza (480-483)	1		1	1					1			
Lobar pneumonia 4 weeks (490)			3		2			1	1		2	
Bronchopneumonia 4 weeks (491)	1		1	2	2		2	1	1			
Pneumonia, other forms 4 weeks (492-493)			4		9		4	1	1			
Bronchitis (500-502)	1		1				1					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)			1									
Cirrhosis of liver (581)			3						1		1	
Other diseases of digestive system (530-587 excl. above)	3		11	1	4		2	2	7	1	4	
Nephritis and nephrosis (590-594)	1		6		1		4		2		1	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	3		4		3		1		4		3	
Birth injuries, asphyxia, (under 4 weeks) (760-762)			9	2	6		3		2			
Pneumonia of newborn (under 4 weeks) (763)	1		3									
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	3		4		6		1		2		1	
Senility, ill defined and unknown causes (780-795)	2		1		4		4	1			10	
All other diseases (residual)	13		18	3	8		11		12		6	
Motor vehicle accidents (810-835)	4		6		3		3	1	6	1	4	
All other accidents (800-802; 840-862)	4		12	2	10		5	1	13		5	
Suicide and self-inflicted injury (970-979)	5		2		1		3		5		1	
Homicide (980-985)	1		1							1		

COUNTY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 19 61

	Pulaski		Putnam		Ralls		Randolph		Ray		Reynolds	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1961	46,567		6,999		8,078		22,014		76,075		5,161	
TOTAL LIVE BIRTHS	515	27	117		144	3	398	37	343	11	91	
Attended by M.D.	289	25	20		130	2	292	35	314	11	77	
Attended by D.O.	226	2	97		13	1	106	2	28		11	
Attended by midwives												
Others or unspecified					1				1		3	
TOTAL STILLBIRTHS	2		5		2		1		8			
Attended by M.D.	2		1		2		1		8			
Attended by D.O.			4				1					
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	157	2	101		91	2	297	25	207	8	76	
Under one year of age	21	1	1		1		7	2	7		2	
Neonatal deaths	16	1			1		6	1	5		1	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	2						2					
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)												
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)									1			
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)					1							
Malignant neoplasms (140-205)	21		16		14		44	3	25		11	
Benign and unspecified neoplasms (210-239)			1				1					
Diabetes mellitus (260)	3		4		5		5		3		6	
Anemias (290-293)							2					
Vascular lesions affecting central nervous system (330-334)	12		13		8		39	6	30	3	8	
Nonmeningococcal meningitis (340)	2											
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	2				1		2					
Arteriosclerotic and degenerative heart disease (420-422)	33		37		26	1	110	8	69	3	26	
Other diseases of heart (430-434)	3						5		2			
Hypertension with heart disease (440-443)	6		10		1		12	2	3		1	
Hypertension w/o mention of heart (444-447)	1		1		1		3		1		1	
Other diseases of circulatory system (450-468)	4				6		12	1	8	1	1	
Influenza (480-483)	3							1				
Lobar pneumonia 4 weeks (490)	1		1		1				1			
Bronchopneumonia 4 weeks (491)	3				2		2		3		2	
Pneumonia, other forms 4 weeks (492-493)	3		1				5	1	5		2	
Bronchitis (500-502)	1						1					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)							4				1	
Other diseases of digestive system (530-587 excl. above)	3		2		1		4		6		1	
Nephritis and nephrosis (590-594)	1		3		1		4		4		2	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	6				1		2	1	2			
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3						1					
Pneumonia of newborn (under 4 weeks) (763)	3				1							
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	8	1					4		5		1	
Senility, ill defined and unknown causes (780-795)	2						4		3			
All other diseases (residual)	3		6		8		10		14	1	3	
Motor vehicle accidents (810-835)	13	1	1		5		8		5		7	
All other accidents (800-802; 840-962)	12		4		6	1	9	2	15		2	
Suicide and self-inflicted injury (970-979)	3				2		1		2		1	
Homicide (980-985)			1				1					

COUNTY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 1961

	Ripley		St. Charles		St. Clair		St. Francois		Ste. Genevieve		St. Louis	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	9,096		52,970		2,421		36,516		13,116		703,532	
TOTAL LIVE BIRTHS	158		1744	26	115		723	5	298	2	15,883	538
Attended by M.D.	144		1544	19	85		621	4	276	2	15,102	530
Attended by D.O.	8		200	6	29		92	1	22		774	1
Attended by midwives	3						4					
Others or unspecified	3											
TOTAL STILLBIRTHS	1		9	1	4		7		2		197	22
Attended by M.D.			8		2		6		2		188	21
Attended by D.O.				1	2		1				11	
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	121		373	10	122	1	448	2	107	4	4962	182
Under one year of age	6		32	2	1		16		9		291	19
Neonatal deaths	5		25	1	1		11		6		235	14
Maternal deaths											2	1
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)							1		1		10	1
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)							1					
Syphilis, age 1 year and over (020-029)											4	5
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)											1	
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)											5	
Infectious hepatitis (092)											1	
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)							1				5	1
Malignant neoplasms (140-205)	18		48	1	21		63		17		982	24
Benign and unspecified neoplasms (210-239)											15	1
Diabetes mellitus (260)			4		4		12		2		78	4
Anemias (290-293)	1										5	
Vascular lesions affecting central nervous system (330-334)	18		45		24		67		12	1	497	20
Nonmeningococcal meningitis (340)							2				4	
Rheumatic fever (400-402)											2	
Chronic rheumatic heart disease (410-416)	1				2	1	4				56	1
Arteriosclerotic and degenerative heart disease (420-422)	48		138	4	44		153	1	33	3	1710	31
Other diseases of heart (430-434)			4		1		4		2		47	2
Hypertension with heart disease (440-443)	1		15		1		13		1		131	13
Hypertension w/o mention of heart (444-447)	1				1		7		1		28	3
Other diseases of circulatory system (450-468)	5		10		2		15		2		169	4
Influenza (480-483)			2								3	
Lobar pneumonia 4 weeks (490)	2				1		13		1		12	1
Bronchopneumonia 4 weeks (491)			8	1			4		3		62	3
Pneumonia, other forms 4 weeks (492-493)			6				3		1		31	2
Bronchitis (500-502)			1						1		10	3
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)				1							2	
Gastro Enteritis and colitis, 2 years (571.1)											6	
Cirrhosis of liver (581)			2				4		1		64	1
Other diseases of digestive system (530-587 excl. above)	2		6	1	2		9		3		116	4
Nephritis and nephrosis (590-594)	1		4		1		7				33	3
Complications of pregnancy and puerperium (640-652; 660-689)											2	1
Congenital malformations (750-759)	3		4				6		4		87	4
Birth injuries, asphyxia, (under 4 weeks) (760-762)			8	1			4		4		107	6
Pneumonia of newborn (under 4 weeks) (763)			2								8	
Diarrhea of newborn (under 4 weeks) (764)			1									
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	2		12		1		4				70	3
Senility, ill defined and unknown causes (780-795)	5		17		2		12		1		153	19
All other diseases (residual)	3		9		4		20		6		162	12
Motor vehicle accidents (810-835)	3		12		3		3		4		80	1
All other accidents (800-802; 840-962)	6		17		3		12	1	3		124	2
Self-inflicted and self-inflicted injury (970-979)	1		3		3		4		4		65	1
Homicide (980-985)				1							13	4

COUNTY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 19 61

	Saline		Schuyler		Scotland		Scott		Shannon		Shelby	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	25,148		5,052		6,484		32,948		7,087		9,063	
TOTAL LIVE BIRTHS	415	30	97		105		713	126	152		142	4
Attended by M.D.	388	29	22		56		589	46	102		89	
Attended by D.O.	27	1	75		48		117	10	39		53	4
Attended by midwives							5	65	7			
Others or unspecified					1		2	5	2			
TOTAL STILLBIRTHS	4	2	1		2		7	5	2		2	1
Attended by M.D.	4	2			1		6	5	2		1	
Attended by D.O.			1		1		1				1	1
Attended by Midwives												
Others or unspecified												
TOTAL DEATHS	293	41	94		111	1	247	26	83		136	5
Under one year of age	5	4	1		1		17	4	1		2	
Neonatal deaths	4	3	1				11	2	1			
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	2						2					
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)		1					1					
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)								1				
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1									
Malignant neoplasms (140-205)	45	6	6		14		36	3	16		22	1
Benign and unspecified neoplasms (210-239)	1						1					
Diabetes mellitus (260)	1		2		5		2				1	
Anemias (290-293)	1				1							
Vascular lesions affecting central nervous system (330-334)	43	8	26		17		36	1	19		21	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)											1	
Chronic rheumatic heart disease (410-416)												
Arteriosclerotic and degenerative heart disease (420-422)	97	12	33		51	1	76	12	27		41	1
Other diseases of heart (430-434)	4						4		1		5	1
Hypertension with heart disease (440-443)	11	1	2		2		13		1		12	
Hypertension w/o mention of heart (444-447)							1					
Other diseases of circulatory system (450-468)	7	1	3		3		4		5		8	
Influenza (480-483)	1				2							
Lobar pneumonia 4 weeks (490)	2				2		3	1	1		2	
Bronchopneumonia 4 weeks (491)	10	1	2		1		7				1	
Pneumonia, other forms 4 weeks (492-493)	1						4				1	1
Bronchitis (500-502)			1				2					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1	1				
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)	1		1				2					
Other diseases of digestive system (530-587 excl. above)	9	2	4		1		10		3		3	
Nephritis and nephrosis (590-594)	4		3		4				1			
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	2				1		2	1				
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1	1					2		1			
Pneumonia of newborn (under 4 weeks) (763)		1						1				
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)							1					
Other diseases of early infancy (under 4 weeks) (769-776)	2	1	1				7	1				
Senility, ill defined and unknown causes (780-795)	4						1				1	
All other diseases (residual)	13	2	3		2		11	1	2		6	
Motor vehicle accidents (810-835)	6				1		12	2	1		1	
All other accidents (800-802; 840-962)	15	3	3		2		4	1			2	
Suicide and self-inflicted injury (970-979)	5		2		1		2		1		2	
Homicide (980-985)									1			

COUNTY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 1961

	Stoddard		Stone		Sullivan		Taney		Texas		Vernon	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	29,490		8,176		8,783		10,238		17,758		20,540	
TOTAL LIVE BIRTHS	556	74	183		114		176		398		315	
Attended by M.D.	305	20	177		47		162		296		302	
Attended by D.O.	250	37	6		67		12		102		12	
Attended by midwives	1	15					1					
Others or unspecified		2					1				1	
TOTAL STILLBIRTHS	7	2	2		1		3		2		3	
Attended by M.D.	3	2	2		1		3		2		3	
Attended by D.O.	4											
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	279	13	79		138		121		199	1	257	1
Under one year of age	13	6	7		4		1		12		10	
Neonatal deaths	10	4	6		4		1		5		6	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1						1				2	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)												
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)	2											
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)					1							
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)					1		1		1			
Malignant neoplasms (140-205)	28		9		28		27		25		39	
Benign and unspecified neoplasms (210-239)									1			
Diabetes mellitus (260)	4		2		2		3		3		3	
Anemias (290-293)												
Vascular lesions affecting central nervous system (330-334)	48	1	10		16		14		24		36	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1		1		1				1		5	
Arteriosclerotic and degenerative heart disease (420-422)	88	4	24		56		47		72	1	91	
Other diseases of heart (430-434)	3				1		3		6		8	
Hypertension with heart disease (440-443)	8		1		3		3		12		11	
Hypertension w/o mention of heart (444-447)	2		1		1		1				2	
Other diseases of circulatory system (450-468)	21		3		3		3		4		7	1
Influenza (480-483)							1					
Lobar pneumonia 4 weeks (490)			1		1				1		3	
Bronchopneumonia 4 weeks (491)	1		4		1		1		5		5	
Pneumonia, other forms 4 weeks (492-493)	1	1			2		1		3		1	
Bronchitis (500-502)			1		1							
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	2	2									1	
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)	5				1							
Other diseases of digestive system (530-587 excl. above)	5		3		3		1		7		6	
Nephritis and nephrosis (590-594)	2		2		1				3		3	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	2		2		1				5		2	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3	2	2		1		1				3	
Pneumonia of newborn (under 4 weeks) (763)			2						1			
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	6	1	1		3				2		2	
Senility, ill defined and unknown causes (780-795)	10	1	1		1				2		3	
All other diseases (residual)	8		4		4		5		3		12	
Motor vehicle accidents (810-835)	4		2				4		4		2	
All other accidents (800-802; 840-962)	11		3		5		3		4		7	
Suicide and self-inflicted injury (970-979)	6						1		3		3	
Homicide (980-985)	2	1							2			

COUNTY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 19 61

	Warren		Washington		Wayne		Webster		Worth		Wright	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 60	8,750		14,346		8,638		13,753		3,936		14,183	
TOTAL LIVE BIRTHS	159	9	335	2	158		276		67		253	1
Attended by M.D.	111	5	198		129		202		56		154	
Attended by D.O.	48	4	90	1	25		73		11		99	1
Attended by midwives			35	1	4							
Others or unspecified			12				1					
TOTAL STILLBIRTHS			3		1		5				2	
Attended by M.D.			3		1		3				2	
Attended by D.O.							2					
Attended by Midwives												
Others or unspecified												
TOTAL DEATHS	101	8	120	2	116		155		57		180	3
Under one year of age	1	1	14		7		6		2		5	
Neonatal deaths	1		6		6		6		2		2	
Maternal deaths			1									
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)												
Tuberculosis, other forms (010-019)			1		2						2	
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)												
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)			1									
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)					1							
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)			1									
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1		1				1			
Malignant neoplasms (140-205)	17		8		15		20		8		24	1
Benign and unspecified neoplasms (210-239)	1											
Diabetes mellitus (260)	1		1	1			3				3	
Anemias (290-293)					1		2				1	
Vascular lesions affecting central nervous system (330-334)	14	1	22		12		35		4		22	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)												
Arteriosclerotic and degenerative heart disease (420-422)	40	2	32		38		46		22		67	1
Other diseases of heart (430-434)	1	1	2		3		1		1		7	
Hypertension with heart disease (440-443)	5		6	1	2		9				9	
Hypertension w/o mention of heart (444-447)	1						1				2	
Other diseases of circulatory system (450-468)	4		6		3		6		5		13	
Influenza (480-483)			1						2		1	
Lobar pneumonia 4 weeks (490)			3				1		1			
Bronchopneumonia 4 weeks (491)	1	1	3				1				1	
Pneumonia, other forms 4 weeks (492-493)			2		1				1		3	
Bronchitis (500-502)												
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)			1									
Cirrhosis of liver (581)					1							
Other diseases of digestive system (530-587 excl. above)	2		3		3		4		4		5	
Nephritis and nephrosis (590-594)	2	1	2		2		1				3	
Complications of pregnancy and puerperium (640-652; 660-689)			1									
Congenital malformations (750-759)			3		2		3		2		2	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1		2		3		3				1	
Pneumonia of newborn (under 4 weeks) (763)												
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)			3				1					
Senility, ill defined and unknown causes (780-795)	1		1		10						2	
All other diseases (residual)	2		3		5		8		4		4	
Motor vehicle accidents (810-835)	1	1	3		4		3		1		2	
All other accidents (800-802; 840-962)	4	1	5		3		3		1		2	1
Suicide and self-inflicted injury (970-979)	1		2		3		3				1	
Homicide (980-985)	1				1							

CITY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	St. Louis City			Bellefontaine Neighbors		Berkeley		Brentwood		Cape Girardeau	
	Total	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1950	750,026			136,50		18,676		12,250		28,947	
TOTAL LIVE BIRTHS	18,539	11,221	7,318	103		468	6	333	6	501	27
Attended by M.D.	18,299	10,986	7,313	100		441	6	332	6	467	24
Attended by D.O.	226	235	1	3		27		1		33	
Attended by midwives	6	3	3								
Others or unspecified	8	7	1								2
TOTAL STILLBIRTHS	394	160	234	1		6		4	1	4	1
Attended by M.D.	367	156	211			5		4	1	3	1
Attended by D.O.	1	1		1		1				1	
Attended by midwives											
Others or unspecified	26	3	23								
TOTAL DEATHS	9,938	7,421	2,517	87		75	3	82	6	226	13
Under one year of age	574	270	304	2		7	1	3	1	8	
Neonatal deaths	431	207	224	2		5	1	3	1	8	
Maternal deaths	6	2	4						1		
CAUSES OF DEATH											
Tuberculosis of respiratory system (001-008)											
Tuberculosis, other forms (010-019)	61	41	20								
Syphilis, under 1 year (020-029)	6	2	4								
Syphilis, age 1 year and over (020-029)											
Typhoid fever (040)	32	13	19							1	
Paratyphoid fever (041)											
Undulant fever (044)											
Bacillary dysentery (045)											
Amebic dysentery (046)											
Other and unspecified dysentery (047-048)	1		1								
Scarlet fever and streptococcal sore throat (050-051)											
Diphtheria (055)											
Whooping cough (056)											
Meningococcal infections (057)	1	1									
Tularemia (059)											
Tetanus (061)	1		1								
Acute poliomyelitis (080)											
Acute infectious encephalitis (082)	2	1	1								
Measles (085)	2	1	1								
Infectious hepatitis (092)	5	3	2								
Rabies (094)											
Rocky mountain spotted fever (104)											
Typhus and other rickettsial diseases (100-103; 105-108)											
Malaria (110-117)											
Other infectious and parasitic diseases (030-138, exc. above)	10	8	2	3							
Malignant neoplasms (140-205)	1680	1325	355	18		6	1	21		44	3
Benign and unspecified neoplasms (210-239)	30	20	10	1		1					
Diabetes mellitus (260)	198	139	59	1		2		2		4	
Anemias (290-293)	14	11	3								
Vascular lesions affecting central nervous system (330-334)	1024	719	305	12		8		12		28	2
Nonmeningococcal meningitis (340)	21	12	9								
Rheumatic fever (400-402)	8	7	1								
Chronic rheumatic heart disease (410-416)	86	71	15	2							
Arteriosclerotic and degenerative heart disease (420-422)	3291	2768	523	27		23		23	1	78	4
Other diseases of heart (430-434)	111	64	47	2		2				4	
Hypertension with heart disease (440-443)	347	221	126	1		1		2		9	
Hypertension w/o mention of heart (444-447)	91	50	41	1						1	
Other diseases of circulatory system (450-468)	467	310	97	4				2		2	1
Influenza (480-483)	12	12								1	
Lobar pneumonia 4 weeks (490)	73	40	33			1				2	
Bronchopneumonia 4 weeks (491)	173	98	75			3				2	
Pneumonia, other forms 4 weeks (492-493)	87	63	24							3	
Bronchitis (500-502)	37	29	8	1		2				1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	11	7	4								
Gastro Enteritis and colitis, 2 years (571.1)	7	7									
Cirrhosis of liver (581)	185	143	42	1						3	
Other diseases of digestive system (530-587 excl. above)	234	183	51			1		4		5	1
Nephritis and nephrosis (590-594)	111	62	49							2	
Complications of pregnancy and puerperium (640-652; 660-689)	6	2	4						1		
Congenital malformations (750-759)	90	60	30			4				4	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	231	115	116	2		1	1	3		1	
Pneumonia of newborn (under 4 weeks) (763)	22	6	16								
Diarrhea of newborn (under 4 weeks) (764)	1		1								
Other infections of newborn (under 4 weeks) (765-768)	1								1		
Other diseases of early infancy (under 4 weeks) (769-776)	149	63	86			2				3	
Senility, ill defined and unknown causes (780-795)	34	25	9	1		6		2	3	2	1
All other diseases (residual)	431	302	129	5		5	1	7		14	
Motor vehicle accidents (810-835)	129	101	28	1		4				3	
All other accidents (800-802; 840-962)	315	221	94	2		1		2		3	
Suicide and self-inflicted injury (970-979)	92	76	16	1		2		1		3	
Homicide (980-985)	78	19	59	1				1		3	1

CITY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 1961

	Carthage		Clayton		Columbia		Crestwood		Ferguson		Florissant	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1961	11,264		15,245		36,650		11,106		22,149		38,166	
TOTAL LIVE BIRTHS	220	8	230	2	819	80	288	1	545	2	1,606	1
Attended by M.D.	211	8	230	2	818	80	288	1	516	2	1,532	1
Attended by D.O.	9				1				29		74	
Attended by midwives												
Others or unspecified												
TOTAL STILLBIRTHS	3		2		7		3		4		17	
Attended by M.D.	3		2		7		3		4		15	
Attended by D.O.											2	
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	168	3	172	1	237	44	33	1	142	2	156	1
Under one year of age	8	1	4		13	5	1		11		19	
Neonatal deaths	7	1	3		13	4	1		9		18	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	2										2	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)												
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amoebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)					1							
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)												
Malignant neoplasms (140-205)	15	1	30		48	8	8		26		34	
Benign and unspecified neoplasms (210-239)	1											
Diabetes mellitus (260)			5		3		1				4	
Anemias (290-293)									1			
Vascular lesions affecting central nervous system (330-334)	21		21		45	7	3		17		19	1
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1		2				1		2		5	
Arteriosclerotic and degenerative heart disease (420-422)	73		63	1	76	13	12	1	50		43	
Other diseases of heart (430-434)	2		2		4	1			2		1	
Hypertension with heart disease (440-443)	2	1	6		4	1			6	1	3	
Hypertension w/o mention of heart (444-447)	2		3		2							
Other diseases of circulatory system (450-468)	6		11		3		1		5		5	
Influenza (480-483)												
Lobar pneumonia 4 weeks (490)	2				2						1	
Bronchopneumonia 4 weeks (491)	3		1		1				2		1	
Pneumonia, other forms 4 weeks (492-493)	1		2		1	2			2			
Bronchitis (500-502)					1							
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					1							
Gastro Enteritis and colitis, 2 years (571.1)									1		1	
Cirrhosis of liver (581)			1						3		2	
Other diseases of digestive system (530-587 excl. above)	10		7		7	1			3		3	
Nephritis and nephrosis (590-594)			1		1							
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)					4	1			2		3	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2		2		8		1		3		10	
Pneumonia of newborn (under 4 weeks) (763)			1			1			1			
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	4	1			2	3			3		5	
Senility, ill defined and unknown causes (780-795)	3		4				2		4		1	
All other diseases (residual)	8		3		10	3			3		5	
Motor vehicle accidents (810-835)	5		1		3				1			
All other accidents (800-802; 840-962)	5		3		3	1	2		2	1	7	
Suicide and self-inflicted injury (970-979)			3		7		2		3		1	
Homicide (980-985)						2						

CITY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 19 61

	Fulton		Gladstone		Hannibal		Independence		Jefferson City		Jennings	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 61	11,131		14,502		20,028		62,328		28,228		19,965	
TOTAL LIVE BIRTHS	135	24	185		410	34	2219	14	516	38	318	
Attended by M.D.	125	23	170		407	34	1913	14	431	24	290	
Attended by midwives	10	1	15		3		306		85	13	28	
Others or unspecified												
TOTAL STILLBIRTHS	3		1		5	1	17		6	1	1	
Attended by M.D.	3		1		5	1	16		5	1	1	
Attended by D.O.							1		1			
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	93	15	19		294	32	632	11	253	18	188	
Under one year of age	2	1	1		17	3	31	1	8	3	10	
Neonatal deaths	2	1	1		11	2	24		6	2	9	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)												
Tuberculosis, other forms (010-019)					2				1			
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)					1		1		1	1		
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amoebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)									1			
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)								1				
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)							4					
Malignant neoplasms (140-205)	15	4	4		41	3	123		48	3	49	
Benign and unspecified neoplasms (210-239)					1		1		1			
Diabetes mellitus (260)	1		1		12		12		7		4	
Anemias (290-293)					1		4					
Vascular lesions affecting central nervous system (330-334)	13	2	3		36	3	59	1	23	2	13	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)					4		5	1	2		5	
Arteriosclerotic and degenerative heart disease (420-422)	35	1	7		104	11	224	5	99	4	67	
Other diseases of heart (430-434)			1		7		10		1		4	
Hypertension with heart disease (440-443)	4	1			6	1	23		7	1	4	
Hypertension w/o mention of heart (444-447)					3	1	5				1	
Other diseases of circulatory system (450-468)	4	1			14	1	21	1	8	2	6	
Influenza (480-483)							1					
Lobar pneumonia 4 weeks (490)		1			1		3				1	
Bronchopneumonia 4 weeks (491)	2	1			6	2	8				1	
Pneumonia, other forms 4 weeks (492-493)	1				3		2	1	3			
Bronchitis (500-502)	1						2		2		1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					1					1		
Gastro Enteritis and colitis, 2 years (571.1)							1				1	
Cirrhosis of liver (581)					4		9		2	1	2	
Other diseases of digestive system (530-587 excl. above)	2	1			7		14		3		9	
Nephritis and nephrosis (590-594)					1	1	2		1		1	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	1				4		9		5		1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)			1		2	1	8		2	2	5	
Pneumonia of newborn (under 4 weeks) (763)						1	2					
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	1	1			6		9		2		2	
Senility, ill defined and unknown causes (780-795)	1				3		2	1	5		3	
All other diseases (residual)	8				12	1	29		12		3	
Motor vehicle accidents (810-835)	1				4	1	7		6		3	
All other accidents (800-802; 840-962)	1				6	4	20	1	8	1	1	
Suicide and self-inflicted injury (970-979)	1	1	2		2		11		3			
Homicide (980-985)	1	1				1						

CITY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 19-61

	Joplin		Kansas City			Kansas City Jackson County		Kansas City Clay County		Kansas City Platte County	
	White	Nonwhite	Total	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19-60	38,958		475,539			440,371		35,168			
TOTAL LIVE BIRTHS	801	17	12,578	9,396	3,182	8,326	3,182	1,064		6	
Attended by M.D.	665	17	11,292	8,144	3,148	7,199	3,148	939		6	
Attended by midwives	134		1,275	1,243	32	1,118	32	125			
Others or unspecified	1		4	3	1	3	1				
TOTAL STILLBIRTHS	14		173	120	53	112	53	8			
Attended by M.D.	13		152	100	52	94	52	6			
Attended by D.O.	1		21	20	1	18	1	2			
Attended by midwives											
Others or unspecified											
TOTAL DEATHS	524	10	5,664	4,637	1,027	4,492	1,027	145			
Under one year of age	27		298	197	101	185	101	12			
Neonatal deaths	19		217	145	72	136	72	9			
Maternal deaths											
CAUSES OF DEATH											
Tuberculosis of respiratory system (001-008)	5		51	37	14	36	14	1			
Tuberculosis, other forms (010-019)			4	1	3	1	3				
Syphilis, under 1 year (020-029)											
Syphilis, age 1 year and over (020-029)	2		7	7		7					
Typhoid fever (040)											
Paratyphoid fever (041)											
Undulant fever (044)											
Bacillary dysentery (045)											
Amoebic dysentery (046)											
Other and unspecified dysentery (047-048)											
Scarlet fever and streptococcal sore throat (050-051)											
Diphtheria (055)											
Whooping cough (056)											
Meningococcal infections (057)			2	2		1		1			
Tularemia (059)											
Tetanus (061)											
Acute poliomyelitis (080)			1	1		1					
Acute infectious encephalitis (082)			1	1		1					
Measles (085)			1		1		1				
Infectious hepatitis (092)			2	2		2					
Rabies (094)											
Rocky mountain spotted fever (104)											
Typhus and other rickettsial diseases (100-103; 105-108)											
Malaria (110-117)											
Other infectious and parasitic diseases (030-138, exc. above)			9	7	2	7	2				
Malignant neoplasms (140-205)	75	1	888	760	128	734	128	26			
Benign and unspecified neoplasms (210-239)	2		11	8	3	8	3				
Diabetes mellitus (260)	12	1	85	66	19	65	19	1			
Anemias (290-293)	1		12	9	3	9	3				
Vascular lesions affecting central nervous system (330-334)	64	2	673	564	109	549	109	15			
Nonmeningococcal meningitis (340)			14	8	6	8	6				
Rheumatic fever (400-402)			2		2		2				
Chronic rheumatic heart disease (410-416)	3		59	40	19	38	19	2			
Arteriosclerotic and degenerative heart disease (420-422)	160	4	1839	1616	223	1574	223	42			
Other diseases of heart (430-434)	6		77	56	21	54	21	2			
Hypertension with heart disease (440-443)	18		187	122	65	119	65	3			
Hypertension w/o mention of heart (444-447)	2	1	39	27	12	27	12				
Other diseases of circulatory system (450-468)	26		226	182	44	176	44	6			
Influenza (480-483)			7	6	1	6	1				
Lobar pneumonia 4 weeks (490)	2		26	20	6	20	6				
Bronchopneumonia 4 weeks (491)	9		188	136	52	134	52	2			
Pneumonia, other forms 4 weeks (492-493)	7		43	31	12	29	12	2			
Bronchitis (500-502)			11	9	2	9	2				
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			2	1	1	1	1				
Gastro Enteritis and colitis, 2 years (571.1)	1		9	6	3	6	3				
Cirrhosis of liver (581)	7		84	72	12	71	12	1			
Other diseases of digestive system (530-587 excl. above)	17		151	129	22	126	22	3			
Nephritis and nephrosis (590-594)	8		60	36	24	35	24	1			
Complications of pregnancy and puerperium (640-652; 660-689)											
Congenital malformations (750-759)	11		65	51	14	46	14	5			
Birth injuries, asphyxia, (under 4 weeks) (760-762)	7		69	54	15	48	15	6			
Pneumonia of newborn (under 4 weeks) (763)	1		21	11	10	11	10				
Diarrhea of newborn (under 4 weeks) (764)											
Other infections of newborn (under 4 weeks) (765-768)			3	2	1	2	1				
Other diseases of early infancy (under 4 weeks) (769-776)	7		95	55	40	55	40				
Senility, ill defined and unknown causes (780-795)	12		36	25	11	25	11				
All other diseases (residual)	26		256	207	49	194	49	13			
Motor vehicle accidents (810-835)	15	1	78	66	12	64	12	2			
All other accidents (800-802; 840-962)	12		148	118	30	111	30	7			
Suicide and self-inflicted injury (970-979)	5		72	67	5	64	5	3			
Homicide (980-985)	1		50	19	31	18	31	1			

CITY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 19__

	Kirkville		Kirkwood		Maplewood		Mexico		Moberly		Overland	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19__	13,123		29,421		12,552		12,889		13,170		22,763	
TOTAL LIVE BIRTHS												
Attended by M.D.	311	1	542	70	257	3	245	37	232	28	840	3
Attended by D.O.	100	1	540	69	250	3	207	26	180	27	770	3
Attended by midwives	211		2		7		38	11	52	1	69	
Others or unspecified												
TOTAL STILLBIRTHS												
Attended by M.D.	6		8	3	6		2		1		4	1
Attended by D.O.	1		8	3	6		1				8	1
Attended by midwives	5						1		1		1	
Others or unspecified												
TOTAL DEATHS												
Under one year of age	140		215	29	136	1	110	17	183	17	223	4
Neonatal deaths	16		6	4	5		9		4	1	16	
Maternal deaths	16		5	3	4		7		4	1	14	
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)												
Tuberculosis, other forms (010-019)	1			1					2		1	
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)												
Typhoid fever (040)				2								
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)											1	
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1									
Malignant neoplasms (140-205)	28		34	5	29		11	3	22	3	36	1
Benign and unspecified neoplasms (210-239)									1		2	
Diabetes mellitus (260)	2		1		1		2		2		3	
Anemias (290-293)	1								1			
Vascular lesions affecting central nervous system (330-334)	10		40	2	15		19	6	25	4	22	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	3										5	
Arteriosclerotic and degenerative heart disease (420-422)	42		70	4	42		34	5	67	5	76	1
Other diseases of heart (430-434)	3		2	1	1		1		4		3	
Hypertension with heart disease (440-443)	3		10	2	3	1	4		8		3	
Hypertension w/o mention of heart (444-447)	3		2						3			
Other diseases of circulatory system (450-468)	4		9	2	6		3		9	1	10	
Influenza (480-483)												
Lobar pneumonia 4 weeks (490)				1								
Bronchopneumonia 4 weeks (491)			1	1	3		1		2		4	1
Pneumonia, other forms 4 weeks (492-493)	2			1	1		1		3	1	2	
Bronchitis (500-502)	1						2		1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)	1				3				2		2	
Other diseases of digestive system (530-587 excl. above)	2		3		3		4	1	4		3	
Nephritis and nephrosis (590-594)	1						1		3		2	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	2		3	1	2		4		1	1	5	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	9		3	2	1		3		1		6	
Pneumonia of newborn (under 4 weeks) (763)							1				1	
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)	1											
Other diseases of early infancy (under 4 weeks) (769-776)	4				1		2		2		4	
Senility, ill defined and unknown causes (780-795)			13	3	8				4		8	1
All other diseases (residual)	9		9	1	7		11	2	6		8	
Motor vehicle accidents (810-835)	1		1		2		3		3		4	
All other accidents (800-802; 840-962)	2		5		6		2		5	2	9	
Suicide and self-inflicted injury (970-979)	4		2		2		1		1		2	
Homicide (980-985)	1								1			

CITY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 19 61

	Poplar Bluff		Raytown		Richmond Heights		Rolla		St. Ann		St. Charles	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 60	15,926		17,083		15,622		11,132		12,155		21,189	
TOTAL LIVE BIRTHS	345	30	475		246	31	277	2	518		918	15
Attended by M.D.	318	19	436		244	30	254	2	480		876	15
Attended by D.O.	19	3	39		2		22		38		42	
Attended by midwives	7	8										
Others or unspecified	1				1		1					
TOTAL STILLBIRTHS	7		8		2	1			9		5	
Attended by M.D.	6		8		2	1			9		5	
Attended by D.O.												
Attended by midwives												
Others or unspecified	1											
TOTAL DEATHS	223	14	128		153	13	84		83		182	2
Under one year of age	13	1	11		3	1	9		14		21	1
Neonatal deaths	13		11		3		8		13		16	1
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1		1									
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)			1									
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)			1									
Measles (085)									1			
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)												
Malignant neoplasms (140-205)	26	2	27		29	2	8		14		16	
Benign and unspecified neoplasms (210-239)	1				1							
Diabetes mellitus (260)	2		3		4		1		1		2	
Anemias (290-293)												
Vascular lesions affecting central nervous system (330-334)	35		4		16		19		5		21	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)					4		1					
Arteriosclerotic and degenerative heart disease (420-422)	87	5	43		58	2	17		23		70	
Other diseases of heart (430-434)			3		2		2		1			
Hypertension with heart disease (440-443)	6	2	5		6	1	4				6	
Hypertension w/o mention of heart (444-447)	1											
Other diseases of circulatory system (450-468)	4		4		2		3		5		3	
Influenza (480-483)												
Lobar pneumonia 4 weeks (490)	2	2	1				2		1			
Bronchopneumonia 4 weeks (491)	4	1	1		3				1		5	
Pneumonia, other forms 4 weeks (492-493)	2	2	1		1		5				4	
Bronchitis (500-502)	2											
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)	1											
Cirrhosis of liver (581)	1				1						2	
Other diseases of digestive system (530-587 excl. above)			1		5	3	1		2		1	
Nephritis and nephrosis (590-594)	6				4	1			2		3	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	7		2		1		2		1		2	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2		8		1		3		7		4	1
Pneumonia of newborn (under 4 weeks) (763)	1				1						1	
Diarrhea of newborn (under 4 weeks) (764)											1	
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	3				1		4		5		8	
Senility, ill defined and unknown causes (780-795)	7		2		3	2			3		12	
All other diseases (residual)	11		7		2	2	5		3		5	
Motor vehicle accidents (810-835)	2		1		1				3		2	
All other accidents (800-802; 840-962)	2		4		4		6		3		5	
Suicide and self-inflicted injury (970-979)	1		1		3		1		1		2	
Homicide (980-985)	1											1

CITY SUMMARY

Births, Stillbirths and Specified Causes of Death by Residence - 1961

	St. Joseph		Gedalia		Sikeston		Springfield		University City		Webster Groves	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960.	79,673		23,874		13,765		95,865		51,249		28,990	
TOTAL LIVE BIRTHS	1641	84	520	50	283	81	1988	57	736		402	46
Attended by M.D.	1543	83	409	50	239	34	1937	57	725		402	45
Attended by D.O.	97	1	111		41	1	49		11			
Attended by midwives					1	42						
Others or unspecified	2				2		2					
TOTAL STILLBIRTHS	27	4	8	1	1	4	2	1	9		2	1
Attended by M.D.	26	4	4	1	1	4	2	1	9		2	1
Attended by D.O.	1		4		1		2				2	1
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	1021	42	261	31	95	19	1022	28	544	1	283	18
Under one year of age	43	2	17	3	5	2	40		16		8	1
Neonatal deaths	31	2	14	3	4	1	26		13		6	1
Maternal deaths								1				
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	4		1		1		6		1			
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	1		1				1	1	1			
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularia (059)												
Tetanus (061)												
Acute poliomyelitis (060)							1					
Acute infectious encephalitis (082)						1						
Measles (085)												
Infectious hepatitis (092)							1					
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1		1				2		1			
Malignant neoplasms (140-205)	165	2	38	5	9	2	152	6	120	1	49	1
Benign and unspecified neoplasms (210-239)	2		1		1		1		3		1	
Diabetes mellitus (260)	15	1	2	1			14	1	7		5	1
Anemias (290-293)	3		1				3					
Vascular lesions affecting central nervous system (330-334)	117	7	34	1	10	1	130	2	57		23	1
Nonmeningococcal meningitis (340)	1						1					
Rheumatic fever (400-402)							1				1	
Chronic rheumatic heart disease (410-416)	3		2				8		4		3	
Arteriosclerotic and degenerative heart disease (420-422)	357	12	86	7	34	10	354	4	212		117	5
Other diseases of heart (430-434)	14		11		2		9		3		2	
Hypertension with heart disease (440-443)	37	4	9	4	4		64	7	9		7	2
Hypertension w/o mention of heart (444-447)	7		1	1	1		8	1	7		1	
Other diseases of circulatory system (450-468)	31	3	8	1	1		35		15		14	1
Influenza (480-483)	2		1	1							1	
Lobar pneumonia 4 weeks (490)			2		2	1	3	1	2		1	
Bronchopneumonia 4 weeks (491)	9	1		2	5		12		3		4	1
Pneumonia, other forms 4 weeks (492-493)	7		3		2		17	1	1		2	
Bronchitis (500-502)	2						3		2			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							3					
Gastro Enteritis and colitis, 2 years (571.1)	1		1				2		1			
Cirrhosis of liver (581)	10	2	3		1		7		8		5	1
Other diseases of digestive system (530-587 excl. above)	17		6	1	1		22	1	11		3	
Nephritis and nephrosis (590-594)	13		4				5		1		1	
Complications of pregnancy and puerperium (640-652; 660-689)								1				
Congenital malformations (750-759)	10	1	3			1	11		8		5	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	18	1	6	2	1		10		10		3	
Pneumonia of newborn (under 4 weeks) (763)			2				2					
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)					1		4					
Other diseases of early infancy (under 4 weeks) (769-776)	8		3		2	1			1		1	1
Senility, ill defined and unknown causes (780-795)	53	3	1				24		14		8	
All other diseases (residual)	55	1	14	3	1		43	1	14		9	2
Motor vehicle accidents (810-835)	21		5		7	1	25		3		3	1
All other accidents (800-802; 840-952)	24		11	2	4	1	22		16		6	
Suicide and self-inflicted injury (970-979)	12	2			2		9		7		6	1
Homicide (980-985)	1	1					1		2		2	

5 LEADING CAUSES

1. heart

2. cancer

3. stroke

4. accident

5. malformation

OF

DEATH